

Pliki .tpl

scripts/basket/address.tpl

```
433                                     </td>
434                                     <td class="input" colspan="2">
435                                         <div class="shaded_textareawrap">
- 436                                             <textarea name="comment" rows="5" cols="30">{$comment_value|esc
ape}</textarea>
+ 436                                             <textarea name="comment" id="comment" rows="5" cols="30">{$comm
ent_value|escape}</textarea>
437                                         </div>
438                                     </td>
439                                     </tr>
```

scripts/flash_messages.tpl

```
4         {foreach from=$flash_messages.error item=item key=k}
5             {if $data_error.user|@count == 0 && $data_error.comment|@count == 0}
6                 <div class="alert-error alert">
- 7                     <button type="button" class="close icon-remove" >
+ 7                     <button type="button" class="close icon-remove" aria-label="{translate key="Close message"} {$item.message|stri
p_tags|escape}">
8                         <span>{translate key="close"}</span>
9                         
10                     </button>
```

```
17
18         {foreach from=$flash_messages.warning item=item key=k}
19             <div class="alert-warning alert">
- 20                 <button type="button" class="close icon-remove" >
+ 20                 <button type="button" class="close icon-remove" aria-label="{translate key="Close message"} {$item.message|strip_ta
gs|escape}">
21                     <span>{translate key="close"}</span>
22                     
23                 </button>
```

```
29
30         {foreach from=$flash_messages.info item=item key=k}
```

```

31         <div class="alert-info alert">
- 32             <button type="button" class="close icon-remove" >
+ 32             <button type="button" class="close icon-remove" aria-label="{translate key="Close message"} {$item.message|strip_tags|escape}">
33                 <span>{translate key="close"}</span>
34                 
35             </button>

```

```

41
42         {foreach from=$flash_messages.success item=item key=k}
43             <div class="alert-success alert">
- 44                 <button type="button" class="close icon-remove" >
+ 44                 <button type="button" class="close icon-remove" aria-label="{translate key="Close message"} {$item.message|strip_tags|escape}">
45                     <span>{translate key="close"}</span>
46                     
47                 </button>

```

scripts/login/register.tpl

```

72
73
74             <span class="shaded_inputwrap{if $tr.error} error{/if}">
- 75                 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|escape}" size="25" id="input_{ $tr.name|escape}" {if $tr.readonly == true} readonly{/if}>
+ 75                 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|escape}" size="25" id="input_{ $tr.name|escape}" {if $tr.readonly == true} readonly{/if} {if $tr.hint }aria-describedby="hint_{ $tr.name|escape}"{/if}>
76             </span>
77         {/if}
78

```

```

88
89
90             {if $tr.rowspan > 0}
- 91                 <span class="{if $tr.hint}hint{/if}" {if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}" {/if}>
+ 91                 <span class="{if $tr.hint}hint{/if}" {if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}" {/if} id="hint_{ $tr.name|escape}">
92                     { $tr.hint|escape|nl2br}
93                 </span>
94             {/if}

```

```

136
137
138
- 139                 <input {if $tr.name == 'zip'}data-mask="__-__" data-pattern="{literal}^\d{2}}(-)(\d{3})${/literal}" data-valid-pattern="00-000"/>{if } type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|escape}"

```

```

size="25" id="input_{$str.name|escape}">
+ 139 <input {if $str.name == 'zip'}data-mask="__-__" data-pattern="{literal}^\(\\d
{2}){2}(\d{3})$/{literal}" data-valid-pattern="00-000"/>{if} type="{str.type|escape}" name="{str.name|escape}" value="{str.value|escape}"
size="25" id="input_{$str.name|escape}" {if $str.hint }aria-describedby="hint_{$str.name|escape}"/>{if}>
140 </span>
141 {/if}
142

151 {/if}
152 </div>
153 {if $str.rowspan > 0}
- 154 <span class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{str.rowspan|esca
pe}"{/if}>
+ 154 <span class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{str.rowspan|esca
pe}"{/if} id="hint_{$str.name|escape}">
155 {str.hint|escape|nl2br}
156 </span>
157 {/if}

```

scripts/paginator.tpl

```

12 <ul class="paginator">
13
14 {if isset($pages->previous) && $pages->previous > 0}
- 15 <li class="first"><a href="{array __key=urlOptions page=$pages->previous}{arrayMerge __key=urlOptions a1=$router_params a2=$url
Options}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}/if}" title="">&laquo;</a></li>
+ 15 <li class="first">
+ 16 <a
+ 17 href="{array __key=urlOptions page=$pages->previous}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{asse
mble params=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}/if}"
+ 18 title="{translate key='Go to previous page'}"
+ 19 aria-label="{translate key='Go to previous page'}"
+ 20 >
+ 21 &laquo;
+ 22 </a>
+ 23 </li>
24 {else}
25 <li class="first"><span>&laquo;</span></li>
26 {/if}

42 <li class="selected"><span>{$b}</span></li>
43 {else}
44 {if $b == 1}
- 45 <li><a href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble pa
rams=$urlOptions route=$router_name_first type=$router_type}{if $google}?$google|escape}/if}" title="">{$b}</a></li>
+ 45 <li>
+ 46 <a
+ 47 href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble p
arams=$urlOptions route=$router_name_first type=$router_type}{if $google}?$google|escape}/if}"

```

```

+ 48         title='{translate key="Go to page %s" s0=$b}'
+ 49         aria-label='{translate key="Go to page %s" s0=$b}'
+ 50     >
+ 51     {$b}
+ 52 </a>
+ 53 </li>
54     {else}
- 55     <li><a href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble pa
rams=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}{/if}" title="">{$b}</a></li>
+ 47     <li>
+ 48     <a
+ 49     href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble p
arams=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}{/if}"
+ 50     title='{translate key="Go to page %s" s0=$b}'
+ 51     aria-label='{translate key="Go to page %s" s0=$b}'
+ 52     >
+ 53     {$b}
+ 54     </a>
+ 55 </li>
56     {/if}
57 {/if}
58 {/foreach}

```

```

69     {if $pages->pageCount - $b > 1}
70     <li class="stick"><span>|</span></li><li><span>...</span></li>
71     {/if}
- 72     <li class="stick"><span>|</span></li><li><a href="{array __key=urlOptions page=$pages->pageCount}{arrayMerge __key=urlOptions a
1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}{/if}" ti
tle="">{$pages->pageCount}</a></li>
+ 72     <li class="stick"><span>|</span></li>
+ 73     <li>
+ 74     <a
+ 75     href="{array __key=urlOptions page=$pages->pageCount}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{ass
emble params=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}{/if}"
+ 76     title='{translate key="Go to page %s" s0=$pages->pageCount}'
+ 77     aria-label='{translate key="Go to page %s" s0=$pages->pageCount}'
+ 78     >
+ 79     {$pages->pageCount}
+ 80     </a>
+ 81 </li>
82 {/if}
83
84     {if isset($pages->next) && $pages->next > 0}
- 85     <li class="last"><a href="{array __key=urlOptions page=$pages->next}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptio
ns}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}{/if}" title="">&raquo;</a></li>
+ 76     <li class="last">
+ 77     <a
+ 78     href="{array __key=urlOptions page=$pages->next}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble
params=$urlOptions route=$router_name type=$router_type}{if $google}?$google|escape}{/if}"
+ 79     title="{translate key='Go to next page'}"

```

```
+ 80         aria-label="{translate key='Go to next page'}"
+ 81     >
+ 82     &raquo;
+ 83 </a>
+ 84 </li>
85     {else}
86     <li class="last"><span>&raquo;</span></li>
87     {/if}
```

scripts/product/attributes.tpl

```
1     {if count($attrs)}
- 2     <div class="box tab" id="box_productdata">
+ 2     <div class="box tab" id="box_productdata" tabindex="-1">
3         <div class="boxhead tab-head">
4             <h3>
5                 
```

scripts/product/comments.tpl

```
55         </div>
56     </div>
57     {/if}
- 58     <form action="{route key='productComment' productId=$product->getIdentifier()}" method="post" class="comment multirow"
id="commentform">
+ 58     <form
+ 59         action="{route key='productComment' productId=$product->getIdentifier()}"
+ 60         method="post"
+ 61         class="comment multirow"
+ 62         id="commentform"
+ 63         tabindex="-1"
+ 64     >
65     <fieldset>
66         {include file='formantispam.tpl'}
67
```

scripts/product/description.tpl

```
1     {if strlen(trim($product->translation->description)) || count($product->files)}
- 2     <div class="box tab" id="box_description">
+ 2     <div class="box tab" id="box_description" tabindex="-1">
3         <div class="boxhead">
4             <h3>
5                 
```

scripts/product/index.tpl

```
89                                     </span>
```

```

90                                     </span>
91
- 92                                     <a href="#deliveries" title="{translate key="check the delivery methods
    "}" class="showShippingCost">
+ 92                                     <a href="#box_productdeliveries" title="{translate key="check the deliv
    ery methods}" class="showShippingCost">
93                                     <span>{translate key="check the delivery methods"}</span>
94                                     </a>
95                                 </div>

```

```

771                                {/if}
772                                {include file="product/description.tpl"}
773                                {include file="product/attributes.tpl"}
- 774                                {feature name="gpsr_product_information"}
- 775                                {include file="product/safety.tpl"}
- 776                                {/feature}
+ 774                                {include file="product/safety.tpl"}
775                                {include file="product/shipping-costs.tpl"}
776                                {include file="product/gallery-tab.tpl"}
777                                {include file="product/related.tpl"}

```

scripts/product/related.tpl

```

1      {if count($related_products) && 1 == $skin_settings->productdetails->related}
- 2      <div class="box row tab" id="box_productrelated">
+ 2      <div class="box row tab" id="box_productrelated" tabindex="-1">
3          <div class="boxhead tab-head">
4              <h3>
5                  

```

scripts/product/safety.tpl

```

1      {if count($product->gpsrCertificates) > 0 || $product->gpsrProducer || $product->gpsrResponsible || $product->gpsrImporter}
- 2      <div class="box tab" id="box_productsafety">
+ 2      <div class="box tab" id="box_productsafety" tabindex="-1">
3          <div class="boxhead tab-head">
4              <h3>
5                  

```

scripts/product/shipping-costs.tpl

```

1      {if $product->canBuyStock() && $skin_settings->productdetails->shippingcost == 1 && $enablebasket === true}
- 2      <div class="box row tab" id="box_productdeliveries">
+ 2      <div class="box row tab" id="box_productdeliveries" tabindex="-1">
3          <div class="boxhead tab-head">
4              <h3>
5                  

```

Pliki .css

styles/framework.css

```
12     background: transparent;
13 }
14
- 15 *:focus {
- 16     outline: 2px solid black;
- 17     outline-offset: 2px;
- 18 }
- 19
20 table, caption, tbody, tfoot, thead, tr, th, td {
21     background: transparent;
22     border-collapse: collapse;
```

```
42     -ms-text-size-adjust: 100%;
43 }
44
- 45 a:focus{
- 46     outline: thin dotted;
- 47 }
48 a:hover, a:active {
49     outline: 0;
50 }
```

Pliki .less

styles/_formBasic.less

```
146     width: auto;
147 }
148
- 149 select:focus,
- 150 input[type="file"]:focus,
- 151 input[type="radio"]:focus,
- 152 input[type="checkbox"]:focus {
- 153     outline: 2px solid black;
+ 149 select:focus-visible,
+ 150 input[type="file"]:focus-visible,
+ 151 input[type="radio"]:focus-visible,
+ 152 input[type="checkbox"]:focus-visible {
+ 153     outline: 2px solid @maincolor;
154     outline-offset: 2px;
155 }
```

```
295         background-color: @colorBlack;
296     }
297
- 298     &:focus + label {
- 299         outline: 2px solid black;
+ 298     &:focus-visible + label {
+ 299         outline: 2px solid @maincolor;
300         outline-offset: 2px;
301     }
302 }
```

```
367         cursor: default;
368     }
369
- 370     &:focus + label {
- 371         outline: 2px solid black;
+ 370     &:focus-visible + label {
+ 371         outline: 2px solid @maincolor;
372         outline-offset: 2px;
373     }
374 }
```

```
438         border-color: #41c06d;
439     }
440
- 441     &:focus + label {
- 442         outline: 2px solid black;
+ 441     &:focus-visible + label {
+ 442         outline: 2px solid @maincolor;
443         outline-offset: 2px;
444     }
445 }
```

styles/_product.less

```
376     }
377
378     &:focus-within {
- 379         outline: 2px solid black;
+ 379         outline: 2px solid @maincolor;
380     }
381
382     a {
```

styles/_skin.less

```
383 @@ -1 +1,6 @@  
- 384 body {}  
+ 384 body {  
+ 385     *:focus-visible {  
+ 386         outline: 2px solid @maincolor;  
+ 387         outline-offset: 2px;  
+ 388     }  
+ 389 }
```

Pliki .js