

Pliki .tpl

boxes/Basket/box.tpl

```
3          <span>{$boxNs->$box_id->title|escape}</spa
n>
4      </div>
5      <div class="innerbox">
- 6          <div class="arrow"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow"></a></div>
+ 6          <div class="arrow"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow" tabindex="-
1"></a></div>
7          {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
8          <p class="products"><span>{translate key="products"}:</span> <em>{$user->basket->countProducts()}</em></p>
9          <p class="sum"><span>{translate key="value"}:</span> <em>{currency value=$user->basket->sumProducts()}</em>
</p>
```

boxes/Filter/box.tpl

```
18          {$group.name|escape}
19      </h5>
20
- 21      <ul>
+ 21      <ul role="presentation">
22          {foreach from=$group.items item=item}
23              {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
24                  <li class="{if $item.active}selected fa fa-times{/if} {if $item.color}color-filter{/if}">
25
48          {translate key='from'}
49      </span>
50
- 51      <input type="text" id="filterprice1" value="" class="short"><br>
+ 51      <input type="text" id="filterprice1" value="" class="short" aria-label="{translate key='Price from'
}"><br>
52
53      <span class="fromto">
54          {translate key='to'}
55      </span>
56
- 57      <input type="text" id="filterprice2" value="" class="short">
```

```

+ 57      <input type="text" id="filterprice2" value="" class="short" aria-label="{translate key='Price up t
o'}">
58
59      <div class="bottombuttons">
60          <button class="btn" type="button" id="filterprice">

```

boxes/Newsletter/box.tpl

```

3          <span>{$boxNs->$box_id->title|escape}</spa
n>
4      </div>
5      <div class="innerbox">
- 6          {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 6          {if $boxNs->$box_id->text}<h5 class="boxintro" id="newsletter_info">{$boxNs->$box_id->text}</h5>{/if}
7          <form action="{route key='newsletterSign' full=true ssl=true}" method="post">
- 8              <fieldset>
+ 8              <fieldset class="newsletter-input-container js__focus-container">
9                  {include file='formantispam.tpl'}
- 10             <input type="text" name="email" value="" placeholder="{translate key='Enter your e-mail address'}"
class="newsletter-input">
- 11             <button type="submit" class="btn btn-red">
- 12                 
- 13                 <span>{translate key="Subscribe"}</span>
+ 10
+ 11             <input
+ 12                 type="text"
+ 13                 name="email"
+ 14                 value=""
+ 15                 placeholder="{translate key='Enter your e-mail address'}"
+ 16                 class="newsletter-input js__handle-focus"
+ 17                 {if !$boxNs->$box_id->text}
+ 18                     aria-label="{translate key="Newsletter"}, {translate key='Enter your e-mail address'}"
+ 19                 {else}
+ 20                     aria-labelledby="newsletter_info"
+ 21                 {/if}>
+ 22
+ 23             <button
+ 24                 type="submit"
+ 25                 class="btn btn-red"
+ 26                 aria-label="{translate key="Subscribe"}">
+ 27                 
+ 28                 <span>{translate key="Subscribe"}</span>
29             </button>
30
31             {$boxNs->$box_id->recaptcha}

```

boxes/Producers/box.tpl

```

4      </div>

```

```

5         <div class="innerbox">
6             {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 7         <label class="singleselect" for="box_producers_select">{translate key="Select vendor"</label>
+ 7
+ 8         <label
+ 9             class="singleselect"
+ 10             for="box_producers_select"
+ 11             id="box_producers_select_label">
+ 12             {translate key="Select vendor"}
+ 13         </label>
+ 14
15         <div class="producers_wrap">
- 16             <select class="singleselect gotourl" id="box_producers_select">
- 17                 <option label="{translate key="choose" value="">{translate key="choose"</option>
- 18                 {foreach from=$boxNs->$box_id->list item=producer key=producer_id}
- 19                 <option data-id="{ $producer_id}" value="{ $boxNs->$box_id->prod_links->$producer_id}">{$producer
- >name|escape}</option>
- 20             </foreach>
+ 9             <select
+ 10                 class="singleselect gotourl"
+ 11                 id="box_producers_select"
+ 12                 aria-labelledby="box_producers_select_label">
+ 13                 <option label="{translate key="choose" value="">{translate key="choose"</option>
+ 14                 {foreach from=$boxNs->$box_id->list item=producer key=producer_id}
+ 15                 <option data-id="{ $producer_id}" value="{ $boxNs->$box_id->prod_links->$producer_id}">{$prod
+ ucer->name|escape}</option>
+ 16             </foreach>
17             </select>
18         </div>
19     </div>

```

scripts/panel/favourites.tpl

```

86             {else}
87                 {route key=$basketAddRoute stockId=$id}" title="{translate key='add to cart
88             '}}
89             {/if}
- 89             " class="btn btn-red2 addtobasket spanhover">
+ 89             " class="btn btn-red2 addtobasket spanhover" aria-label="{if $product->product->isB
+ undle()}{translate key='View product'}{else}{translate key='add to cart'}{/if} {$product->product->translation->name|escape}">
90             
91             <span>
92                 {if $product->product->isBundle()}

100             {dynamic}
101             {assign var="availabilityNotifyUser" value=$product->getAvailabilityNotifyByUse
r()}
102             <div class="availability-notifier-unsubscribe-container{if $availabilityNotifyU
ser == null} none{/if}">

```

```

- 103      <a href="#" data-stock-id="{ $product->stock->stock_id}" title="{translate k
ey="cancel notify"}" class="btn btn-red2 availability-notifier-unsubscribe-btn spanhover">
+ 103      <a href="#" data-stock-id="{ $product->stock->stock_id}" title="{translate k
ey="cancel notify"}" class="btn btn-red2 availability-notifier-unsubscribe-btn spanhover" aria-label="{translate key="Cancel product ava
ilability notifications"} { $product->product->translation->name|escape}">
104          
105          <span>{translate key='cancel notify'}</span>
106      </a>
107  </div>
108
109      <div class="availability-notifier-container{if $availabilityNotifyUser} none{/i
f}">
- 110      <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name|escape}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn
spanhover">
+ 110      <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name|escape}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn
spanhover" aria-label="{translate key="notify of product availability"} { $product->product->translation->name|escape}">
111          
112          <span>{translate key='notify of product availability'}</span>
113      </a>

```

```

115      {/dynamic}
116  {/if}
117
- 118      <a href="{route key='panelRemoveFavourite' stockId=$id}" title="{translate key='remove'
}" class="btn remove spanhover">
+ 118      <a href="{route key='panelRemoveFavourite' stockId=$id}" title="{translate key='remove'
}" class="btn remove spanhover" aria-label="{translate key='Remove from wishlist'} { $product->product->translation->name|escape}">
119          
120          <span>{translate key='remove'}</span>
121      </a>

```

scripts/product/index.tpl

```

690      <ul class="row links-q">
691          {if 1 == $skin_settings->productdetails->question}
692          <li class="question">
- 693              <a data-href="{route key='productQuestion' productId=$product->getI
dentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
+ 693              <a data-href="{route key='productQuestion' productId=$product->getI
dentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer" aria-haspopup="dialog" role="button" tabindex="0">
694                  
695                  <span>{translate key="ask about product"}</span>
696              </a>

```

styles/framework.css

```
42      -ms-text-size-adjust: 100%;
43  }
44
- 45  a:hover, a:active {
- 46      outline: 0;
- 47  }
- 48
49  b, strong {
50      font-weight: 700;
51  }
```

styles/_modal.less

```
102  }
103
104  .modal-footer {
+ 105      padding: 2px 0;
106      margin-bottom: 2em;
107      overflow: hidden;
108      padding: 4px 0;
```

styles/_modules.less

```
881      div.input {
882          display: inline-block;
883          margin: 0 0.2em;
+ 884
+ 885          label a {
+ 886              text-decoration: underline;
+ 887          }
888      }
889
890      div.input_info {
```

styles/_product.less

```
377
378      &:focus-within {
379          outline: 2px solid @maincolor;
```

```
+ 380
+ 381      img {
+ 382      outline: none;
+ 383      }
384    }
385
386    a {
```

```
971      h3 {
972      font-size: 1.4em;
973      margin: 0;
- 974      color: @borderColor;
+ 974      color: @greyFont;
975      }
976    }
977  }
```

Pliki .js