

Pliki .tpl

boxes/Filter/box.tpl

```
13
14     {foreach from=$filter_groups item=group name=list}
15         {if count($group.items) || ($boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider)}
    }
- 16         <div data-limit="{if $group.provider == 'Search_Filter_Products_Provider_Category'}{$boxNs->$box_id->category_limit}
    {/if}{if $group.provider == 'Search_Filter_Products_Provider_Option'}{$boxNs->$box_id->options_limit}{/if}{if $group.provider == 'Search
    h_Filter_Products_Provider_Producer'}{$boxNs->$box_id->producer_limit}{/if}{if $group.provider == 'Search_Filter_Products_Provider_Avail
    ability'}{$boxNs->$box_id->availability_limit}{/if}{if $group.provider == 'Search_Filter_Products_Provider_Delivery'}{$boxNs->$box_id->d
    elivery_limit}{/if}{if $group.provider == 'Search_Filter_Products_Provider_Attribute'}{$boxNs->$box_id->attributes_limit}{/if}{if $group
    .provider == 'Search_Filter_Products_Provider_Collection'}{$boxNs->$box_id->collection_limit}{/if}" class="group group-filter" id="filte
    r{if $group.id}_{$group.id}"/>
- 17         <h5>
+ 16         <div
+ 17             data-limit="{if $group.provider == 'Search_Filter_Products_Provider_Category'}{$boxNs->$box_id->category_limit}
    {/if}{if $group.provider == 'Search_Filter_Products_Provider_Option'}{$boxNs->$box_id->options_limit}{/if}{if $group.provider == 'Search
    _Filter_Products_Provider_Producer'}{$boxNs->$box_id->producer_limit}{/if}{if $group.provider == 'Search_Filter_Products_Provider_Availa
    bility'}{$boxNs->$box_id->availability_limit}{/if}{if $group.provider == 'Search_Filter_Products_Provider_Delivery'}{$boxNs->$box_id->de
    livery_limit}{/if}{if $group.provider == 'Search_Filter_Products_Provider_Attribute'}{$boxNs->$box_id->attributes_limit}{/if}{if $group.
    provider == 'Search_Filter_Products_Provider_Collection'}{$boxNs->$box_id->collection_limit}{/if}"
+ 18             class="group group-filter"
+ 19             role="navigation"
+ 20             aria-label="{translate key="Filter"}"
+ 21             id="filter{if $group.id}_{$group.id}"/>
+ 22             >
+ 23             <h5
+ 24                 id="filter{if $group.id}_{$group.id}"/>_title"
+ 25                 aria-expanded="false"
+ 26                 role="button"
+ 27                 tabindex="0"
+ 28                 aria-controls="filter{if $group.id}_{$group.id}"/>_list"
+ 29             >
30                 {$group.name|escape}
31             </h5>
32
- 33             <ul role="presentation">
+ 20             <ul id="filter{if $group.id}_{$group.id}"/>_list" role="presentation">
21                 {foreach from=$group.items item=item}
22                     {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
```

scripts/basket/address.tpl

```

91
92
93
- 94
+ 94
+ 95
+ 96
+ 97
+ 98
+ 99
+ 100
+ 101
+ 102
103
104
105
108
109
110
- 111
+ 111
+ 112
+ 113
+ 114
+ 115
+ 116
+ 117
+ 118
+ 119
+ 120
+ 121
122
123
124
153
154
155
+ 156

```

```

<td class="input">
  {if 'select' == $tr.type}
    <select class="{if $tr.error} error{/if}" name="{ $tr.name|escape}" id="input_{ $tr.name|escape}">
      <select
        class="{if $tr.error} error{/if}"
        name="{ $tr.name|escape}"
        id="input_{ $tr.name|escape}"
        {if $tr.error}
          aria-invalid="true"
          aria-describedby="error_{ $tr.name|escape}"
        {/if}
      >
      {foreach from=$tr.list item=c key=k}
        <option value="{ $k|escape}" {if $k == $tr.value}
          selected="selected" {/if} {if $tr.html5data
            {foreach from=$tr.html5data key=html5k item=html5d} data-{$html5k}="{ $html5d.$k}" {/foreach} {/if}
        {/foreach}
      {/foreach}
    </select>
  {elseif $tr.type === 'checkbox'}
    <span class="checkbox-wrap">
      <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="1" id="input_{ $tr.name|escape}" {if $tr.value} checked{/if}>
      <input
        type="{ $tr.type|escape}"
        name="{ $tr.name|escape}"
        value="1"
        id="input_{ $tr.name|escape}"
        {if $tr.value} checked{/if}
        {if $tr.error}
          aria-invalid="true"
          aria-describedby="error_{ $tr.name|escape}"
        {/if}
      >
      <label for="input_{ $tr.name|escape}"></label>
    </span>
  {if $tr.type == 'checkbox'}
    {if $tr.name == 'phone'}
      data-input-mask-instance="false"
    {/if}
    {if $tr.error}

```

```

+ 157                                     aria-invalid="true"
+ 158                                     aria-describedby="error_{$tr.name|escape}"
+ 159                                     {/if}
160                                     autocomplete={$autocomplete}"
161                                     >
162                                     </div>

```

```

169                                     <td />
170
171                                     <td class="error">
- 172                                     <ul class="input_error">
+ 172                                     <ul class="input_error" aria-live="polite" id="error_{$
tr.name|escape}">
173                                     {foreach from=$tr.error item=err_text}
174                                     <li>{$err_text|escape}</li>
175                                     {/foreach}

```

```

267                                     class="{if $tr.error} error{/if} {if $tr.name == 'c
country'} js__country-for-phone{/if}"
268                                     name="{ $tr.name|escape}"
269                                     id="input_{$tr.name|escape}"
+ 270                                     {if $tr.error}
+ 271                                     aria-invalid="true"
+ 272                                     aria-describedby="error_{$tr.name|escape}"
+ 273                                     {/if}
274                                     autocomplete={$autocomplete}"
275                                     >
276                                     {foreach from=$tr.list item=c key=k}

```

```

282                                     {elseif $tr.type === 'checkbox'}
283                                     {if $tr.name !='vat_eu' || ($tr.name =='vat_eu' && $isE
nabledVatEU)}}
284                                     <span class="checkbox-wrap">
- 285                                     <input type="{ $tr.type|escape}" name="{ $tr.name
|escape}" value="1" id="input_{$tr.name|escape}" {if $tr.value} checked{/if}>
+ 285                                     <input
+ 286                                     type="{ $tr.type|escape}"
+ 287                                     name="{ $tr.name|escape}"
+ 288                                     value="1"
+ 289                                     id="input_{$tr.name|escape}"
+ 290                                     {if $tr.value} checked{/if}
+ 291                                     {if $tr.error}
+ 292                                     aria-invalid="true"
+ 293                                     aria-describedby="error_{$tr.name|escap
e}"
+ 294                                     {/if}
+ 295                                     >
296                                     <label for="input_{$tr.name|escape}"></label>

```

297		
298	ape}</label>	<label for="input_{\$tr.name escape}">{\$tr.label esc
332		name="{\$tr.name escape}"
333		value="{\$tr.value escape}"
334		id="input_{\$tr.name escape}"
+ 335		{if \$tr.error}
+ 336		aria-invalid="true"
+ 337		aria-describedby="error_{\$tr.name escape}"
+ 338		{/if}
339		autocomplete="{\$autocomplete}"
340		>
341		</div>
348		<td />
349		
350		<td class="error">
- 351		<ul class="input_error">
+ 351	tr.name escape}">	<ul class="input_error" aria-live="polite" id="error_{\$
352		{foreach from=\$tr.error item=err_text}
353		{\$err_text escape}
354		{/foreach}
446		<select
447		name="phone_country2"
448	ct"	class="select__phone js__phone-country-sele
- 449		autocomplete="off"
+ 449		{if \$tr.error}
+ 450		aria-invalid="true"
+ 451		aria-describedby="error_{\$tr.name escap
	e}"	
+ 452		{/if}
453	%s' s0=''}"	aria-label="{translate key='Select country:
454		autocomplete="{\$autocomplete}"
455		>
487	ountry2'} js__country-for-phone2{/if}"	class="{if \$tr.error} error{/if} {if \$tr.name == 'c
488		name="{\$tr.name escape}"
489		id="input_{\$tr.name escape}"
+ 490		{if \$tr.error}
+ 491		aria-invalid="true"
+ 492		aria-describedby="error_{\$tr.name escape}"

```
+ 493                                     {/if}
494                                     autocomplete="{ $autocomplete}"
495                                     >
496                                     {foreach from=$tr.list item=c key=k}

514                                     name="{ $tr.name|escape}"
515                                     value="{ $tr.value|escape}"
516                                     id="input_{ $tr.name|escape}"
+ 517                                     {if $tr.error}
+ 518                                     aria-invalid="true"
+ 519                                     aria-describedby="error_{ $tr.name|escape}"
+ 520                                     {/if}
521                                     autocomplete="{ $autocomplete}"
522                                     >
523                                     </div>

530                                     <td />
531
532                                     <td class="error">
- 533                                     <ul class="input_error">
+ 533                                     <ul class="input_error" aria-live="polite" id="error_{ $
tr.name|escape}">
534                                     {foreach from=$tr.error item=err_text}
535                                     <li>{ $err_text|escape}</li>
536                                     {/foreach}

554                                     </td>
555                                     <td class="input" colspan="2">
556                                     <div class="shaded_textareawrap">
- 557                                     <textarea name="comment" id="comment" rows="5" cols="30">{ $comm
ent_value|escape}</textarea>
+ 557                                     <textarea
+ 558                                     name="comment"
+ 559                                     id="comment"
+ 560                                     rows="5"
+ 561                                     cols="30"
+ 562                                     {if $comment_error}
+ 563                                     aria-invalid="true"
+ 564                                     aria-describedby="error_comment"
+ 565                                     {/if}
+ 566                                     >{ $comment_value|escape}</textarea>
567                                     </div>
568                                     </td>
569                                     </tr>

573                                     <td />
574
```

575	<td class="error">
- 576	<ul class="input_error">
+ 576	<ul class="input_error" aria-live="polite" id="error_comment">
577	{foreach from=\$comment_error item=err_text}
578	{\$err_text escape}
579	{/foreach}
601	
602	{if \$field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN
603	')}
603	<td class="input_hidden" colspan="3">
- 604	{additionalField field=\$field name=\$name value=\$additional_valu
	e.\$name escape}
+ 604	{additionalField field=\$field name=\$name value=\$additional_valu
	e.\$name escape error=\$additional_error.\$name}
605	</td>
606	{elseif \$field->field->type == constant('Logic_AdditionalField::TYPE_IN
	FO')}
607	<td></td>
622	<td class="input{if \$field->field->type == constant('Logic_Addition
623	alField::TYPE_CHECKBOX')} input_checkbox{/if}" colspan="2">
623	{if \$field->field->type == constant('Logic_AdditionalField::TYP
624	E_CHECKBOX')}
624	
- 625	{additionalField field=\$field name=\$name value=\$additio
	nal_value.\$name editable=true}
+ 625	{additionalField field=\$field name=\$name value=\$additio
	nal_value.\$name editable=true error=\$additional_error.\$name}
626	<label for="{ \$name escape}"></label>
627	
628	<label for="{ \$name escape}">{\$field->translation->descripti
	on}</label>
629	{elseif \$field->field->type == constant('Logic_AdditionalField:
	:TYPE_TEXT')}
630	<div class="shaded_inputwrap{if \$additional_error.\$name} er
	ror{/if}">
- 631	{additionalField field=\$field name=\$name value=\$additio
	nal_value.\$name escape editable=true}
+ 631	{additionalField field=\$field name=\$name value=\$additio
	nal_value.\$name escape editable=true error=\$additional_error.\$name}
632	</div>
633	{else}
- 634	{additionalField field=\$field name=\$name value=\$additional_
	value.\$name escape editable=true}
+ 634	{additionalField field=\$field name=\$name value=\$additional_
	value.\$name escape editable=true error=\$additional_error.\$name}
635	{/if}
636	</td>
637	{/if}

```

642                                     <td />
643
644                                     <td class="error">
- 645                                     {formErrors errors=$additional_error.$name class="input_err
or"}
+ 645                                     {formErrors
+ 646                                     errors=$additional_error.$name
+ 647                                     class="input_error"
+ 648                                     name=$name
+ 649                                     }
650                                     </td>
651
652                                     <td />

```

```

669
670                                     <td class="input">
671                                     {if 'select' == $str.type}
- 672                                     <select class="{if $str.error} error{/if}" name="{ $str.name|e
scape}" id="input_{ $str.name|escape}">
+ 672                                     <select
+ 673                                     class="{if $str.error} error{/if}"
+ 674                                     name="{ $str.name|escape}"
+ 675                                     id="input_{ $str.name|escape}"
+ 676                                     {if $str.error}
+ 677                                     aria-invalid="true"
+ 678                                     aria-describedby="error_{ $str.name|escape}"
+ 679                                     {/if}
+ 680                                     >
681                                     {foreach from=$str.list item=c key=k}
682                                     <option value="{ $k|escape}" {if $k == $str.value} sel
ected="selected" {/if} {if $str.html5data
683                                     } {foreach from=$str.html5data key=html5k item=html5d
} data-{ $html5k}="{ $html5d.$k}" {/foreach} {/if}

```

```

686                                     </select>
687                                     {elseif $str.type === 'checkbox'}
688                                     <span class="checkbox-wrap">
- 689                                     <input type="{ $str.type|escape}" name="{ $str.name|escape}
" value="1" id="input_{ $str.name|escape}" {if $str.value} checked{/if}>
+ 689                                     <input
+ 690                                     type="{ $str.type|escape}"
+ 691                                     name="{ $str.name|escape}"
+ 692                                     value="1"
+ 693                                     id="input_{ $str.name|escape}"
+ 694                                     {if $str.value} checked{/if}
+ 695                                     {if $str.error}
+ 696                                     aria-invalid="true"

```

```
+ 697         aria-describedby="error_{$str.name|escape}"
+ 698     {/if}
+ 699     >
700         <label for="input_{$str.name|escape}"></label>
701     </span>
702     {if $str.type == 'checkbox'}
```

```
710     {/if}
711     {else}
712         <div class="shaded_inputwrap{if $str.error} error{/if}">
- 713         <input type="{$str.type|escape}" name="{$str.name|escape}"
+ 713         " value="{$str.value|escape}" id="input_{$str.name|escape}">
+ 714         <input
+ 714         type="{$str.type|escape}"
+ 715         name="{$str.name|escape}"
+ 716         value="{$str.value|escape}"
+ 717         id="input_{$str.name|escape}"
+ 718         {if $str.error}
+ 719         aria-invalid="true"
+ 720         aria-describedby="error_{$str.name|escape}"
+ 721         {/if}
+ 722         >
723     </div>
724     {/if}
725 </td>
```

```
730     <td />
731
732     <td class="error">
- 733     <ul class="input_error">
+ 733     <ul class="input_error" aria-live="polite" id="error_{$str.n
+ 733     ame|escape}">
734         {foreach from=$str.error item=err_text}
735         <li>{$err_text|escape}</li>
736     {/foreach}
```

scripts/product/list.tpl

```
63         {/foreach}
64     </select>
65     {else}
- 66     <div class="products-sort-container">
- 67     <span class="products-active-sort">{translate key="Sort by"}: </span>
- 68     <div class="products-sort-options">
+ 66     <div class="products-sort-container" role="navigation" aria-label="{translate key="
+ 66     Sorting"}">
+ 67     <span
+ 68     class="products-active-sort"
```



```

+ 69         role="button"
+ 70         tabindex="0"
+ 71         aria-expanded="false"
+ 72         aria-controls="product-sort-options-list"
+ 73     >
+ 74         {translate key="Sort by"}:
+ 75     </span>
+ 76     <div class="products-sort-options" id="product-sort-options-list">
+ 77         <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $go
ogle}}{$google|escape}}{/if}" {if $sort == 1}class="active-sort"{/if}>
78         <b>{translate key="Product name A-Z"}</b>
79     </a>

```

scripts/product/tableofproducts.tpl

```

18         </h3>
19
20     <div>
- 21         <a class="details f-grid-4 prodimage" href="{route function=$productRoute key=$product->product->product_id
productName=$product->translation->name productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="dof
ollow">
+ 21         <a
+ 22             class="details f-grid-4 prodimage"
+ 23             href="{route function=$productRoute key=$product->product->product_id productName=$product->translation
->name productId=$product->product->product_id}" title="{ $product->translation->name|escape}"
+ 24             rel="dofollow"
+ 25             aria-label="{translate key='Go to the product'} { $product->translation->name|escape}"
+ 26         >
27         <span class="f-grid-12 img-wrap lazy-load">
28             getPromotingGfx() thumbnailSize=$skin_settings->img->medium}" height="{imageHeight gfx=$product->getPromotingGfx() thumbnailSize=$
skin_settings->img->medium}" data-src="{imageUrl type='productGfx' width=$skin_settings->img->medium height=$skin_settings->img->medium
image=$product->getPromotingGfxName() overlay=1}" alt="{ $product->translation->name|escape}">
29

```

```

806         {/dynamic}
807     {/if}
808
- 809     <a class="btn large tablet quickview" {if $enablebasket}data-price="true"{/if} data-eval="{ $skin_settings->
productdetails->score}" data-id="{ $product->product->product_id}">
+ 809     <a
+ 810         class="btn large tablet quickview"
+ 811         {if $enablebasket}data-price="true"{/if}
+ 812         data-eval="{ $skin_settings->productdetails->score}"
+ 813         data-id="{ $product->product->product_id}"
+ 814         role="button"
+ 815         tabindex="0"
+ 816         aria-label="{translate key='check more'}"
+ 817     >

```

```
818      <span>{translate key="check more"}</sp
819      an>
820      </a>
      </div>
```

Pliki .css

Pliki .less

styles/_formBasic.less

```
168     input[type="email"].error, .error input[type="email"],
169     input[type="search"].error, .error input[type="search"],
170     input[type="tel"].error, .error input[type="tel"],
- 171     input[type="color"].error, .error input[type="color"]{
- 172         background-color: @formErrorBg;
- 173         border-color: @formErrorBorder;
+ 171     input[type="color"].error, .error input[type="color"],
+ 172     .witherror select, .witherror input[type="file"] {
+ 173         background-color: @formErrorBg;
+ 174         border-color: @formErrorBorder;
175         color: @fontLightColor;
176     }
177
```

styles/_modules.less

```
468
469     > span {
470         padding: 0 1em;
+ 471         display: block;
472     }
473
474     span.color-filter {
```

styles/_variables.less

```
4     @fontLightColor: #666;
5     @linkBasicColor: #333;
6     @greyFont: #6d6a6a;
- 7     @menuCountColor: #aaaaaa;
+ 7     @menuCountColor: #757575;
8
9     /* Backgrounds */
10
```

