

Pliki .tpl

boxes/Bestsellers/box.tpl

```
1 {if count($boxNs->$box_id->list)}
2     <div class="box{if 3 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/ if}{/ if}" id="box_bestsellers">
3         <div class="boxhead">
- 4             <span>{$boxNs->$box_id->title|escape}</spa
n>
+ 4             <span>{$boxNs->$box_id-
>title|escape}</span>
5         </div>
6         <div class="innerbox">
7             {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

```
32             <span class="productname">{$bs_product->translation->name|escape}</span>
33         </div>
34     </a>
- 35
+ 35
36     <div class="price price_extended row">
37         {if $showprices}
38             {if $price_mode == '1' || $price_mode == '3'}
```

boxes/Filter/box.tpl

```
30         {$group.name|escape}
31     </h5>
32
- 33     <ul id="filter{if $group.id}_{$group.id}{/if}_list" role="presentation">
+ 33     <ul id="filter{if $group.id}_{$group.id}{/if}_list" {if !$boxNs->$box_id->select_display}aria-labelledby="filte
r{if $group.id}_{$group.id}{/if}_title"{/if}>
34         {foreach from=$group.items item=item}
35             {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
36                 <li class="if $item.active}selected fa fa-times{/if} {if $item.color}color-filter{/if}">
- 37                 <a title="{ $item.name|escape}" href="{if $item.active}{$item.link_remove|escape}{else}{if $filt
er_type == 1 || !$item.link_add}{$item.link_solo|escape}{else}{$item.link_add|escape}{/if}{/if}" {if $item.color} class="color-filter"{/i
f} {if $item.link_part}data-link-part="{ $item.link_part|escape}"{/if} {$boxNs->$box_id->link_rel}>
+ 37                 <a title="{ $item.name|escape}" href="{if $item.active}{$item.link_remove|escape}{else}{if $filt
```

```

er_type == 1 || !$item.link_add}{$item.link_solo|escape}{/if}{/if}"{if $item.color} class="color-filter"{/i
f} {if $item.link_part}data-link-part="{ $item.link_part|escape}"{/if} {$boxNs->$box_id->link_rel}
+ 38                                     {if !$boxNs->$box_id->select_display}aria-label="{ $item.name|escape}, { $group.name|escape},
                                     {if isset($item.counter)}{translate key="Number of products"} { $item.counter|escape}, {/if}{if $item.active}{translate key="selected"}{
                                     else}{translate key="unselected"}{/if}"{/if}
+ 39                                     >
40                                     
41                                     {if $item.html}
42                                     { $item.html}

```

boxes/NewProducts/box.tpl

```

1  {if count($boxNs->$box_id->list)}
2      <div class="box{if 3 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}}{/if}" id="box_lastadded">
3      <div class="boxhead">
- 4          <span>{ $boxNs->$box_id->title|escape}</spa
n>
+ 4          <span>{ $boxNs->$box_id-
>title|escape}</span>
5      </div>
6      <div class="innerbox">
7          {if $boxNs->$box_id->text}<h5 class="boxintro">{ $boxNs->$box_id->text}</h5>{/if}

```

boxes/Producers/box.tpl

```

16                                     <select
17                                     class="singleselect gotourl"
18                                     id="box_producers_select"
- 19                                     aria-labelledby="box_producers_select_label">
+ 19                                     aria-labelledby="box_producers_select_label"
+ 20                                     aria-description="{translate key='After selecting the vendor, you will be redirected to a page with
all of their products.'}">
21                                     <option label="{translate key="choose"}" value="">{translate key="choose"}</option>
22                                     {foreach from=$boxNs->$box_id->list item=producer key=producer_id}
23                                     <option data-id="{ $producer_id}" value="{ $boxNs->$box_id->prod_links->$producer_id}">{ $prod
ucer->name|escape}</option>

```

boxes/ProductOfTheDay/box.tpl

```

1  {if count($boxNs->$box_id->list)}
2      <div class="box{if 1 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}}{/if}" id="box_productoftheday">
3      <div class="boxhead">
- 4          <span>{ $boxNs->$box_id->title|escape}</spa
n>
+ 4          <span>{ $boxNs->$box_id-
>title|escape}</span>
5      </div>

```

```

6         <div class="innerbox">
7             {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

14         title="{spotd->translation->name|escape}"
15         class="row"
16         aria-label="{translate key='Go to the product'} {$spotd->translation->name|escape}"
- 17         >
+ 17         >
18         <span class="boximgsize row lazy-load">
19             img->medium height=$skin_settings->img->medium image=$potd->getPromotingGfxName() overlay=1}" alt="
{$spotd->translation->name|escape}">
20

```

boxes/Recent/box.tpl

```

1     {if count($boxNs->$box_id->list)}
2         <div class="box{if 1 == $boxNs->$box_id->format} slider{if 1 == $boxNs->$box_id->automove} slider_automove{/if}{/if}" id="box_r
ecent">
3             <div class="boxhead">
- 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 4                 <span>{$boxNs->$box_id->title|escap
e}</span>
5             </div>
6             <div class="innerbox">
7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

boxes/SpecialOffer/box.tpl

```

1     {if count($boxNs->$box_id->list)}
- 2         <div class="box{if 1 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}{/if}" id="box_specialoffer">
- 3             <div class="boxhead">
- 4                 <span>{$boxNs->$box_id->title|escape}</spa
n>
- 5             </div>
- 6             <div class="innerbox">
- 7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 8             </div>
- 9             {if $boxNs->$box_id->format < 3}
- 10                 {foreach from=$boxNs->$box_id->list item=special_product name=list}
- 11                 <div data-product-id="{special_product->product->product_id}" data-category="{special_product->defaultCat
egory->translation->name|escape}" {if $special_product->product->producer_id}data-producer="{special_product->producer->manufacturer->n
ame|escape}"{/if} class="product center row{if $special_product->readVisibilityConfigListItemGrayFlag()} product_inactive{/if}">
+ 2                 <div
+ 3                     class="box{if 1 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{/if}{/if}"
+ 4                     id="box_specialoffer">
+ 5                     <div class="boxhead">
+ 6                         <span>{$boxNs->$box_id->title|escap

```

```

e}</span>
+ 7      </div>
+ 8
+ 9      <div class="innerbox">
+ 10          {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 11
+ 12          {if $boxNs->$box_id->format < 3}
+ 13              {foreach from=$boxNs->$box_id->list item=special_product name=list}
+ 14                  <div
+ 15                      data-product-id="{ $special_product->product->product_id}"
+ 16                      data-category="{ $special_product->defaultCategory->translation->name|escape}"
+ 17                      {if $special_product->product->producer_id}data-producer="{ $special_product->producer->manufacturer->name|e
scape}"{/if}
+ 18                      class="product center row{if $special_product->readVisibilityConfigListItemGrayFlag()} product_inactive{/if
}">
19                      <a
20                          href="{route function='product' key=$special_product->getIdentifier() productName=$special_product-
>translation->name productId=$special_product->getIdentifier()}"
21                          title="{ $special_product->translation->name|escape}"

23                      aria-label="{translate key='Go to the product'} { $special_product->translation->name|escape}"
24                      >
25                      <span class="boximgsize row lazy-load">
- 26                          img->medium height=$skin_settings->img->medium image=$special_product->getPromotingGfxName() overla
y=1}" alt="{ $special_product->translation->name|escape}">
+ 26                          img->medium height=$skin_settin
gs->img->medium image=$special_product->getPromotingGfxName() overlay=1}"
+ 29                              alt="{ $special_product->translation->name|escape}">
30
31                      <noscript>
32                          translation->name|escape}">
33                      </noscript>
34                      </span>
+ 35
36                      <div class="productnamewrap row">
37                          <span class="productname">{ $special_product->translation->name|escape}</span>
38                      </div>

177          {/if}
178      </form>
179  {/if}
- 180
- 181      </div>
- 182  {/foreach}
- 183  {else}

```

```

- 184         <ol class="productlist">
- 185             {foreach from=$boxNs->$box_id->list item=special_product name=list}
- 186                 <li data-product-id="{ $special_product->product->product_id}"><a href="{route function='product' key=$s
pecial_product->getIdentifier() productName=$special_product->translation->name productId=$special_product->getIdentifier()
- 187                 }" title="{ $special_product->translation->name|escape}">{ $special_product->translation->name|escape
}</a></li>
- 188             {/foreach}
- 189         </ol>
- 190     {/if}
191 </div>
- 192 </div>
+ 181 {/foreach}
+ 182 {else}
+ 183 <ol class="productlist">
+ 184     {foreach from=$boxNs->$box_id->list item=special_product name=list}
+ 185     <li data-product-id="{ $special_product->product->product_id}"
+ 186     <a
+ 187         href="{route function='product' key=$special_product->getIdentifier() productName=$special_product-
>translation->name productId=$special_product->getIdentifier()}"
+ 188         title="{ $special_product->translation->name|escape}">
+ 189         { $special_product->translation->name|escape}
+ 190     </a>
+ 191     </li>
+ 192     {/foreach}
+ 193 </ol>
+ 194 {/if}
+ 195 </div>
+ 196 </div>
197 {/if}

```

scripts/basket/index.tpl

```

260                                     </span>
261     <span class="input">
262         <div class="shaded_inputwrap{if true == $promocode_error} error{/if}">
- 263             <input type="text" value="{ $promocode|escape}" name="promocode">
+ 263             <input type="text" value="{ $promocode|escape}" name="promocode" ari
a-label="{translate key='Coupon code'}">
264         </div>
265     </span>
266 <span class="action">

```

scripts/panel/index.tpl

```

56                                     <a class="titlequestion js__payment-link" title="{translate key='Yo
ur payment is currently being processed. Are you sure you want to pay again?'}" href="{route
57                                     key='panelPayment' orderId=$id}">{translate key='pay again'}</a
>
58                                     {else}

```

```

- 59      <a class="js__payment-link" href="{route key='panelPayment' orderI
+ 59      <a class="js__payment-link" href="{route key='panelPayment' orderId
= $id}">{translate key='pay'}</a>
60
61      {/if}
62      {/if}

```

```

70      {foreach from=$order->parcels item=parcel}
71      {if $parcel->parcel->send_date != '0000-00-00 00:00:00'}
72      {if strlen($parcel->getTraceLink())}
- 73      <a href="{ $parcel->getTraceLink()|escape}" target="_blank" rel="noopener
+ 73      <a href="{ $parcel->getTraceLink()|escape}" target="_blank" rel="noopener
r" class="trace">{ $parcel->parcel->shipping_code|escape}</a>
r" class="trace" aria-label="{translate key='Shipment tracking %s - opens in a new tab' s1=$parcel->parcel->shipping_code|escape}">{ $par
cel->parcel->shipping_code|escape}</a>
74      {elseif $parcel->parcel->shipping_code}
75      <span>{ $parcel->parcel->shipping_code|escape}</span>
76      {/if}

```

scripts/product/list.tpl

```

57      <div class="sortlinks">
58      {feature name="products_order"}
59      {if count($sort_list) > 0}
- 60      <select class="gotourl">
+ 60      <select class="gotourl" aria-label="{translate key='Sort by'}">
61      {foreach from=$sort_list item=sort_type}
62      <option value="{ $sort_type.url|escape}" {if $sort_type.type == $sort}select
ed{/if}>{ $sort_type.name|escape}</option>
63      {/foreach}

```

Pliki .css

Pliki .less

styles/_modules.less

```

367  }
368
369  #box_newsletter {
+ 370      a {
+ 371      text-decoration: underline;
+ 372      }
+ 373

```

374	.newsletter-input{
375	float: left;
376	width: 82%;

Plik .js