

Pliki .twig

@modules/filter_options/filter_options.twig

```
76             hasFilters,  
77             hasFiltersAndSubcategories,  
78             hasOnlySubcategories,  
- 79             hasOnlyFilter  
+ 79             hasOnlyFilter,  
+ 80             isFiltersSubcategoriesWcagFlagEnabled: ObjectApi.getFeatureFlag("dev_filters_subcategories_wcag").isEnabled  
81         )))  
82     }}  
83     {% endif %}
```

@modules/filter_options_horizontal/filter_options_horizontal.twig

```
17     {% set hasOnlyFilter = true %}  
18     {% endif %}  
19  
+ 20     <a href="#skip-filter-options-{{ moduleInstance }}" class="link_skip-link">  
+ 21         {{ translate('Skip filters') }}  
+ 22     </a>  
+ 23  
24     <s-filters>  
25         <filters-horizontal lazy>  
26             {{
```

```
29             hasFilters,  
30             hasFiltersAndSubcategories,  
31             hasOnlySubcategories,  
- 32             hasOnlyFilter  
+ 32             hasOnlyFilter,  
+ 33             isFiltersSubcategoriesWcagFlagEnabled: ObjectApi.getFeatureFlag("dev_filters_subcategories_wcag").isEnabled  
34         )))  
35     }}  
36
```

```
42             hasFilters,
```

```

43         hasFiltersAndSubcategories,
44         hasOnlySubcategories,
- 45         hasOnlyFilter
+ 45         hasOnlyFilter,
+ 46         isFiltersSubcategoriesWcagFlagEnabled: ObjectApi.getFeatureFlag("dev_filters_subcategories_wcag").isEnabled
47     )))
48     }}
49     </filters-horizontal>
50 </s-filters>
+ 51
+ 52 <div id="skip-filter-options-{{ moduleInstance }}" class="sr-only" tabindex="-1">{{ translate('End of filters') }}</div>

```

@modules/product_prices/product_prices.twig

```

45     {% endif %}
46
47     {% if lowestHistoricalPriceInLast30Days %}
- 48         {% set lowestHistoricalPricePercentage = (100 - price.grossValue * 100 / lowestHistoricalPriceInLast30Days.grossValue)|round() %}
+ 48         {% if lowestHistoricalPriceInLast30Days.grossValue == 0 %}
+ 49             {% set lowestHistoricalPricePercentage = null %}
+ 50         {% else %}
+ 51             {% set lowestHistoricalPricePercentage = (100 - price.grossValue * 100 / lowestHistoricalPriceInLast30Days.grossValue)|round() %}
+ 52         {% endif %}
53         {% set isLowestHistoricalPriceHigherThanCurrent = lowestHistoricalPriceInLast30Days.grossValue > price.grossValue %}
54     {% endif %}
55

```

@modules/side_menu_categories/side_menu_categories.twig

```

11
12     {% if categories is not empty %}
13         <aside class="side-menu-categories" aria-label="{{ translate('Side menu (Categories)') }}" role="navigation">
- 14             <a href="#skip-side-menu-categories" aria-label="{{ translate('Skip the product category menu') }}"></a>
+ 14             <a href="#skip-side-menu-categories-{{ moduleInstance }}" class="link__skip-link" aria-label="{{ translate('Skip the product category menu') }}">
+ 15                 {{ translate('Skip the product category menu') }}
+ 16             </a>
17
18             {% if moduleConfig.shouldDisplayHeading == 1 and headingLevel %}
19                 <{{ headingLevel }}

```

```

37         }) }}
38     </ul>
39
- 40     <div id="skip-side-menu-categories"></div>
+ 40     <div id="skip-side-menu-categories-{{ moduleInstance }}" class="sr-only" tabindex="-1">{{ translate('End of menu') }}</div>
41 </aside>

```

@macros/active_filter_tags.twig

```

1  {% macro active_filter_tags(activeFilters, options) %}
2      {% from "@macros/icon.twig" import icon %}
3
- 4      <div class="filters-horizontal__active-filters tag_group">
- 5          {% for activeFilter in activeFilters %}
- 6              <a href="{{ activeFilter.urlWithFilterValueRemoved }}" class="tag tag_info link link_no-underline">
- 7                  <span class="color_secondary">
- 8                      {% if activeFilter.name == 'pricefrom' %}
- 9                          {{ translate('Price from') }}:
- 10                     {% elseif activeFilter.name == 'priceto' %}
- 11                         {{ translate('Price up to') }}:
- 12                     {% else %}
- 13                         {{ activeFilter.label }}:
+ 4                 {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
+ 5                     <div class="filters-horizontal__active-filters tag_group">
+ 6                         <h3>
+ 7                             class="sr-only"
+ 8                             tabindex="-1"
+ 9                             {% if options.activeFiltersHeaderId %}id="{{ options.activeFiltersHeaderId }}"{% endif %}
+ 10                        >
+ 11                            {{ translate('Active filters') }}
+ 12                        </h3>
+ 13
+ 14                    {% for activeFilter in activeFilters %}
+ 15                        {% if activeFilter.name == 'pricefrom' %}
+ 16                            {% set activeFilterLabel = "#{translate('Price from')}:" %}
+ 17                        {% elseif activeFilter.name == 'priceto' %}
+ 18                            {% set activeFilterLabel = "#{translate('Price up to')}:" %}
+ 19                        {% else %}
+ 20                            {% set activeFilterLabel = "#{activeFilter.label}:" %}
+ 21                        {% endif %}
+ 22
+ 23                            {% set currency = activeFilter.name == 'pricefrom' or activeFilter.name == 'priceto' ? options.currency.symbol : '' %}
+ 24
+ 25                            {% set fullFilterName = "#{activeFilterLabel} #{activeFilter.userValue} #{currency}" %}
+ 26
+ 27                            <a
+ 28                                href="{{ activeFilter.urlWithFilterValueRemoved }}"
+ 29                                class="tag tag_info link link_no-underline"
+ 30                                aria-label="{{ translate('Applied filter %s, clear filter', fullFilterName) }}"
+ 31                                {% if options.contextId %}
+ 32                                    context-target-id="{{ options.contextId }}"
+ 33                                    context-keeper
+ 34                                {% endif %}
- 35                            </span>

```

```

+ 6 >
+ 7 <span class="color_secondary" aria-hidden="true">{{ activeFilterLabel }}</span>
  8
- 9 {{ activeFilter.userValue }}
+ 8 {{ activeFilter.userValue }}
  9
- 10 {% if activeFilter.name == 'pricefrom' or activeFilter.name == 'priceto' %}
- 11 {{ options.currency.symbol }}
- 12 {% endif %}
+ 10 {{ currency }}
  11
+ 12 {{ icon('icon-x', {
+ 13 size: 'm',
+ 14 classNames: '',
+ 15 ariaHidden: 'true'
+ 16 }) }}
+ 17 </a>
+ 18 {% endfor %}
+ 19
+ 20 <a class="filters_clear-link" href="{{ options.baseUrl }}">
  21 {{ icon('icon-x', {
  22 size: 'm',
- 23 classNames: ''
+ 14 classNames: 'icon_link',
+ 15 ariaHidden: 'true'
  16 }) }}
+ 17
+ 18 {{ translate('Clear filters') }}
  19 </a>
- 20 {% endfor %}
+ 17 </div>
+ 18 {% else %}
+ 19 <div class="filters-horizontal_active-filters tag_group">
+ 20 {% for activeFilter in activeFilters %}
+ 21 <a href="{{ activeFilter.urlWithFilterValueRemoved }}" class="tag tag_info link link_no-underline">
+ 22 {% set price %}
+ 23 {% if activeFilter.name == 'pricefrom' %}
+ 24 {{ translate('Price from') }}:
+ 25 {% elseif activeFilter.name == 'priceto' %}
+ 26 {{ translate('Price up to') }}:
+ 27 {% else %}
+ 28 {{ activeFilter.label }}:
+ 29 {% endif %}
+ 30 {% endset %}
+ 31
+ 32 <span class="sr-only">{{ price }} {{ activeFilter.userValue }} {{ activeFilter.name == 'pricefrom' or activeFilter.
name == 'priceto' ? options.currency.symbol : '' }}</span>
+ 33
+ 34 <span class="color_secondary" aria-hidden="true">{{ price }}</span>
  35

```

```

- 36     <a class="filters__clear-link" href="{{ options.baseUrl }}">
- 37         {{ icon('icon-x', {
- 38             size: 'm',
- 39             classNames: 'icon_link'
- 40         }) }}
- 41
- 42         {{ translate('Clear filters') }}
- 43     </a>
- 44 </div>
- 45 {% endmacro %}
+ 19     <span aria-hidden="true">{{ activeFilter.userValue }}</span>
+ 20
+ 21     {% if activeFilter.name == 'pricefrom' or activeFilter.name == 'priceto' %}
+ 22     <span aria-hidden="true">{{ options.currency.symbol }}</span>
+ 23     {% endif %}
+ 24
+ 25     {{ icon('icon-x', {
+ 26         size: 'm',
+ 27         classNames: '',
+ 28         ariaHidden: 'true'
+ 29     }) }}
+ 30 </a>
+ 31 {% endfor %}
+ 32
+ 33     <a class="filters__clear-link" href="{{ options.baseUrl }}">
+ 34         {{ icon('icon-x', {
+ 35             size: 'm',
+ 36             classNames: 'icon_link',
+ 37             ariaHidden: 'true'
+ 38         }) }}
+ 39
+ 40         {{ translate('Clear filters') }}
+ 41     </a>
+ 42 </div>
+ 43 {% endif %}
+ 44 {% endmacro %}

```

@macros/checkbox_control.twig

```

22     {% if options.ariaDescribedBy %}aria-describedby="{{ options.ariaDescribedBy }}"{% endif %}
23     aria-invalid="{{ options.error ? 'true' : 'false' }}"
24
25     {% if options.ariaLabel %}aria-label="{{ options.ariaLabel }}"{% endif %}
26
27     {% for propName, propValue in options.dataAttributes %}
28         data-{{ propName }}="{{ propValue }}"
29     {% endfor %}/>

```

@macros/filter_horizontal_action.twig

```

5         </h-dropdown-close>
6
7         <filters-apply>
- 8         <a class="btn btn_primary btn_xs">{{ translate('Apply filters') }}</a>
+ 8         <a class="btn btn_primary btn_xs"
+ 9             {% if options.dropdownId %}
+ 10                context-target-id="{{ options.dropdownId }}"
+ 11                context-keeper
+ 12            {% endif %}
+ 13            >{{ translate('Apply filters') }}</a>
14     </filters-apply>
15 </filter-actions>
16 {% endmacro %}

```

@macros/filter_horizontal_toggler.twig

```

7         <span class="indicator indicator_static indicator_secondary ml-xs-1{% if not options.isActive %} visible-hidden{% endif %}" data-
a-value="{{ options.activeFilterCount }}"></span>
8
9         {{ icon('icon-chevron-down', {
- 10            classNames: ['btn__icon', 'btn__icon_right']
+ 10            classNames: ['btn__icon', 'btn__icon_right'],
+ 11            ariaHidden: 'true'
12         }) }}
13     </span>
14 {% endmacro %}

```

@macros/filter_options.twig

```

255             {% if loop.index == categoriesLength %}
256                 </template>
257
- 258                 <h-toggle-btn class="filters__expand-btn" action="expand">{{ translate('More options') }} ({{ filtersLeft }})</h-toggle-btn>
- 259                 <h-toggle-btn class="filters__collapse-btn" action="collapse" hidden>{{ translate('Collapse') }}</h-toggle-btn>
+ 258                 <h-toggle-btn class="filters__expand-btn" action="expand">
+ 259                     {{ translate('More options') }} ({{ filtersLeft }})
+ 260                 </h-toggle-btn>
+ 261                 <h-toggle-btn class="filters__collapse-btn" action="collapse" hidden>
+ 262                     {{ translate('Collapse') }}
+ 263                 </h-toggle-btn>
264             </h-toggle>
265         </li>
266     {% endif %}

```

@macros/filters_horizontal.twig

```

6      {% from "@macros/filter_horizontal_toggler.twig" import filter_horizontal_toggler %}
7      {% from "@macros/filter_horizontal_action.twig" import filter_horizontal_action %}
8      {% from "@macros/active_filter_tags.twig" import active_filter_tags %}
+ 9      {% from "@macros/separator.twig" import separator %}
10
11      {% set activeFilters = [] %}
12

```

```

153      {% endfor %}
154      {% endif %}
155
- 156      <filters-aggregator class="filters filters-horizontal mb-xs-2" id="filters-{{ options.instanceId }}" active-filters="{{ activeFilters|json_encode }}" base-url="{{ filters.baseUrl }}">
- 157          <header class="secondary-header secondary-header_m">
- 158              {{ translate('Filters') }}
- 159          </header>
- 160
- 161          <div class="filters-horizontal__content">
- 162              {% if filters.priceFilter %}
- 163                  <div class="filters-horizontal__filter">
- 164                      <h-dropdown name="price-filter-{{ options.instanceId }}" direction="bottom-left">
- 165                          <h-dropdown-toggler name="price-filter-{{ options.instanceId }}">
- 166                              {{
- 167                                  filter_horizontal_toggler({
- 168                                      name: filters.priceFilter.name,
- 169                                      isActive: filters.priceFilter.priceFrom or filters.priceFilter.priceTo,
- 170                                      activeFilterCount: 1
- 171                                  })
- 172                              }}
- 173                          </h-dropdown-toggler>
- 174
- 175                          <h-dropdown-content class="dropdown_content_no-padding" name="price-filter-{{ options.instanceId }}">
- 176                              <filters-group filter-parent="filters-{{ options.instanceId }}">
- 177                                  <div class="filters-horizontal__dropdown-content">
- 178                                      <filter-price is-active="{{ filters.priceFilter.isActive }}">
- 179                                          <div class="grid_row">
- 180                                              <div class="grid_col grid_col_xs-grow">
- 181                                                  <div class="control">
- 182                                                      <div class="control_label">
- 183                                                          <label class="label" for="{{ filters.priceFilter.priceFromUrlKey }}-{{ options.instanceId }}">
- 184                                                              {{ translate('Price from') }}
- 185                                                          </label>
- 186                                                      </div>
+ 156              {% set filtersHeaderId = "filters-header-#{options.instanceId}" %}
+ 157              {% set activeFiltersHeaderId = "filters-active-header-#{options.instanceId}" %}
+ 158
+ 159              {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
+ 160              <filters-aggregator class="filters filters-horizontal mb-xs-2" id="filters-{{ options.instanceId }}" active-filters="{{ activeFilters

```

```

filters|json_encode }}" base-url="{{ filters.baseUrl }}">
+ 161 <h2 id="{{ filtersHeaderId }}" class="secondary-header secondary-header_m" tabindex="-1">
+ 162     {{ translate('Filters') }}
+ 163 </h2>
+ 164
+ 165 <div class="filters-horizontal_content">
+ 166     {% if filters.priceFilter %}
+ 167         {% set isActive = filters.priceFilter.priceFrom or filters.priceFilter.priceTo %}
+ 168         {% set ariaLabel = isActive ?
+ 169             translate('%s, selected filter options: %s, Set filter', [filters.priceFilter.name, 1]) :
+ 170             translate('Set filter: %s', filters.priceFilter.name)
+ 171         %}
+ 172
+ 173 <div class="filters-horizontal_filter">
+ 174 <h-dropdown name="price-filter-{{ options.instanceId }}" direction="bottom-left">
+ 175 <h-dropdown-toggler
+ 176     name="price-filter-{{ options.instanceId }}"
+ 177     aria-label="{{ ariaLabel }}"
+ 178     id="price-filter-{{ options.instanceId }}"
+ 179 >
+ 180     {{
+ 181         filter_horizontal_toggler({
+ 182             name: filters.priceFilter.name,
+ 183             isActive,
+ 184             activeFilterCount: 1
+ 185         })
+ 186     }}
+ 187 </h-dropdown-toggler>
+ 188
- 189 <div class="control_content">
- 190 <div class="control_element">
- 191 <label class="input">
- 192 <input
- 193     name="{{ filters.priceFilter.priceFromUrlKey }}"
- 194     id="{{ filters.priceFilter.priceFromUrlKey }}-{{ options.instanceId
+ 195     type="text"
+ 196     class="input_control"
+ 197     value="{{ filters.priceFilter.priceFrom }}">
+ 158 <h-dropdown-content class="dropdown_content_no-padding" name="price-filter-{{ options.instanceId }}">
+ 159 <header class="filters-horizontal_mobile-header visible-xs-only">
+ 160 <h-dropdown-close
+ 161     class="mb-xs-1"
+ 162     name="price-filter-{{ options.instanceId }}"
+ 163 >
+ 164 <span class="filters-horizontal_mobile-header-close-btn">
+ 165 <span class="sr-only">{{ translate('Close %s filter settings', filters.priceFilter.name) }}
+ 166 </span>
+ 167     {{ icon('icon-x', {
+ 168         size: '1',

```

```

+ 168         className: ['d-block'],
+ 169         ariaHidden: 'true'
+ 170     }} }}
+ 171     </span>
+ 172     </h-dropdown-close>
+ 173
+ 174     {{ separator({ size: 's', noMargin: true }) }}
+ 175     </header>
+ 176
- 177     <span class="input__unit">{{ currency.symbol }}</span>
+ 160     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 161         <div class="filters-horizontal_dropdown-content">
+ 162             <filter-price is-active="{{ filters.priceFilter.isActive }}">
+ 163                 <div class="grid_row">
+ 164                     <div class="grid_col grid_col_xs-grow">
+ 165                         <div class="control">
+ 166                             <div class="control__label">
+ 167                                 <label class="label" for="{{ filters.priceFilter.priceFromUrlKey }}-{{ opti
ons.instanceId }}">
+ 168                                     {{ translate('Price from') }}
+ 169                                 </label>
+ 170                             </div>
- 171                         </div>
- 172                     </div>
- 173                 </div>
+ 174
- 175                 <div class="grid_col grid_col_xs-grow">
- 176                     <div class="control">
- 177                         <div class="control__label">
- 178                             <label class="label" for="{{ filters.priceFilter.priceToUrlKey }}-{{ options.in
stanceId }}">
+ 179                                 {{ translate('Price up to') }}
+ 180                             </label>
+ 164                         <div class="control__content">
+ 165                             <div class="control__element">
+ 166                                 <label class="input">
+ 167                                     <input
+ 168                                         name="{{ filters.priceFilter.priceFromUrlKey }}"
+ 169                                         id="{{ filters.priceFilter.priceFromUrlKey }}-{{ options instan
ceId }}"
+ 170                                         type="text"
+ 171                                         class="input__control"
+ 172                                         value="{{ filters.priceFilter.priceFrom }}">
+ 173
+ 174                                     <span class="input__unit">{{ currency.symbol }}</span>
+ 175                                 </label>
+ 176                             </div>
+ 177                         </div>
+ 178                     </div>
+ 179                 </div>

```

```

180
- 181 <div class="control__content">
- 182 <div class="control__element">
- 183 <label class="input">
- 184 <input
- 185 name="{{ filters.priceFilter.priceToUrlKey }}"
- 186 id="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instanceId }}
}"
- 187 type="text"
- 188 class="input__control"
- 189 value="{{ filters.priceFilter.priceTo }}">
- 190
- 191 <span class="input__unit">{{ currency.symbol }}</span>
+ 167 <div class="grid__col grid__col_xs-grow">
+ 168 <div class="control">
+ 169 <div class="control__label">
+ 170 <label class="label" for="{{ filters.priceFilter.priceToUrlKey }}-{{ option
s.instanceId }}">
+ 171 {{ translate('Price up to') }}
172 </label>
173 </div>
+ 174
+ 175 <div class="control__content">
+ 176 <div class="control__element">
+ 177 <label class="input">
+ 178 <input
+ 179 name="{{ filters.priceFilter.priceToUrlKey }}"
+ 180 id="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instance
Id }}"
+ 181 type="text"
+ 182 class="input__control"
+ 183 value="{{ filters.priceFilter.priceTo }}">
+ 184
+ 185 <span class="input__unit">{{ currency.symbol }}</span>
+ 186 </label>
+ 187 </div>
+ 188 </div>
189 </div>
190 </div>
191 </div>
+ 192 </filter-price>
+ 193 </div>
+ 194
+ 195 <div class="filters-horizontal__dropdown-actions">
+ 196 <h-dropdown-close name="price-filter-{{ options.instanceId }}">
+ 197 <span class="btn btn_outline btn_xs">{{ translate('Cancel') }}</span>
+ 198 </h-dropdown-close>
+ 199
+ 200 <filters-apply>
+ 201 <a

```

```

+ 202 class="btn btn_primary btn_xs"
+ 203 context-target-id="price-filter-{{ options.instanceId }}"
+ 204 context-keeper
+ 205 >{{ translate('Apply filters') }}</a>
+ 206 </filters-apply>
+ 207 </div>
+ 208 </filters-group>
+ 209 </h-dropdown-content>
+ 210 </h-dropdown>
+ 211 </div>
+ 212 {% endif %}
+ 213
+ 214 {% if filters.producersFilter %}
+ 215 {% set isActive = filters.producersFilter.isActive %}
+ 216 {% set ariaLabel = isActive ?
+ 217 translate('%s, selected filter options: %s, Set filter', [filters.producersFilter.name, producersActiveFilters|
length]) :
+ 218 translate('Set filter: %s', filters.producersFilter.name)
+ 219 %}
+ 220
+ 221 <div class="filters-horizontal__filter">
+ 222 <h-dropdown name="producers-filter-{{ options.instanceId }}" direction="bottom-left">
+ 223 <h-dropdown-toggler
+ 224 id="producers-filter-{{ options.instanceId }}"
+ 225 name="producers-filter-{{ options.instanceId }}"
+ 226 aria-label="{{ ariaLabel }}"
+ 227 >
+ 228 {{
+ 229 filter_horizontal_toggler({
+ 230 name: filters.producersFilter.name,
+ 231 isActive,
+ 232 activeFilterCount: producersActiveFilters|length
+ 233 })
+ 234 }}
+ 235 </h-dropdown-toggler>
+ 236
+ 237 <h-dropdown-content class="dropdown_content_no-padding" name="producers-filter-{{ options.instanceId }}">
+ 238 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 239 <h-dropdown-close
+ 240 class="mb-xs-1"
+ 241 name="producers-filter-{{ options.instanceId }}"
+ 242 >
+ 243 <span class="filters-horizontal__mobile-header-close-btn">
+ 244 <span class="sr-only">{{ translate('Close %s filter settings', filters.producersFilter.name
) }}</span>
+ 245 {{ icon('icon-x', {
+ 246 size: '1',
+ 247 classNames: ['d-block'],
+ 248 ariaHidden: 'true'
+ 249 }}) }}

```

```

+ 250 </span>
+ 251 </h-dropdown-close>
+ 252
+ 253 {{ separator({ size: 's', noMargin: true }) }}
+ 254 </header>
+ 255
+ 256 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 257 <div class="filters-horizontal__dropdown-content">
+ 258 <filter-multiple class="filters-vertical__filter">
+ 259 {{ multiple_filter(filters.producersFilter, options) }}
+ 260 </filter-multiple>
+ 261 </div>
+ 262
+ 263 {{
+ 264 filter_horizontal_action({
+ 265 dropdownName: 'producers-filter-' ~ options.instanceId,
+ 266 dropdownId: 'producers-filter-' ~ options.instanceId
+ 267 })
+ 268 }}
+ 269 </filters-group>
+ 270 </h-dropdown-content>
+ 271 </h-dropdown>
+ 272 </div>
+ 273 {% endif %}
+ 274
+ 275 {% if filters.collectionsFilter %}
+ 276 {% set isActive = filters.collectionsFilter.isActive %}
+ 277 {% set ariaLabel = isActive ?
+ 278 translate('%s, selected filter options: %s, Set filter', [filters.collectionsFilter.name, collectionsActiveFilt
ers|length]) :
+ 279 translate('Set filter: %s', filters.collectionsFilter.name)
+ 280 %}
+ 281
+ 282 <div class="filters-horizontal__filter">
+ 283 <h-dropdown name="collections-filter-{{ options.instanceId }}" direction="bottom-left">
+ 284 <h-dropdown-toggler
+ 285 id="collections-filter-{{ options.instanceId }}"
+ 286 name="collections-filter-{{ options.instanceId }}"
+ 287 aria-label="{{ ariaLabel }}"
+ 288 >
+ 289 {{
+ 290 filter_horizontal_toggler({
+ 291 name: filters.collectionsFilter.name,
+ 292 isActive,
+ 293 activeFilterCount: collectionsActiveFilters|length
+ 294 })
+ 295 }}
+ 296 </h-dropdown-toggler>
+ 297
+ 298 <h-dropdown-content class="dropdown__content_no-padding" name="collections-filter-{{ options.instanceId }}"

```

```

+ 299 >
+ 300 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 301 <h-dropdown-close
+ 302 class="mb-xs-1"
+ 303 name="collections-filter-{{ options.instanceId }}"
+ 304 >
+ 305 <span class="filters-horizontal__mobile-header-close-btn">
+ 306 <span class="sr-only">{{ translate('Close %s filter settings', filters.collectionsFilter.name) }}</span>
+ 307 {{ icon('icon-x', {
+ 308 size: 'l',
+ 309 classNames: ['d-block'],
+ 310 ariaHidden: 'true'
+ 311 }}) }}
+ 312 </span>
+ 313 </h-dropdown-close>
+ 314 {{ separator({ size: 's', noMargin: true }) }}
+ 315 </header>
+ 316
+ 317 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 318 <div class="filters-horizontal__dropdown-content">
+ 319 <filter-multiple class="filters-vertical__filter">
+ 320 {{ multiple_filter(filters.collectionsFilter, options) }}
+ 321 </filter-multiple>
+ 322 </div>
+ 323
+ 324 {{
+ 325 filter_horizontal_action({
+ 326 dropdownName: 'collections-filter-' ~ options.instanceId,
+ 327 dropdownId: 'collections-filter-' ~ options.instanceId
+ 328 })
+ 329 }}
+ 330 </filters-group>
+ 331 </h-dropdown-content>
+ 332 </h-dropdown>
+ 333 </div>
+ 334 {% endif %}
+ 335
+ 336 {% if filters.optionsFilter %}
+ 337 {% for optionGroupFilter in filters.optionsFilter %}
+ 338 {% set optionGroupActiveFilters = optionGroupFilter.values|filter(filter => filter.isActive == 1) %}
+ 339
+ 340 {% set isActive = optionGroupFilter.isActive %}
+ 341 {% set ariaLabel = isActive ?
+ 342 translate('%s, selected filter options: %s, Set filter', [optionGroupFilter.name, optionGroupActiveFilters
+ 343 length]) :
+ 344 translate('Set filter: %s', optionGroupFilter.name)
+ 345 %}

```

```

+ 346 <div class="filters-horizontal__filter">
+ 347 <h-dropdown name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}" direction="bott
om-left">
+ 348 <h-dropdown-toggler
+ 349 id="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
+ 350 name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
+ 351 aria-label="{{ ariaLabel }}"
+ 352 >
+ 353 {{
+ 354 filter_horizontal_toggler({
+ 355 name: optionGroupFilter.name,
+ 356 isActive,
+ 357 activeFilterCount: optionGroupActiveFilters|length
+ 358 })
+ 359 }}
+ 360 </h-dropdown-toggler>
+ 361
+ 362 <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ optionGroupFilter.opti
onId }}-{{ options.instanceId }}">
+ 363 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 364 <h-dropdown-close
+ 365 class="mb-xs-1"
+ 366 name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
+ 367 >
+ 368 <span class="filters-horizontal__mobile-header-close-btn">
+ 369 <span class="sr-only">{{ translate('Close %s filter settings', optionGroupFilter.name)
}}</span>
+ 370 {{ icon('icon-x', {
+ 371 size: 'l',
+ 372 classNames: ['d-block'],
+ 373 ariaHidden: 'true'
+ 374 }} }}
+ 375 </span>
+ 376 </h-dropdown-close>
+ 377
+ 378 {{ separator({ size: 's', noMargin: true }) }}
+ 379 </header>
+ 380
+ 381 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 382 <div class="filters-horizontal__dropdown-content">
+ 383 <filter-multiple class="filters-vertical__filter">
+ 384 {{ multiple_filter(optionGroupFilter, options) }}
+ 385 </filter-multiple>
+ 386 </div>
+ 387
+ 388 {{
+ 389 filter_horizontal_action({
+ 390 dropdownName: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId
,
+ 391 dropdownId: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId

```

```

+ 392         })
+ 393     }}
+ 394 </filters-group>
+ 395 </h-dropdown-content>
+ 396 </h-dropdown>
+ 397 </div>
+ 398 {% endfor %}
+ 399 {% endif %}
+ 400
+ 401 {% if filters.attributesFilter %}
+ 402     {% for attributesGroupFilter in filters.attributesFilter %}
+ 403         {% set attributesGroupActiveFilters = attributesGroupFilter.values|filter(filter => filter.isActive == 1) %}
+ 404
+ 405         {% set isActive = attributesGroupFilter.isActive %}
+ 406         {% set ariaLabel = isActive ?
+ 407             translate('%s, selected filter options: %s, Set filter', [attributesGroupFilter.name, attributesGroupActive
Filters|length]) :
+ 408             translate('Set filter: %s', attributesGroupFilter.name)
+ 409         %}
+ 410
+ 411         <div class="filters-horizontal__filter">
+ 412             <h-dropdown name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}" directio
n="bottom-left">
+ 413                 <h-dropdown-toggler
+ 414                     id="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
+ 415                     name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
+ 416                     aria-label="{{ ariaLabel }}"
+ 417                 >
+ 418                     {{
+ 419                         filter_horizontal_toggler({
+ 420                             name: attributesGroupFilter.name,
+ 421                             isActive,
+ 422                             activeFilterCount: attributesGroupActiveFilters|length
+ 423                         })
+ 424                     }}
+ 425                 </h-dropdown-toggler>
+ 426
+ 427                 <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ attributesGroupFilter.
attributeId }}-{{ options.instanceId }}">
+ 428                     <header class="filters-horizontal__mobile-header visible-xs-only">
+ 429                         <h-dropdown-close
+ 430                             class="mb-xs-1"
+ 431                             name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
+ 432                         >
+ 433                             <span class="filters-horizontal__mobile-header-close-btn">
+ 434                                 <span class="sr-only">{{ translate('Close %s filter settings', attributesGroupFilter.na
me) }}</span>
+ 435                                 {{ icon('icon-x', {
+ 436                                     size: 'l',
+ 437                                     classNames: ['d-block'],

```

```

+ 438         ariaHidden: 'true'
+ 439     }) }}
+ 440     </span>
+ 441     </h-dropdown-close>
+ 442
+ 443     {{ separator({ size: 's', noMargin: true }) }}
+ 444     </header>
+ 445
+ 446     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 447         <div class="filters-horizontal__dropdown-content">
+ 448             {% if attributesGroupFilter.isSingleChoiceOnly %}
+ 449                 <filter-single class="filters-vertical__filter">
+ 450                     {{ single_filter(attributesGroupFilter, options) }}
+ 451                 </filter-single>
+ 452             {% else %}
+ 453                 <filter-multiple class="filters-vertical__filter">
+ 454                     {{ multiple_filter(attributesGroupFilter, options) }}
+ 455                 </filter-multiple>
+ 456             {% endif %}
+ 457         </div>
- 458     </filter-price>
- 459 </div>
+ 460
- 461     <div class="filters-horizontal__dropdown-actions">
- 462         <h-dropdown-close name="price-filter-{{ options.instanceId }}">
- 463             <span class="btn btn_outline btn_xs">{{ translate('Cancel') }}</span>
+ 175         {{
+ 176             filter_horizontal_action({
+ 177                 dropdownName: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.ins
+ 178                 tanceId,
+ 179                 dropdownId: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.insta
+ 180                 nceId
+ 179             })
+ 180         }}
+ 181     </filters-group>
+ 182 </h-dropdown-content>
+ 183 </h-dropdown>
+ 184 </div>
+ 185     {% endfor %}
+ 186     {% endif %}
+ 187
+ 188     {% if filters.availabilitiesFilter %}
+ 189         {% set isActive = filters.availabilitiesFilter.isActive %}
+ 190         {% set ariaLabel = isActive ?
+ 191             translate('%s, selected filter options: %s, Set filter', [filters.availabilitiesFilter.name, availabilitiesActi
+ 192             veFilters|length]) :
+ 193             translate('Set filter: %s', filters.availabilitiesFilter.name)
+ 194         %}
+ 195     <div class="filters-horizontal__filter">

```

```

+ 196         <h-dropdown name="availabilities-filter-{{ options.instanceId }}" direction="bottom-left">
+ 197             <h-dropdown-toggler
+ 198                 id="availabilities-filter-{{ options.instanceId }}"
+ 199                 name="availabilities-filter-{{ options.instanceId }}"
+ 200                 aria-label="{{ ariaLabel }}"
+ 201             >
+ 202                 {{
+ 203                     filter_horizontal_toggler({
+ 204                         name: filters.availabilitiesFilter.name,
+ 205                         isActive,
+ 206                         activeFilterCount: availabilitiesActiveFilters|length
+ 207                     })
+ 208                 }}
+ 209             </h-dropdown-toggler>
+ 210
+ 211         <h-dropdown-content class="dropdown__content_no-padding" name="availabilities-filter-{{ options.instanceId
+ 212         }}">
+ 213             <header class="filters-horizontal__mobile-header visible-xs-only">
+ 214                 <h-dropdown-close
+ 215                     class="mb-xs-1"
+ 216                     name="availabilities-filter-{{ options.instanceId }}"
+ 217                 >
+ 218                     <span class="filters-horizontal__mobile-header-close-btn">
+ 219                         <span class="sr-only">{{ translate('Close %s filter settings', filters.availabilitiesFilter
+ 220                         .name) }}</span>
+ 221                         {{ icon('icon-x', {
+ 222                             size: 'l',
+ 223                             classNames: ['d-block'],
+ 224                             ariaHidden: 'true'
+ 225                         }) }}
+ 226                     </span>
+ 227                 </h-dropdown-close>
+ 228
+ 229                 <filters-apply>
+ 230                     <a class="btn btn_primary btn_xs">{{ translate('Apply filters') }}</a>
+ 231                 </filters-apply>
+ 232             </div>
+ 233         </h-dropdown-content>
+ 234     </h-dropdown>
+ 235 </div>
+ 236 {% endif %}
+ 178         {{ separator({ size: 's', noMargin: true }) }}
+ 179     </header>
+ 180
+ 181     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 182         <div class="filters-horizontal__dropdown-content">
+ 183             <filter-multiple class="filters-vertical__filter">
+ 184                 {{ multiple_filter(filters.availabilitiesFilter, options) }}
+ 185             </filter-multiple>

```

```

+ 186 </div>
187
- 188 {% if filters.producersFilter %}
- 189 <div class="filters-horizontal__filter">
- 190 <h-dropdown name="producers-filter-{{ options.instanceId }}" direction="bottom-left">
- 191 <h-dropdown-toggler name="producers-filter-{{ options.instanceId }}">
- 192 {{
- 193 filter_horizontal_toggler({
- 194 name: filters.producersFilter.name,
- 195 isActive: filters.producersFilter.isActive,
- 196 activeFilterCount: producersActiveFilters|length
- 197 })
- 198 }}
- 199 </h-dropdown-toggler>
- 200
- 201 <h-dropdown-content class="dropdown_content_no-padding" name="producers-filter-{{ options.instanceId }}">
- 202 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 203 <div class="filters-horizontal__dropdown-content">
- 204 <filter-multiple class="filters-vertical__filter">
- 205 {{ multiple_filter(filters.producersFilter, options) }}
- 206 </filter-multiple>
- 207 </div>
- 208
- 209 {{
- 210 filter_horizontal_action({
- 211 dropdownName: 'producers-filter-' ~ options.instanceId
- 212 })
- 213 }}
- 214 </filters-group>
- 215 </h-dropdown-content>
- 216 </h-dropdown>
- 217 </div>
- 218 {% endif %}
+ 180 {{
+ 181 filter_horizontal_action({
+ 182 dropdownName: 'availabilities-filter-' ~ options.instanceId,
+ 183 dropdownId: 'availabilities-filter-' ~ options.instanceId
+ 184 })
+ 185 }}
+ 186 </filters-group>
+ 187 </h-dropdown-content>
+ 188 </h-dropdown>
+ 189 </div>
+ 190 {% endif %}
191
- 192 {% if filters.collectionsFilter %}
- 193 <div class="filters-horizontal__filter">
- 194 <h-dropdown name="collections-filter-{{ options.instanceId }}" direction="bottom-left">
- 195 <h-dropdown-toggler name="collections-filter-{{ options.instanceId }}">
- 196 {{

```

```

- 197         filter_horizontal_toggler({
- 198             name: filters.collectionsFilter.name,
- 199             isActive: filters.collectionsFilter.isActive,
- 200             activeFilterCount: collectionsActiveFilters|length
- 201         })
- 202     }}
- 203     </h-dropdown-toggler>
- 204
- 205     <h-dropdown-content class="dropdown_content_no-padding" name="collections-filter-{{ options.instanceId }}">
- 206         <filters-group filter-parent="filters-{{ options.instanceId }}">
- 207             <div class="filters-horizontal_dropdown-content">
- 208                 <filter-multiple class="filters-vertical_filter">
- 209                     {{ multiple_filter(filters.collectionsFilter, options) }}
- 210                 </filter-multiple>
- 211             </div>
- 212
- 213             {{
- 214                 filter_horizontal_action({
- 215                     dropdownName: 'collections-filter-' ~ options.instanceId
- 216                 })
- 217             }}
- 218         </filters-group>
- 219     </h-dropdown-content>
- 220 </h-dropdown>
- 221 </div>
- 222 {% endif %}
+ 182     {% if filters.deliveriesFilter %}
+ 183         {% set isActive = filters.deliveriesFilter.isActive %}
+ 184         {% set ariaLabel = isActive ?
+ 185             translate('%s, selected filter options: %s, Set filter', [filters.deliveriesFilter.name, deliveriesActiveFilter
s|length]) :
+ 186             translate('Set filter: %s', filters.deliveriesFilter.name)
+ 187         %}
+ 188
- 189     {% if filters.optionsFilter %}
- 190         {% for optionGroupFilter in filters.optionsFilter %}
- 191             {% set optionGroupActiveFilters = optionGroupFilter.values|filter(filter => filter.isActive == 1) %}
+ 192             <div class="filters-horizontal_filter">
- 193                 <h-dropdown name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}" direction="bottom-l
eft">
- 194                     <h-dropdown-toggler name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}">
+ 185                     <h-dropdown name="deliveries-filter-{{ options.instanceId }}" direction="bottom-left">
+ 186                         <h-dropdown-toggler
+ 187                             id="deliveries-filter-{{ options.instanceId }}"
+ 188                             name="deliveries-filter-{{ options.instanceId }}"
+ 189                             aria-label="{{ ariaLabel }}"
+ 190                         >
+ 191                             {{
+ 192                                 filter_horizontal_toggler({
- 193                                 name: optionGroupFilter.name,

```

```

- 194         isActive: optionGroupFilter.isActive,
- 195         activeFilterCount: optionGroupActiveFilters | length
+ 188         name: filters.deliveriesFilter.name,
+ 189         isActive,
+ 190         activeFilterCount: deliveriesActiveFilters | length
191     })
192     }}
193     </h-dropdown-toggler>
194
- 195     <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ optionGroupFilter.optionId
}}-{{ options.instanceId }}">
+ 193     <h-dropdown-content class="dropdown__content_no-padding" name="deliveries-filter-{{ options.instanceId }}">
+ 194         <header class="filters-horizontal__mobile-header visible-xs-only">
+ 195             <h-dropdown-close
+ 196                 class="mb-xs-1"
+ 197                 name="deliveries-filter-{{ options.instanceId }}"
+ 198             >
+ 199                 <span class="filters-horizontal__mobile-header-close-btn">
+ 200                     <span class="sr-only">{{ translate('Close %s filter settings', filters.deliveriesFilter.name
e) }}</span>
+ 201                     {{ icon('icon-x', {
+ 202                         size: 'l',
+ 203                         classNames: ['d-block'],
+ 204                         ariaHidden: 'true'
+ 205                     }) }}
+ 206                 </span>
+ 207             </h-dropdown-close>
+ 208
+ 209             {{ separator({ size: 's', noMargin: true }) }}
+ 210         </header>
+ 211
192         <filters-group filter-parent="filters-{{ options.instanceId }}">
193             <div class="filters-horizontal__dropdown-content">
194                 <filter-multiple class="filters-vertical__filter">
- 215                     {{ multiple_filter(optionGroupFilter, options) }}
+ 197                     {{ multiple_filter(filters.deliveriesFilter, options) }}
198                 </filter-multiple>
199             </div>
200
201             {{
202                 filter_horizontal_action({
- 203                     dropdownName: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId
+ 203                     dropdownName: 'deliveries-filter-' ~ options.instanceId,
+ 204                     dropdownId: 'deliveries-filter-' ~ options.instanceId
+ 205                 })
+ 206             }}
+ 207         </filters-group>
+ 208     </h-dropdown-content>
+ 209 </h-dropdown>

```

```

+ 210 </div>
+ 211     {% endif %}
+ 212
+ 213     {% if filters.ratesFilter %}
+ 214         {% set isActive = filters.ratesFilter.isActive %}
+ 215         {% set ariaLabel = isActive ?
+ 216             translate('%s, selected filter options: %s, Set filter', [filters.ratesFilter.name, 1]) :
+ 217             translate('Set filter: %s', filters.ratesFilter.name)
+ 218         %}
+ 219
+ 220         <div class="filters-horizontal__filter">
+ 221             <h-dropdown name="rates-filter-{{ options.instanceId }}" direction="bottom-left">
+ 222                 <h-dropdown-toggler
+ 223                     id="rates-filter-{{ options.instanceId }}"
+ 224                     name="rates-filter-{{ options.instanceId }}"
+ 225                     aria-label="{{ ariaLabel }}"
+ 226                 >
+ 227                     {{
+ 228                         filter_horizontal_toggler({
+ 229                             name: filters.ratesFilter.name,
+ 230                             isActive,
+ 231                             activeFilterCount: 1
+ 232                         })
+ 233                     }}
+ 234                 </h-dropdown-toggler>
+ 235
+ 236                 <h-dropdown-content class="dropdown__content_no-padding" name="rates-filter-{{ options.instanceId }}">
+ 237                     <header class="filters-horizontal__mobile-header visible-xs-only">
+ 238                         <h-dropdown-close
+ 239                             class="mb-xs-1"
+ 240                             name="rates-filter-{{ options.instanceId }}"
+ 241                         >
+ 242                             <span class="filters-horizontal__mobile-header-close-btn">
+ 243                                 <span class="sr-only">{{ translate('Close %s filter settings', filters.ratesFilter.name) }}</span>
+ 244                                 {{ icon('icon-x', {
+ 245                                     size: '1',
+ 246                                     classNames: ['d-block'],
+ 247                                     ariaHidden: 'true'
+ 248                                 }) }}
+ 249                             </span>
+ 250                         </h-dropdown-close>
+ 251
+ 252                         {{ separator({ size: 's', noMargin: true }) }}
+ 253                     </header>
+ 254
+ 255                     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 256                         <div class="filters-horizontal__dropdown-content">
+ 257                             <filter-single class="filters-vertical__filter">
+ 258                                 {{ rates_filter(filters.ratesFilter.values, options) }}

```

```

+ 259         </filter-single>
+ 260     </div>
+ 261
+ 262     {{
+ 263         filter_horizontal_action({
+ 264             dropdownName: 'rates-filter-' ~ options.instanceId,
+ 265             dropdownId: 'rates-filter-' ~ options.instanceId
+ 266         })
+ 267     }}
+ 268 </filters-group>
+ 269 </h-dropdown-content>
+ 270 </h-dropdown>
+ 271 </div>
- 272 {% endfor %}
+ 210 {% endif %}
+ 211
+ 212 {% if filters.newsFilter %}
+ 213     {% set isActive = filters.newsFilter.isActive %}
+ 214     {% set ariaLabel = isActive ?
+ 215         translate('%s, selected filter options: %s, Set filter', [filters.newsFilter.name, 1]) :
+ 216         translate('Set filter: %s', filters.newsFilter.name)
+ 217     %}
+ 218
+ 219     <div class="filters-horizontal__filter">
+ 220         <h-dropdown name="news-filter-{{ options.instanceId }}" direction="bottom-left">
+ 221             <h-dropdown-toggler
+ 222                 id="news-filter-{{ options.instanceId }}"
+ 223                 name="news-filter-{{ options.instanceId }}"
+ 224                 aria-label="{{ ariaLabel }}"
+ 225             >
+ 226                 {{
+ 227                     filter_horizontal_toggler({
+ 228                         name: filters.newsFilter.name,
+ 229                         isActive,
+ 230                         activeFilterCount: 1
+ 231                     })
+ 232                 }}
+ 233             </h-dropdown-toggler>
+ 234
+ 235             <h-dropdown-content class="dropdown__content_no-padding" name="news-filter-{{ options.instanceId }}">
+ 236                 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 237                     <h-dropdown-close
+ 238                         class="mb-xs-1"
+ 239                         name="news-filter-{{ options.instanceId }}"
+ 240                     >
+ 241                     <span class="filters-horizontal__mobile-header-close-btn">
+ 242                         <span class="sr-only">{{ translate('Close %s filter settings', filters.newsFilter.name) }}<
+ 243                         /span>
+ 244                         {{ icon('icon-x', {
+ 245                             size: '1',

```

```

+ 245         className: ['d-block'],
+ 246         ariaHidden: 'true'
+ 247     }} }}
+ 248     </span>
+ 249 </h-dropdown-close>
+ 250
+ 251     {{ separator({ size: 's', noMargin: true }) }}
+ 252 </header>
+ 253
+ 254 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 255     <div class="filters-horizontal__dropdown-content">
+ 256         <filter-single class="filters-vertical__filter">
+ 257             {{ single_filter(filters.newsFilter, options) }}
+ 258         </filter-single>
+ 259     </div>
+ 260
+ 261     {{
+ 262         filter_horizontal_action({
+ 263             dropdownName: 'news-filter-' ~ options.instanceId,
+ 264             dropdownId: 'news-filter-' ~ options.instanceId
+ 265         })
+ 266     }}
+ 267 </filters-group>
+ 268 </h-dropdown-content>
+ 269 </h-dropdown>
+ 270 </div>
+ 271 {% endif %}
+ 272
+ 273 {% if filters.promotionsFilter %}
+ 274     {% set isActive = filters.promotionsFilter.isActive %}
+ 275     {% set ariaLabel = isActive ?
+ 276         translate('%s, selected filter options: %s, Set filter', [filters.promotionsFilter.name, 1]) :
+ 277         translate('Set filter: %s', filters.promotionsFilter.name)
+ 278     %}
+ 279
+ 280     <div class="filters-horizontal__filter">
+ 281         <h-dropdown name="promotions-filter-{{ options.instanceId }}" direction="bottom-left">
+ 282             <h-dropdown-toggler
+ 283                 id="promotions-filter-{{ options.instanceId }}"
+ 284                 name="promotions-filter-{{ options.instanceId }}"
+ 285                 aria-label="{{ ariaLabel }}"
+ 286             >
+ 287                 {{
+ 288                     filter_horizontal_toggler({
+ 289                         name: filters.promotionsFilter.name,
+ 290                         isActive,
+ 291                         activeFilterCount: 1
+ 292                     })
+ 293                 }}
+ 294             </h-dropdown-toggler>

```

```

+ 295 |
+ 296 |         <h-dropdown-content class="dropdown_content_no-padding" name="promotions-filter-{{ options.instanceId }}">
+ 297 |             <header class="filters-horizontal__mobile-header visible-xs-only">
+ 298 |                 <h-dropdown-close
+ 299 |                     class="mb-xs-1"
+ 300 |                     name="promotions-filter-{{ options.instanceId }}"
+ 301 |                 >
+ 302 |                     <span class="filters-horizontal__mobile-header-close-btn">
+ 303 |                         <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}</span>
+ 304 |                         {{ icon('icon-x', {
+ 305 |                             size: 'l',
+ 306 |                             classNames: ['d-block'],
+ 307 |                             ariaHidden: 'true'
+ 308 |                         }) }}
+ 309 |                     </span>
+ 310 |                 </h-dropdown-close>
+ 311 |             </header>
+ 312 |             {{ separator({ size: 's', noMargin: true }) }}
+ 313 |         </h-dropdown-content>
+ 314 |     </div>
+ 315 |     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 316 |         <div class="filters-horizontal__dropdown-content">
+ 317 |             <filter-single class="filters-vertical__filter">
+ 318 |                 {{ single_filter(filters.promotionsFilter, options) }}
+ 319 |             </filter-single>
+ 320 |         </div>
+ 321 |     </filters-group>
+ 322 |     {{
+ 323 |         filter_horizontal_action({
+ 324 |             dropdownName: 'promotions-filter-' ~ options.instanceId,
+ 325 |             dropdownId: 'promotions-filter-' ~ options.instanceId
+ 326 |         })
+ 327 |     }}
+ 328 | </h-dropdown-content>
+ 329 | </h-dropdown>
+ 330 | </div>
+ 331 | {% endif %}
+ 332 | </div>
+ 333 |
+ 334 |
+ 335 | {% if activeFilters|length > 0 %}
+ 336 |     {{
+ 337 |         active_filter_tags(activeFilters, {
+ 338 |             baseUrl: filters.baseUrl,
+ 339 |             currency: currency,
+ 340 |             isFiltersSubcategoriesWcagFlagEnabled: options.isFiltersSubcategoriesWcagFlagEnabled,
+ 341 |             activeFiltersHeaderId,
+ 342 |             contextId: activeFilters|length == 1 ? filtersHeaderId : activeFiltersHeaderId,

```

```

+ 343     })
+ 344     }}
345     {% endif %}
+ 346 </filters-aggregator>
+ 347 {% else %}
+ 348     <filters-aggregator class="filters filters-horizontal mb-xs-2" id="filters-{{ options.instanceId }}" active-filters="{{ activeF
filters|json_encode }}" base-url="{{ filters.baseUrl }}">
+ 349         <header class="secondary-header secondary-header_m">
+ 350             {{ translate('Filters') }}
+ 351         </header>
+ 352     <div class="filters-horizontal_content">
+ 353         {% if filters.priceFilter %}
+ 354             <div class="filters-horizontal_filter">
+ 355                 <h-dropdown name="price-filter-{{ options.instanceId }}" direction="bottom-left">
+ 356                     <h-dropdown-toggler name="price-filter-{{ options.instanceId }}">
+ 357                         {{
+ 358                             filter_horizontal_toggler({
+ 359                                 name: filters.priceFilter.name,
+ 360                                 isActive: filters.priceFilter.priceFrom or filters.priceFilter.priceTo,
+ 361                                 activeFilterCount: 1
+ 362                             })
+ 363                         }}
+ 364                     </h-dropdown-toggler>
+ 365                 <h-dropdown-content class="dropdown_content_no-padding" name="price-filter-{{ options.instanceId }}">
+ 366                     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 367                         <div class="filters-horizontal_dropdown-content">
+ 368                             <filter-price is-active="{{ filters.priceFilter.isActive }}">
+ 369                                 <div class="grid_row">
+ 370                                     <div class="grid_col grid_col_xs-grow">
+ 371                                         <div class="control">
+ 372                                             <div class="control_label">
+ 373                                                 <label class="label" for="{{ filters.priceFilter.priceFromUrlKey }}-{{ opti
ons.instanceId }}">
+ 374                                                     {{ translate('Price from') }}
+ 375                                                 </label>
+ 376                                             </div>
+ 377                                         <div class="control_content">
+ 378                                             <div class="control_element">
+ 379                                                 <label class="input">
+ 380                                                     <input
+ 381                                                         name="{{ filters.priceFilter.priceFromUrlKey }}"
+ 382                                                         id="{{ filters.priceFilter.priceFromUrlKey }}-{{ options instan
ceId }}"
+ 383                                                         type="text"
+ 384                                                         class="input_control"
+ 385                                                         value="{{ filters.priceFilter.priceFrom }}">
+ 386
+ 387
+ 388
+ 389

```

```

+ 390 <span class="input__unit">{{ currency.symbol }}</span>
+ 391 </label>
+ 392 </div>
+ 393 </div>
+ 394 </div>
+ 395 </div>
+ 396
+ 397 <div class="grid_col grid_col_xs-grow">
+ 398 <div class="control">
+ 399 <div class="control__label">
+ 400 <label class="label" for="{{ filters.priceFilter.priceToUrlKey }}-{{ option
s.instanceId }}">
+ 401 <span class="input__unit">{{ translate('Price up to') }}</span>
+ 402 </label>
+ 403 </div>
+ 404
+ 405 <div class="control__content">
+ 406 <div class="control__element">
+ 407 <label class="input">
+ 408 <input
+ 409 name="{{ filters.priceFilter.priceToUrlKey }}"
+ 410 id="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instance
Id }}"
+ 411 type="text"
+ 412 class="input__control"
+ 413 value="{{ filters.priceFilter.priceTo }}">
+ 414
+ 415 <span class="input__unit">{{ currency.symbol }}</span>
+ 416 </label>
+ 417 </div>
+ 418 </div>
+ 419 </div>
+ 420 </div>
+ 421 </div>
+ 422 </filter-price>
+ 423 </div>
+ 424
+ 425 <div class="filters-horizontal__dropdown-actions">
+ 426 <h-dropdown-close name="price-filter-{{ options.instanceId }}">
+ 427 <span class="btn btn_outline btn_xs">{{ translate('Cancel') }}</span>
+ 428 </h-dropdown-close>
+ 429
+ 430 <filters-apply>
+ 431 <a class="btn btn_primary btn_xs">{{ translate('Apply filters') }}</a>
+ 432 </filters-apply>
+ 433 </div>
+ 434 </filters-group>
+ 435 </h-dropdown-content>
+ 436 </h-dropdown>
+ 437 </div>

```

```

+ 438         {% endif %}
+ 439     }
+ 440     {% if filters.producersFilter %}
+ 441         <div class="filters-horizontal__filter">
+ 442             <h-dropdown name="producers-filter-{{ options.instanceId }}" direction="bottom-left">
+ 443                 <h-dropdown-toggler name="producers-filter-{{ options.instanceId }}">
+ 444                     {{
+ 445                         filter_horizontal_toggler({
+ 446                             name: filters.producersFilter.name,
+ 447                             isActive: filters.producersFilter.isActive,
+ 448                             activeFilterCount: producersActiveFilters|length
+ 449                         })
+ 450                     }}
+ 451                 </h-dropdown-toggler>
+ 452             </h-dropdown>
+ 453             <h-dropdown-content class="dropdown__content_no-padding" name="producers-filter-{{ options.instanceId }}">
+ 454                 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 455                     <div class="filters-horizontal__dropdown-content">
+ 456                         <filter-multiple class="filters-vertical__filter">
+ 457                             {{ multiple_filter(filters.producersFilter, options) }}
+ 458                         </filter-multiple>
+ 459                     </div>
+ 460                 </h-dropdown-content>
- 461             {% if filters.attributesFilter %}
- 462                 {% for attributesGroupFilter in filters.attributesFilter %}
- 463                     {% set attributesGroupActiveFilters = attributesGroupFilter.values|filter(filter => filter.isActive == 1) %}
+ 213                     {{
+ 214                         filter_horizontal_action({
+ 215                             dropdownName: 'producers-filter-' ~ options.instanceId
+ 216                         })
+ 217                     }}
+ 218                 </filters-group>
+ 219             </h-dropdown-content>
+ 220         </h-dropdown>
+ 221     </div>
+ 222     {% endif %}
+ 223 }
+ 224 {% if filters.collectionsFilter %}
225     <div class="filters-horizontal__filter">
- 226         <h-dropdown name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}" direction="b
ottom-left">
- 227         <h-dropdown-toggler name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}">
+ 215         <h-dropdown name="collections-filter-{{ options.instanceId }}" direction="bottom-left">
+ 216         <h-dropdown-toggler name="collections-filter-{{ options.instanceId }}">
217             {{
218                 filter_horizontal_toggler({
- 219                     name: attributesGroupFilter.name,
- 220                     isActive: attributesGroupFilter.isActive,
- 221                     activeFilterCount: attributesGroupActiveFilters|length

```

```

+ 218         name: filters.collectionsFilter.name,
+ 219         isActive: filters.collectionsFilter.isActive,
+ 220         activeFilterCount: collectionsActiveFilters|length
221     })
222     }}
223     </h-dropdown-toggler>
224
- 225     <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ attributesGroupFilter.attr
+ 223     <h-dropdown-content class="dropdown__content_no-padding" name="collections-filter-{{ options.instanceId }}"
+ 224     >
225         <filters-group filter-parent="filters-{{ options.instanceId }}">
226             <div class="filters-horizontal__dropdown-content">
- 226                 {% if attributesGroupFilter.isSingleChoiceOnly %}
- 227                 <filter-single class="filters-vertical__filter">
- 228                 {{ single_filter(attributesGroupFilter, options) }}
- 229                 </filter-single>
- 230                 {% else %}
+ 226                 <filter-multiple class="filters-vertical__filter">
+ 227                 {{ multiple_filter(filters.collectionsFilter, options) }}
+ 228                 </filter-multiple>
+ 229                 </div>
+ 230
+ 231                 {{
+ 232                 filter_horizontal_action({
+ 233                 dropdownName: 'collections-filter-' ~ options.instanceId
+ 234                 })
+ 235                 }}
+ 236                 </filters-group>
+ 237                 </h-dropdown-content>
+ 238                 </h-dropdown>
+ 239                 </div>
+ 240                 {% endif %}
+ 241
+ 242                 {% if filters.optionsFilter %}
+ 243                 {% for optionGroupFilter in filters.optionsFilter %}
+ 244                 {% set optionGroupActiveFilters = optionGroupFilter.values|filter(filter => filter.isActive == 1) %}
+ 245                 <div class="filters-horizontal__filter">
+ 246                 <h-dropdown name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}" direction="bott
om-left">
+ 247                 <h-dropdown-toggler name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}">
+ 248                 {{
+ 249                 filter_horizontal_toggler({
+ 250                 name: optionGroupFilter.name,
+ 251                 isActive: optionGroupFilter.isActive,
+ 252                 activeFilterCount: optionGroupActiveFilters|length
+ 253                 })
+ 254                 }}
+ 255                 </h-dropdown-toggler>
+ 256

```

```

+ 257 <h-dropdown-content class="dropdown_content_no-padding" name="options-filter-{{ optionGroupFilter.opti
onId }}-{{ options.instanceId }}">
+ 258 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 259 <div class="filters-horizontal_dropdown-content">
260 <filter-multiple class="filters-vertical_filter">
- 261 {{ multiple_filter(attributesGroupFilter, options) }}
+ 228 {{ multiple_filter(optionGroupFilter, options) }}
229 </filter-multiple>
- 230 {% endif %}
+ 230 </div>
+ 231
+ 232 {{
+ 233 filter_horizontal_action({
+ 234 dropdownName: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceI
d
+ 235 })
+ 236 }}
+ 237 </filters-group>
+ 238 </h-dropdown-content>
+ 239 </h-dropdown>
+ 240 </div>
+ 241 {% endfor %}
+ 242 {% endif %}
+ 243
+ 244 {% if filters.attributesFilter %}
+ 245 {% for attributesGroupFilter in filters.attributesFilter %}
+ 246 {% set attributesGroupActiveFilters = attributesGroupFilter.values|filter(filter => filter.isActive == 1) %}
+ 247 <div class="filters-horizontal_filter">
+ 248 <h-dropdown name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}" directio
n="bottom-left">
+ 249 <h-dropdown-toggler name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId
}}">
+ 250 {{
+ 251 filter_horizontal-toggler({
+ 252 name: attributesGroupFilter.name,
+ 253 isActive: attributesGroupFilter.isActive,
+ 254 activeFilterCount: attributesGroupActiveFilters|length
+ 255 })
+ 256 }}
+ 257 </h-dropdown-toggler>
+ 258
+ 259 <h-dropdown-content class="dropdown_content_no-padding" name="options-filter-{{ attributesGroupFilter.
attributeId }}-{{ options.instanceId }}">
+ 260 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 261 <div class="filters-horizontal_dropdown-content">
+ 262 {% if attributesGroupFilter.isSingleChoiceOnly %}
+ 263 <filter-single class="filters-vertical_filter">
+ 264 {{ single_filter(attributesGroupFilter, options) }}
+ 265 </filter-single>
+ 266 {% else %}
+ 267 <filter-multiple class="filters-vertical_filter">

```

```

+ 268         {{ multiple_filter(attributesGroupFilter, options) }}
+ 269     </filter-multiple>
+ 270     {% endif %}
+ 271 </div>
+ 272
+ 273     {{
+ 274         filter_horizontal_action({
+ 275             dropdownName: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.in
stanceId
+ 276         })
+ 277     }}
+ 278 </filters-group>
+ 279 </h-dropdown-content>
+ 280 </h-dropdown>
+ 281 </div>
+ 282     {% endfor %}
+ 283     {% endif %}
+ 284
+ 285     {% if filters.availabilitiesFilter %}
+ 286     <div class="filters-horizontal__filter">
+ 287         <h-dropdown name="availabilities-filter-{{ options.instanceId }}" direction="bottom-left">
+ 288             <h-dropdown-toggler name="availabilities-filter-{{ options.instanceId }}">
+ 289                 {{
+ 290                     filter_horizontal_toggler({
+ 291                         name: filters.availabilitiesFilter.name,
+ 292                         isActive: filters.availabilitiesFilter.isActive,
+ 293                         activeFilterCount: availabilitiesActiveFilters|length
+ 294                     })
+ 295                 }}
+ 296             </h-dropdown-toggler>
+ 297
+ 298             <h-dropdown-content class="dropdown__content_no-padding" name="availabilities-filter-{{ options.instanceId
}}">
+ 299                 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 300                     <div class="filters-horizontal__dropdown-content">
+ 301                         <filter-multiple class="filters-vertical__filter">
+ 302                             {{ multiple_filter(filters.availabilitiesFilter, options) }}
+ 303                         </filter-multiple>
+ 304                     </div>
+ 305
+ 306                     {{
+ 307                         filter_horizontal_action({
- 308                             dropdownName: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options instan
ceId
+ 235                             dropdownName: 'availabilities-filter-' ~ options.instanceId
+ 236                         })
+ 237                     }}
+ 238                 </filters-group>
+ 239             </h-dropdown-content>
+ 240         </h-dropdown>

```

```

241     </div>
- 242     {% endfor %}
- 243     {% endif %}
+ 242     {% endif %}
243
- 244     {% if filters.availabilitiesFilter %}
- 245     <div class="filters-horizontal__filter">
- 246         <h-dropdown name="availabilities-filter-{{ options.instanceId }}" direction="bottom-left">
- 247             <h-dropdown-toggler name="availabilities-filter-{{ options.instanceId }}">
- 248                 {{
- 249                     filter_horizontal_toggler({
- 250                         name: filters.availabilitiesFilter.name,
- 251                         isActive: filters.availabilitiesFilter.isActive,
- 252                         activeFilterCount: availabilitiesActiveFilters|length
- 253                     })
- 254                 }}
- 255             </h-dropdown-toggler>
+ 244     {% if filters.deliveriesFilter %}
+ 245     <div class="filters-horizontal__filter">
+ 246         <h-dropdown name="deliveries-filter-{{ options.instanceId }}" direction="bottom-left">
+ 247             <h-dropdown-toggler name="deliveries-filter-{{ options.instanceId }}">
+ 248                 {{
+ 249                     filter_horizontal_toggler({
+ 250                         name: filters.deliveriesFilter.name,
+ 251                         isActive: filters.deliveriesFilter.isActive,
+ 252                         activeFilterCount: deliveriesActiveFilters|length
+ 253                     })
+ 254                 }}
+ 255             </h-dropdown-toggler>
256
- 257     <h-dropdown-content class="dropdown__content_no-padding" name="availabilities-filter-{{ options.instanceId }}">
- 258         <filters-group filter-parent="filters-{{ options.instanceId }}">
- 259             <div class="filters-horizontal__dropdown-content">
- 260                 <filter-multiple class="filters-vertical__filter">
- 261                     {{ multiple_filter(filters.availabilitiesFilter, options) }}
- 262                 </filter-multiple>
- 263             </div>
+ 246     <h-dropdown-content class="dropdown__content_no-padding" name="deliveries-filter-{{ options.instanceId }}">
+ 247         <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 248             <div class="filters-horizontal__dropdown-content">
+ 249                 <filter-multiple class="filters-vertical__filter">
+ 250                     {{ multiple_filter(filters.deliveriesFilter, options) }}
+ 251                 </filter-multiple>
+ 252             </div>
253
+ 254             {{
+ 255                 filter_horizontal_action({
+ 256                     dropdownName: 'deliveries-filter-' ~ options.instanceId

```

```

+ 257         })
+ 258     }}
+ 259 </filters-group>
+ 260 </h-dropdown-content>
+ 261 </h-dropdown>
+ 262 </div>
+ 263 {% endif %}
+ 264
+ 265 {% if filters.ratesFilter %}
+ 266 <div class="filters-horizontal__filter">
+ 267 <h-dropdown name="rates-filter-{{ options.instanceId }}" direction="bottom-left">
+ 268 <h-dropdown-toggler name="rates-filter-{{ options.instanceId }}">
269     {{
- 270         filter_horizontal_action({
- 271             dropdownName: 'availabilities-filter-' ~ options.instanceId
+ 249         filter_horizontal_toggler({
+ 250             name: filters.ratesFilter.name,
+ 251             isActive: filters.ratesFilter.isActive,
+ 252             activeFilterCount: 1
253         })
254     }}
- 255 </filters-group>
- 256 </h-dropdown-content>
- 257 </h-dropdown>
- 258 </div>
- 259 {% endif %}
+ 252 </h-dropdown-toggler>
253
- 254 {% if filters.deliveriesFilter %}
- 255 <div class="filters-horizontal__filter">
- 256 <h-dropdown name="deliveries-filter-{{ options.instanceId }}" direction="bottom-left">
- 257 <h-dropdown-toggler name="deliveries-filter-{{ options.instanceId }}">
- 258     {{
- 259         filter_horizontal_toggler({
- 260             name: filters.deliveriesFilter.name,
- 261             isActive: filters.deliveriesFilter.isActive,
- 262             activeFilterCount: deliveriesActiveFilters|length
- 263         })
- 264     }}
- 265 </h-dropdown-toggler>
- 266
- 267 <h-dropdown-content class="dropdown_content_no-padding" name="deliveries-filter-{{ options.instanceId }}">
- 268 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 269 <div class="filters-horizontal__dropdown-content">
- 270 <filter-multiple class="filters-vertical__filter">
- 271     {{ multiple_filter(filters.deliveriesFilter, options) }}
- 272 </filter-multiple>
- 273 </div>
- 274
- 275     {{

```

```

- 276         filter_horizontal_action({
- 277             dropdownName: 'deliveries-filter-' ~ options.instanceId
- 278         })
- 279     }}
- 280     </filters-group>
- 281     </h-dropdown-content>
- 282     </h-dropdown>
- 283     </div>
- 284     {% endif %}
+ 254     <h-dropdown-content class="dropdown_content_no-padding" name="rates-filter-{{ options.instanceId }}">
+ 255         <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 256             <div class="filters-horizontal_dropdown-content">
+ 257                 <filter-single class="filters-vertical_filter">
+ 258                     {{ rates_filter(filters.ratesFilter.values, options) }}
+ 259                 </filter-single>
+ 260             </div>
261
- 262     {% if filters.ratesFilter %}
- 263         <div class="filters-horizontal_filter">
- 264             <h-dropdown name="rates-filter-{{ options.instanceId }}" direction="bottom-left">
- 265                 <h-dropdown-toggler name="rates-filter-{{ options.instanceId }}">
- 266                     {{
- 267                         filter_horizontal_toggler({
- 268                             name: filters.ratesFilter.name,
- 269                             isActive: filters.ratesFilter.isActive,
- 270                             activeFilterCount: 1
- 271                         })
- 272                     }}
- 273                 </h-dropdown-toggler>
- 274
- 275                 <h-dropdown-content class="dropdown_content_no-padding" name="rates-filter-{{ options.instanceId }}">
- 276                     <filters-group filter-parent="filters-{{ options.instanceId }}">
- 277                         <div class="filters-horizontal_dropdown-content">
- 278                             <filter-single class="filters-vertical_filter">
- 279                                 {{ rates_filter(filters.ratesFilter.values, options) }}
- 280                             </filter-single>
- 281                         </div>
- 282
- 283                     {{
- 284                         filter_horizontal_action({
- 285                             dropdownName: 'rates-filter-' ~ options.instanceId
- 286                         })
- 287                     }}
- 288                 </filters-group>
- 289             </h-dropdown-content>
- 290         </h-dropdown>
- 291     </div>
- 292     {% endif %}
+ 256     {{
+ 257         filter_horizontal_action({

```

```

+ 258 dropdownName: 'rates-filter-' ~ options.instanceId
+ 259 })
+ 260 }}
+ 261 </filters-group>
+ 262 </h-dropdown-content>
+ 263 </h-dropdown>
+ 264 </div>
+ 265 {% endif %}
266
- 267 {% if filters.newsFilter %}
- 268 <div class="filters-horizontal__filter">
- 269 <h-dropdown name="news-filter-{{ options.instanceId }}" direction="bottom-left">
- 270 <h-dropdown-toggler name="news-filter-{{ options.instanceId }}">
- 271 {{
- 272 filter_horizontal_toggler({
- 273 name: filters.newsFilter.name,
- 274 isActive: filters.newsFilter.isActive,
- 275 activeFilterCount: 1
- 276 })
- 277 }}
- 278 </h-dropdown-toggler>
- 279
- 280 <h-dropdown-content class="dropdown_content_no-padding" name="news-filter-{{ options.instanceId }}">
- 281 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 282 <div class="filters-horizontal__dropdown-content">
- 283 <filter-single class="filters-vertical__filter">
- 284 {{ single_filter(filters.newsFilter, options) }}
- 285 </filter-single>
- 286 </div>
- 287
- 288 {{
- 289 filter_horizontal_action({
- 290 dropdownName: 'news-filter-' ~ options.instanceId
- 291 })
- 292 }}
- 293 </filters-group>
- 294 </h-dropdown-content>
- 295 </h-dropdown>
- 296 </div>
- 297 {% endif %}
+ 258 {% if filters.newsFilter %}
+ 259 <div class="filters-horizontal__filter">
+ 260 <h-dropdown name="news-filter-{{ options.instanceId }}" direction="bottom-left">
+ 261 <h-dropdown-toggler name="news-filter-{{ options.instanceId }}">
+ 262 {{
+ 263 filter_horizontal_toggler({
+ 264 name: filters.newsFilter.name,
+ 265 isActive: filters.newsFilter.isActive,
+ 266 activeFilterCount: 1
+ 267 }}

```

```

+ 268     }}
+ 269     </h-dropdown-toggler>
270
- 271     {% if filters.promotionsFilter %}
- 272     <div class="filters-horizontal__filter">
- 273         <h-dropdown name="promotions-filter-{{ options.instanceId }}" direction="bottom-left">
- 274             <h-dropdown-toggler name="promotions-filter-{{ options.instanceId }}">
- 275                 {{
- 276                     filter_horizontal_toggler({
- 277                         name: filters.promotionsFilter.name,
- 278                         isActive: filters.promotionsFilter.isActive,
- 279                         activeFilterCount: 1
- 280                     })
- 281                 }}
- 282             </h-dropdown-toggler>
- 283
- 284             <h-dropdown-content class="dropdown__content_no-padding" name="promotions-filter-{{ options.instanceId }}">
- 285                 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 286                     <div class="filters-horizontal__dropdown-content">
- 287                         <filter-single class="filters-vertical__filter">
- 288                             {{ single_filter(filters.promotionsFilter, options) }}
- 289                         </filter-single>
- 290                     </div>
- 291
- 292                     {{
- 293                         filter_horizontal_action({
- 294                             dropdownName: 'promotions-filter-' ~ options.instanceId
- 295                         })
- 296                     }}
- 297                 </filters-group>
- 298             </h-dropdown-content>
- 299         </h-dropdown>
- 300     </div>
- 301     {% endif %}
- 302 </div>
+ 260     <h-dropdown-content class="dropdown__content_no-padding" name="news-filter-{{ options.instanceId }}">
+ 261         <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 262             <div class="filters-horizontal__dropdown-content">
+ 263                 <filter-single class="filters-vertical__filter">
+ 264                     {{ single_filter(filters.newsFilter, options) }}
+ 265                 </filter-single>
+ 266             </div>
267
- 268     {% if activeFilters|length > 0 %}
- 269     {{
- 270         active_filter_tags(activeFilters, {
- 271             baseUrl: filters.baseUrl,
- 272             currency: currency
- 273         })
- 274     }}

```

```

- 275     {% endif %}
- 276   </filters-aggregator>
+ 262     {{
+ 263       filter_horizontal_action({
+ 264         dropdownName: 'news-filter-' ~ options.instanceId
+ 265       })
+ 266     }}
+ 267   </filters-group>
+ 268 </h-dropdown-content>
+ 269 </h-dropdown>
+ 270 </div>
+ 271   {% endif %}
+ 272
+ 273   {% if filters.promotionsFilter %}
+ 274     <div class="filters-horizontal__filter">
+ 275       <h-dropdown name="promotions-filter-{{ options.instanceId }}" direction="bottom-left">
+ 276         <h-dropdown-toggler name="promotions-filter-{{ options.instanceId }}">
+ 277           {{
+ 278             filter_horizontal_toggler({
+ 279               name: filters.promotionsFilter.name,
+ 280               isActive: filters.promotionsFilter.isActive,
+ 281               activeFilterCount: 1
+ 282             })
+ 283           }}
+ 284         </h-dropdown-toggler>
+ 285
+ 286         <h-dropdown-content class="dropdown__content_no-padding" name="promotions-filter-{{ options.instanceId }}">
+ 287           <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 288             <div class="filters-horizontal__dropdown-content">
+ 289               <filter-single class="filters-vertical__filter">
+ 290                 {{ single_filter(filters.promotionsFilter, options) }}
+ 291               </filter-single>
+ 292             </div>
+ 293
+ 294             {{
+ 295               filter_horizontal_action({
+ 296                 dropdownName: 'promotions-filter-' ~ options.instanceId
+ 297               })
+ 298             }}
+ 299           </filters-group>
+ 300         </h-dropdown-content>
+ 301       </h-dropdown>
+ 302     </div>
+ 303   {% endif %}
+ 304 </div>
+ 305
+ 306   {% if activeFilters|length > 0 %}
+ 307     {{
+ 308       active_filter_tags(activeFilters, {

```

```
+ 309         baseUrl: filters.baseUrl,  
+ 310         currency: currency  
+ 311     })  
+ 312 }}  
+ 313 {% endif %}  
+ 314 </filters-aggregator>  
+ 315 {% endif %}  
316 {% endmacro %}
```

@macros/filters_subcategories.twig

```
7         {% if options.shouldHideEmptySubcategories %}  
8             {% set categories = categories|filter(category => category.counter != 0) %}  
9         {% endif %}  
- 10         <nav class="{{ html_classes('filters-subcategories', { 'mb-xs-2': options.hasFiltersAndSubcategories }) }}">  
- 11             <header class="secondary-header secondary-header_m">  
- 12                 {{ translate('Subcategories') }}  
- 13             </header>  
- 14  
- 15             <ul class="filters-subcategories__list">  
- 16                 {% if categoriesFilter.parent %}  
- 17                     <li class="filters-subcategories__category">  
- 18                         <a class="btn btn_secondary btn_xs" href="{{ categoriesFilter.parent.urlWithFilters }}">  
- 19                             {{  
- 20                                 icon('icon-chevron-left', {  
- 21                                     size: 'm',  
- 22                                     classNames: ['btn__icon', 'btn__icon_left']  
- 23                                 })  
- 24                             }}  
- 25  
- 26                             {{ categoriesFilter.parent.name }}  
- 27                         </a>  
- 28                     </li>  
- 29                 {% endif %}  
- 30  
- 31                 {% for category in categories %}  
- 32                     <li class="filters-subcategories__category">  
- 33                         <a class="btn btn_outline btn_xs" href="{{ category.urlWithFilters }}">  
- 34                             {{ category.name }}  
- 35  
- 36                             {% if categoriesFilter.hasCounters and category.counter and options.showSubcategoryCounters %  
- 37                                 <span class="filters-subcategories__category-link-counter ml-xs-1">{{ category.counter }}</span>  
- 38                             {% endif %}  
- 39                         </a>  
- 40                     </li>  
- 41                 {% endfor %}  
- 42             </ul>  
- 43         </nav>  
+ 10
```

```

+ 11         {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
+ 12         <nav
+ 13             class="{{ html_classes('filters-subcategories', { 'mb-xs-2': options.hasFiltersAndSubcategories }) }}"
+ 14             aria-label="{{ translate('Menu') }} {{ translate('Subcategories') }}"
+ 15         >
+ 16             <h2 class="secondary-header secondary-header_m">
+ 17                 {{ translate('Subcategories') }}
+ 18             </h2>
+ 19
+ 20             <ul class="filters-subcategories__list">
+ 21                 {% if categoriesFilter.parent %}
+ 22                 <li class="filters-subcategories__category">
+ 23                     <a
+ 24                         class="btn btn_secondary btn_xs"
+ 25                         href="{{ categoriesFilter.parent.urlWithFilters }}"
+ 26                         aria-label="{{ translate('Back to category: %s', categoriesFilter.parent.name) }}"
+ 27                     >
+ 28                         {{
+ 29                             icon('icon-chevron-left', {
+ 30                                 size: 'm',
+ 31                                 classNames: ['btn__icon', 'btn__icon_left']
+ 32                             })
+ 33                         }}
+ 34
+ 35                         {{ categoriesFilter.parent.name }}
+ 36                     </a>
+ 37                 </li>
+ 38                 {% endif %}
+ 39
+ 40                 {% for category in categories %}
+ 41                 {% set ariaLabel = translate('Subcategory: %s', category.name) %}
+ 42
+ 43                 {% set showCounters = categoriesFilter.hasCounters and category.counter and options.showSubcategoryCounters %}
+ 44                 {% if showCounters %}
+ 45                 {% set ariaLabel = "#{ariaLabel}, #{translate('Number of products: %s', category.counter)}" %}
+ 46                 {% endif %}
+ 47
+ 48                 <li class="filters-subcategories__category">
+ 49                     <a
+ 50                         class="btn btn_outline btn_xs"
+ 51                         href="{{ category.urlWithFilters }}"
+ 52                         aria-label="{{ ariaLabel }}"
+ 53                     >
+ 54                         {{ category.name }}
+ 55
+ 56                         {% if showCounters %}
+ 57                         <span class="filters-subcategories__category-link-counter ml-xs-1">{{ category.counter }}</span>
+ 58                         {% endif %}
+ 59                     </a>
+ 60                 </li>

```

```

+ 61         {% endfor %}
+ 62     </ul>
+ 63 </nav>
+ 64     {% else %}
+ 65         <nav class="{{ html_classes('filters-subcategories', { 'mb-xs-2': options.hasFiltersAndSubcategories }) }}">
+ 66             <header class="secondary-header secondary-header_m">
+ 67                 {{ translate('Subcategories') }}
+ 68             </header>
+ 69
+ 70             <ul class="filters-subcategories__list">
+ 71                 {% if categoriesFilter.parent %}
+ 72                     <li class="filters-subcategories__category">
+ 73                         <a class="btn btn_secondary btn_xs" href="{{ categoriesFilter.parent.urlWithFilters }}">
+ 74                             {{
+ 75                                 icon('icon-chevron-left', {
+ 76                                     size: 'm',
+ 77                                     classNames: ['btn__icon', 'btn__icon_left']
+ 78                                 })
+ 79                             }}
+ 80
+ 81                             {{ categoriesFilter.parent.name }}
+ 82                         </a>
+ 83                     </li>
+ 84                 {% endif %}
+ 85
+ 86                 {% for category in categories %}
+ 87                     <li class="filters-subcategories__category">
+ 88                         <a class="btn btn_outline btn_xs" href="{{ category.urlWithFilters }}">
+ 89                             {{ category.name }}
+ 90
+ 91                             {% if categoriesFilter.hasCounters and category.counter and options.showSubcategoryCounters %}
+ 92                                 <span class="filters-subcategories__category-link-counter ml-xs-1">{{ category.counter }}</span>
+ 93                             {% endif %}
+ 94                         </a>
+ 95                     </li>
+ 96                 {% endfor %}
+ 97             </ul>
+ 98         </nav>
+ 99     {% endif %}
100     {% endif %}
101     {% endmacro %}

```

@macros/menu_go_back_action_button.twig

```

11
12         <p>
13             {% if options.shortDescription %}
- 14             Powrót
+ 14             {{ translate('Back') }}

```

```

15     {% else %}
- 16     Wró do: <s-menu-previous-content-name></s-menu-previous-content-name>
+ 16     {{ translate('Back to') }}: <s-menu-previous-content-name></s-menu-previous-content-name>
17     {% endif %}
18     </p>
19 </s-menu-action-button>

```

@macros/multiple_filter.twig

```

1  {% macro multiple_filter(filter, options) %}
2      {% from "@macros/checkbox_control.twig" import checkbox_control %}
3
- 4      {% set nonZeroCounters = filter.values|default({})|filter(obj => obj.counter != 0) %}
- 5      {% set zeroCounters = filter.values|default({})|filter(obj => obj.counter == 0) %}
- 6      {% set preFilters = nonZeroCounters | merge(zeroCounters) %}
- 7
- 8      {% set activeFilters = preFilters|filter(filter => filter.isActive == 1) %}
- 9      {% set notActiveFilters = preFilters|filter(filter => filter.isActive != 1) %}
- 10     {% set filters = activeFilters|merge(notActiveFilters) %}
+ 4     {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
+ 5         {% set nonZeroCounters = filter.values|default({})|filter(obj => obj.counter != 0) %}
+ 6         {% set zeroCounters = filter.values|default({})|filter(obj => obj.counter == 0) %}
+ 7         {% set preFilters = nonZeroCounters | merge(zeroCounters) %}
+ 8
+ 9         {% set activeFilters = preFilters|filter(filter => filter.isActive == 1) %}
+ 10        {% set notActiveFilters = preFilters|filter(filter => filter.isActive != 1) %}
+ 11        {% set totalFilters = activeFilters|merge(notActiveFilters) %}
12
- 13        {% if options.shouldHideEmptyFilters %}
- 14            {% set filters = filters|filter(filter => filter.counter is defined and filter.counter is not empty and filter.counter > 0) %}
- 15            {% endif %}
+ 6            {% if options.shouldHideEmptyFilters %}
+ 7                {% set totalFilters = totalFilters|filter(filter => filter.counter is defined and filter.counter is not empty and filter.co
+ 8                unter > 0) %}
+ 9                {% endif %}
- 10            {% if filter.getLimit %}
- 11                {% set limit = filter.getLimit %}
- 12            {% else %}
- 13                {% set limit = 0 %}
- 14            {% endif %}
+ 8            {% if filter.getLimit %}
+ 9                {% set limit = filter.getLimit %}
+ 10            {% else %}
+ 11                {% set limit = 0 %}
+ 12            {% endif %}
13
- 14        {% for filter in filters %}
- 15            {% set filterId = filter.urlKey ~ filter.urlValue ~ options.instanceId %}
+ 10        <fieldset>

```

```

+ 11 <legend class="sr-only">{{ filter.name }}</legend>
+ 12
- 13 {% if loop.index <= limit or filter.isActive %}
- 14 <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter.counter is defined
and filter.counter <= 0 }) }}">
- 15 <div>
- 16 <div class="control">
- 17 <div class="checkbox">
- 18 {{ checkbox_control({
- 19 id: filterId,
- 20 label: filter.name,
- 21 name: filter.urlKey,
- 22 value: filter.urlValue,
- 23 checked: filter.isActive,
- 24 dataAttributes: {
- 25 'is-available': filter.isAvailable
- 26 }}
- 27 }})
- 28 }}
- 29
- 30 <div class="checkbox__content">
- 31 <label class="label label_vcenter" for="{{ filterId }}">
- 32 {{ filter.color }}
- 33 <div style="background-color: {{ filter.color }}" class="color-item color-item_xs"></div>
- 34 {{ endif }}
+ 12 {% for filterOption in totalFilters %}
+ 13 {% set filterId = filterOption.urlKey ~ filterOption.urlValue ~ options.instanceId %}
+ 14 {% if loop.index <= limit or filterOption.isActive %}
+ 15 {% set showCounters = options.showCounters and filterOption.counter is defined %}
+ 16
+ 17 <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filterOption.count
er is defined and filterOption.counter <= 0 }) }}">
+ 18 <div>
+ 19 <div class="control">
+ 20 <div class="checkbox">
+ 21 {{ checkbox_control({
+ 22 id: filterId,
+ 23 label: filterOption.name,
+ 24 name: filterOption.urlKey,
+ 25 value: filterOption.urlValue,
+ 26 checked: filterOption.isActive,
+ 27 ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %s', filt
erOption.counter) : ''}",
+ 28 dataAttributes: {
+ 29 'is-available': filterOption.isAvailable
+ 30 }}
+ 31 }})
+ 32 }}
+ 33
+ 34 <div class="checkbox__content">

```

```

+ 35 <label class="label label_vcenter" for={{ filterId }}>
+ 36     {% if filterOption.color %}
+ 37 <div style="background-color: {{ filterOption.color }}" class="color-item color-item_xs
"></div>
+ 38     {% endif %}
39
- 40     {{ filter.name }}
- 41 </label>
+ 14     {{ filterOption.name }}
+ 15 </label>
+ 16 </div>
+ 17 </div>
18 </div>
19 </div>
+ 20
+ 21     {% if showCounters %}
+ 22 <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
+ 23     {% endif %}
24 </div>
- 25 </div>
+ 18     {% else %}
+ 19     {% if isMoreFilters != 1 %}
+ 20     {% set filtersLeft = loop.length - loop.index0 %}
+ 21 <h-toggle class="hidden-xs-only filters__more-filters">
+ 22 <template>
+ 23     {% endif %}
+ 24     {% set isMoreFilters = 1 %}
+ 25
+ 26 <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter
Option.counter is defined and filterOption.counter <= 0 }) }}">
+ 27 <div>
+ 28 <div class="control">
+ 29 <div class="checkbox">
+ 30     {{ checkbox_control({
+ 31         id: filterId,
+ 32         label: filterOption.name,
+ 33         name: filterOption.urlKey,
+ 34         value: filterOption.urlValue,
+ 35         checked: filterOption.isActive,
+ 36         ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of product
s: %s', filterOption.counter) : ''}",
+ 37         dataAttributes: {
+ 38             'is-available': filterOption.isAvailable
+ 39         }
+ 40     })
+ 41     }}
+ 42
+ 43 <div class="checkbox__content">
+ 44 <label class="label label_vcenter" for={{ filterId }}>
+ 45     {% if filterOption.color %}

```

```

+ 46 <div style="background-color: {{ filterOption.color }}" class="color-item c
olor-item_xs"></div>
+ 47 {% endif %}
+ 48
+ 49 {{ filterOption.name }}
+ 50 </label>
+ 51 </div>
+ 52 </div>
+ 53 </div>
+ 54 </div>
55
- 56 {% if options.showCounters and filter.counter is defined %}
- 57 <span aria-label="{{ translate('Products') }}" {{ filter.counter }}" n class="filter-control_counter">{{ filter.coun
ter }}</span>
+ 20 {% if options.showCounters and filterOption.counter is defined %}
+ 21 <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
+ 22 {% endif %}
+ 23 </div>
+ 24
+ 25 {% if loop.index == loop.length %}
+ 26 </template>
+ 27
+ 28 <h-toggle-btn
+ 29 class="filters__expand-btn"
+ 30 action="expand"
+ 31 aria-label="{{ translate('Show %s more filter option', filtersLeft) }}"
+ 32 >
+ 33 {{ translate('More options') }} ({{ filtersLeft }})
+ 34 </h-toggle-btn>
+ 35 <h-toggle-btn
+ 36 class="filters__collapse-btn"
+ 37 action="collapse"
+ 38 aria-label="{{ translate('Collapse filter options') }}"
+ 39 hidden
+ 40 >
+ 41 {{ translate('Collapse') }}
+ 42 </h-toggle-btn>
+ 43 </h-toggle>
+ 44 {% endif %}
45 {% endif %}
- 46 </div>
- 47 {% else %}
- 48 {% if isMoreFilters != 1 %}
- 49 {% set filtersLeft = loop.length - loop.index0 %}
- 50 <h-toggle class="filters__more-filters">
- 51 <template>
- 52 {% endif %}
- 53 {% set isMoreFilters = 1 %}
+ 22 {% endfor %}
23

```

```

- 24         <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter.counter
is defined and filter.counter <= 0 }) }}">
- 25             <div>
- 26                 <div class="control">
- 27                     <div class="checkbox">
- 28                         {{ checkbox_control({
- 29                             id: filterId,
- 30                             label: filter.name,
- 31                             name: filter.urlKey,
- 32                             value: filter.urlValue,
- 33                             checked: filter.isActive,
- 34                             dataAttributes: {
- 35                                 'is-available': filter.isAvailable
- 36                             }
- 37                         })
- 38                     }}
- 39
- 40                 <div class="checkbox__content">
- 41                     <label class="label label_vcenter" for="{{ filterId }}">
- 42                         {% if filter.color %}
- 43                             <div style="background-color: {{ filter.color }}" class="color-item color-item_xs">
- 44
- 45                         {% endif %}
+ 24                 {% for filterOptionMobile in filters %}
+ 25                     {% set filterId = filterOptionMobile.urlKey ~ filterOptionMobile.urlValue ~ options.instanceId ~ "-mobile" %}
+ 26
+ 27                     {{ filter.name }}
+ 28                 </label>
+ 29             </div>
+ 26             {% if loop.index > limit %}
+ 27                 {% set showCounters = options.showCounters and filterOptionMobile.counter is defined %}
+ 28
+ 29             <div class="{{ html_classes('visible-xs-only filter-control', { 'filter-control_empty': options.showCounters and fi
lterOptionMobile.counter is defined and filterOptionMobile.counter <= 0 }) }}">
+ 30                 <div>
+ 31                     <div class="control">
+ 32                         <div class="checkbox">
+ 33                             {{ checkbox_control({
+ 34                                 id: filterId,
+ 35                                 label: filterOptionMobile.name,
+ 36                                 name: filterOptionMobile.urlKey,
+ 37                                 value: filterOptionMobile.urlValue,
+ 38                                 checked: filterOptionMobile.isActive,
+ 39                                 ariaLabel: "#{filterOptionMobile.name}, #{showCounters ? translate('Number of products: %s'
, filterOptionMobile.counter) : ''}",
+ 40                                 dataAttributes: {
+ 41                                     'is-available': filterOptionMobile.isAvailable
+ 42                                 }
+ 43                             })
+ 44                         }}

```

```

+ 45
+ 46         <div class="checkbox__content">
+ 47             <label class="label label_vcenter" for={{ filterId }}>
+ 48                 {% if filterOptionMobile.color %}
+ 49                 <div style="background-color: {{ filterOptionMobile.color }}" class="color-item color-i
tem_xs"></div>
+ 50                 {% endif %}
+ 51
+ 52                 {{ filterOptionMobile.name }}
+ 53             </label>
+ 54         </div>
+ 55     </div>
+ 56 </div>
+ 57 </div>
+ 58
- 59     {% if options.showCounters and filter.counter is defined %}
- 60     <span aria-label="{{ translate('Products') }}" {{ filter.counter }}" class="filter-control__counter">{{
filter.counter }}</span>
- 61     {% endif %}
+ 31     {% if showCounters %}
+ 32     <span aria-hidden="true" class="filter-control__counter">{{ filterOptionMobile.counter }}</span>
+ 33     {% endif %}
+ 34 </div>
+ 35 {% endif %}
+ 36 {% endfor %}
+ 37 </fieldset>
+ 38 {% else %}
+ 39     {% set nonZeroCounters = filter.values|default({})|filter(obj => obj.counter != 0) %}
+ 40     {% set zeroCounters = filter.values|default({})|filter(obj => obj.counter == 0) %}
+ 41     {% set preFilters = nonZeroCounters | merge(zeroCounters) %}
+ 42
+ 43     {% set activeFilters = preFilters|filter(filter => filter.isActive == 1) %}
+ 44     {% set notActiveFilters = preFilters|filter(filter => filter.isActive != 1) %}
+ 45     {% set filters = activeFilters|merge(notActiveFilters) %}
+ 46
+ 47     {% if options.shouldHideEmptyFilters %}
+ 48     {% set filters = filters|filter(filter => filter.counter is defined and filter.counter is not empty and filter.counter > 0)
%}
+ 49     {% endif %}
+ 50
+ 51     {% if filter.getLimit %}
+ 52     {% set limit = filter.getLimit %}
+ 53     {% else %}
+ 54     {% set limit = 0 %}
+ 55     {% endif %}
+ 56
+ 57     {% for filter in filters %}
+ 58     {% set filterId = filter.urlKey ~ filter.urlValue ~ options.instanceId %}
+ 59
+ 60     {% if loop.index <= limit or filter.isActive %}

```

```

+ 61 <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter.counter is defi
ned and filter.counter <= 0 }) }}">
+ 62 <div>
+ 63 <div class="control">
+ 64 <div class="checkbox">
+ 65 {{ checkbox_control({
+ 66 id: filterId,
+ 67 label: filter.name,
+ 68 name: filter.urlKey,
+ 69 value: filter.urlValue,
+ 70 checked: filter.isActive,
+ 71 dataAttributes: {
+ 72 'is-available': filter.isAvailable
+ 73 }
+ 74 })}}
+ 75 }}
+ 76
+ 77 <div class="checkbox__content">
+ 78 <label class="label label_vcenter" for="{{ filterId }}">
+ 79 {% if filter.color %}
+ 80 <div style="background-color: {{ filter.color }}" class="color-item color-item_xs"></div>
+ 81 {% endif %}
+ 82
+ 83 {{ filter.name }}
+ 84 </label>
+ 85 </div>
+ 86 </div>
+ 87 </div>
+ 88 </div>
+ 89
- 90 {% if loop.index == loop.length %}
- 91 </template>
+ 34 {% if options.showCounters and filter.counter is defined %}
+ 35 <span aria-label="{{ translate('Products') }}" {{ filter.counter }} "n class="filter-control__counter">{{ filter.
counter }}</span>
+ 36 {% endif %}
+ 37 </div>
+ 38 {% else %}
+ 39 {% if isMoreFilters != 1 %}
+ 40 {% set filtersLeft = loop.length - loop.index0 %}
+ 41 <h-toggle class="filters__more-filters">
+ 42 <template>
+ 43 {% endif %}
+ 44 {% set isMoreFilters = 1 %}
+ 45
+ 46 <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter.cou
nter is defined and filter.counter <= 0 }) }}">
+ 47 <div>
+ 48 <div class="control">
+ 49 <div class="checkbox">

```

```

+ 50         {{ checkbox_control({
+ 51             id: filterId,
+ 52             label: filter.name,
+ 53             name: filter.urlKey,
+ 54             value: filter.urlValue,
+ 55             checked: filter.isActive,
+ 56             dataAttributes: {
+ 57                 'is-available': filter.isAvailable
+ 58             }
+ 59         })
+ 60     }}
+ 61
+ 62         <div class="checkbox__content">
+ 63             <label class="label label_vcenter" for="{{ filterId }}">
+ 64                 {% if filter.color %}
+ 65                 <div style="background-color: {{ filter.color }}" class="color-item color-item_
xs"></div>
+ 66                 {% endif %}
+ 67
+ 68                 {{ filter.name }}
+ 69             </label>
+ 70         </div>
+ 71     </div>
+ 72 </div>
+ 73 </div>
74
- 75         <h-toggle-btn class="filters__expand-btn" action="expand">{{ translate('More options') }} ({{ filtersLeft }})</h-to
ogle-btn>
- 76         <h-toggle-btn class="filters__collapse-btn" action="collapse" hidden>{{ translate('Collapse') }}</h-toggle-btn>
- 77     </h-toggle>
+ 36         {% if options.showCounters and filter.counter is defined %}
+ 37         <span aria-label="{{ translate('Products') }}" class="filter-control__counter"
>{{ filter.counter }}</span>
+ 38         {% endif %}
+ 39     </div>
+ 40
+ 41     {% if loop.index == loop.length %}
+ 42     </template>
+ 43
+ 44     <h-toggle-btn class="filters__expand-btn" action="expand">{{ translate('More options') }} ({{ filtersLeft }})</
h-toggle-btn>
+ 45     <h-toggle-btn class="filters__collapse-btn" action="collapse" hidden>{{ translate('Collapse') }}</h-toggle-btn
>
+ 46     </h-toggle>
+ 47     {% endif %}
48     {% endif %}
- 49     {% endif %}
- 50     {% endfor %}
- 51     {% endmacro %}
+ 38     {% endfor %}
+ 39     {% endif %}

```

@macros/product_price.twig

```
61         <div class="product-price__lowest-historical-price">
62             {{ price_product_inactive(product.lowestHistoricalPriceInLast30Days, translate('The lowest price during 30 days pri
or to the reduction') ~ ':') }}
63
- 64         {% if options.showPercentageDiscountValue %}
+ 64         {% if options.showPercentageDiscountValue and product.lowestHistoricalPriceInLast30Days.grossValue > 0 %}
65             {% set lowestHistoricalPricePercentageSign = product.isLowestHistoricalPriceHigherThanCurrent ? '-' : '+' %}
66
67             {{
```

@macros/radio_control.twig

```
21
22         aria-checked="{% if options.checked %}true{% else %}false{% endif %}"
23
+ 24         {% if options.ariaLabel %}aria-label="{{ options.ariaLabel }}" {% endif %}
+ 25
26         {% if options.checked %}checked{% endif %}
27         {% if options.required %}required{% endif %}
28         {% if options.hidden %}hidden{% endif %}
```

@macros/rates_filter.twig

```
43         label: filter.name,
44         name: filter.urlKey,
45         value: filter.urlValue,
- 46         checked: filter.isActive
+ 46         checked: filter.isActive,
+ 47         ariaLabel: "#{filter.name}, #{options.showCounters and filter.counter is defined ? translate('Number of
products: %s', filter.counter) : ''}"
48     })
49 }}
50
51     <div class="radio__content">
52         <label
53             class="label label_vcenter"
- 54             for="{{ filterId }}">{{ filter.name }} {{ star_score(filter.urlValue, { numberOfStars: 5, size: 's' }) }}
</label>
+ 53             for="{{ filterId }}"
+ 54             >
+ 55             {{ filter.name }} {{ star_score(filter.urlValue, { numberOfStars: 5, size: 's' }) }}
+ 56         </label>
57     </div>
58 </div>
```

```

59         </div>
60     </div>
61
62         {% if options.showCounters and filter.counter is defined %}
- 63         <span aria-label="{{ translate('Products') }}" {{ filter.counter }}" class="filter-control__counter">{{ filter.counter }}
        </span>
+ 60         <span aria-hidden="true" class="filter-control__counter">{{ filter.counter }}</span>
61         {% endif %}
62     </div>
63     {% endfor %}

```

@macros/search.twig

```

46         lazy
47         {% if isPopup %} popup {% endif %}
48     >
- 49         {% if not isPopup %}
- 50         <div class="labeled-icon hidden-md-only hidden-lg-only hidden-xl-only hidden-xxl-only hidden-xxxl-only" aria-label="{{ translate('Open search engine') }}">
- 51             {{ icon('icon-search', {
- 52                 className: ['labeled-icon__icon'],
- 53                 ariaHidden: 'true'
- 54             }) }}
- 55
- 56         <div class="labeled-icon__signature" aria-hidden="true">{{ translate('Search') }}</div>
- 57     </div>
- 58     {% endif %}
- 59
60     <form
61         {% if isPopup %} class="search__popup-form mb-md-8" {% endif %}
62         action="{{ searchUrl }}"

```

@macros/single_filter.twig

```

1     {% macro single_filter(filter, options) %}
2         {% from "@macros/radio.twig" import radio %}
3
- 4         {% set filters = filter.values %}
- 5         {% if options.shouldHideEmptyFilters %}
- 6         {% set filters = filter.values|filter(filter => filter.counter is defined and filter.counter is not empty and filter.counter >
0) %}
- 7         {% endif %}
+ 4         {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
+ 5         {% set filterValues = filter.values %}
+ 6         {% if options.shouldHideEmptyFilters %}
+ 7         {% set filterValues = filterValues|filter(filter => filter.counter is defined and filter.counter is not empty and filter.co
unter > 0) %}
+ 8         {% endif %}
+ 9

```

```

+10     {% for filterOption in filterValues %}
+11         {% set showCounters = options.showCounters and filterOption.counter is defined %}
+12     }
+13     {% if loop.first %}
+14         {% set clearFilterId = filterOption.urlKey ~ options.instanceId %}
+15     }
+16     <div class="filter-control">
+17         <div>
+18             <div class="control">
+19                 {{
+20                     radio({
+21                         id: clearFilterId,
+22                         label: translate('Do not use this filter'),
+23                         name: filterOption.urlKey,
+24                         value: '',
+25                         checked: not filterOption.isActive,
+26                         ariaLabel: "#{translate('Do not use this filter')}, #{filter.name}"
+27                     })
+28                 }}
+29             </div>
+30         </div>
+31     </div>
+32     {% endif %}
33
-34     {% for filter in filters %}
-35         {% if loop.first %}
-36             {% set clearFilterId = filter.urlKey ~ options.instanceId %}
+6             {% set filterId = filterOption.urlKey ~ filterOption.urlValue ~ options.instanceId %}
7
-8         <div class="filter-control">
+8         <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.counter <= 0 }) }}">
9             <div>
10                 <div class="control">
11                     {{
12                         radio({
-13                             id: clearFilterId,
-14                             label: translate('Do not use this filter'),
-15                             name: filter.urlKey,
-16                             value: '',
-17                             checked: not filter.isActive
-18                         })
+13                             id: filterId,
+14                             label: filterOption.name,
+15                             name: filterOption.urlKey,
+16                             value: filterOption.urlValue,
+17                             checked: filterOption.isActive,
+18                             ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %s', filterOption.cou
+19                             nter) : ''}"
+19                         })
20                     }}

```

```

21         </div>
22     </div>
+ 23
+ 24         {% if showCounters %}
+ 25         <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
+ 26         {% endif %}
27     </div>
+ 28     {% endfor %}
+ 29     {% else %}
+ 30     {% set filters = filter.values %}
+ 31     {% if options.shouldHideEmptyFilters %}
+ 32     {% set filters = filter.values|filter(filter => filter.counter is defined and filter.counter is not empty and filter.coun
33     {% endif %}
34
- 35     {% set filterId = filter.urlKey ~ filter.urlValue ~ options.instanceId %}
+ 20     {% for filter in filters %}
+ 21     {% if loop.first %}
+ 22     {% set clearFilterId = filter.urlKey ~ options.instanceId %}
+ 23
+ 24     <div class="filter-control">
+ 25         <div>
+ 26             <div class="control">
+ 27                 {{
+ 28                     radio({
+ 29                         id: clearFilterId,
+ 30                         label: translate('Do not use this filter'),
+ 31                         name: filter.urlKey,
+ 32                         value: '',
+ 33                         checked: not filter.isActive
+ 34                     })
+ 35                 }}
+ 36             </div>
+ 37         </div>
+ 38     </div>
+ 39     {% endif %}
40
- 41     <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter.counter is defined and
filter.counter <= 0 }) }}">
- 42     <div>
- 43     <div class="control">
- 44     {{
- 45         radio({
- 46             id: filterId,
- 47             label: filter.name,
- 48             name: filter.urlKey,
- 49             value: filter.urlValue,
- 50             checked: filter.isActive
- 51         })
- 52     }}

```

```

+ 22      {% set filterId = filter.urlKey ~ filter.urlValue ~ options.instanceId %}
+ 23
+ 24      <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and filter.counter is defined
and filter.counter <= 0 }) }}">
+ 25          <div>
+ 26              <div class="control">
+ 27                  {{
+ 28                      radio({
+ 29                          id: filterId,
+ 30                          label: filter.name,
+ 31                          name: filter.urlKey,
+ 32                          value: filter.urlValue,
+ 33                          checked: filter.isActive
+ 34                      })
+ 35                  }}
+ 36              </div>
+ 37          </div>
- 38      </div>
+ 39
- 40      {% if options.showCounters and filter.counter is defined %}
- 41      <span aria-label="{{ translate('Products') }}" {{ filter.counter }}" class="filter-control__counter">{{ filter.counter }}
</span>
- 42      {% endif %}
- 43      </div>
- 44      {% endfor %}
+ 25      {% if options.showCounters and filter.counter is defined %}
+ 26      <span aria-label="{{ translate('Products') }}" {{ filter.counter }}" class="filter-control__counter">{{ filter.count
er }}</span>
+ 27      {% endif %}
+ 28      </div>
+ 29      {% endfor %}
+ 30      {% endif %}
+ 31      {% endmacro %}

```

Pliki .css

Pliki .less

filter_options/filter_options.less

```

179      color: @primaryColor;
180    }
181  }
+ 182
+ 183  &__mobile-header {
+ 184      display: flex;

```

```
+ 185         align-items: end;
+ 186         flex-direction: column;
+ 187         padding: @filtersHorizontalMobileHeaderPadding;
+ 188     }
+ 189     &-close-btn {
+ 190         background-color: @filtersHorizontalMobileHeaderCloseBtnBgColor;
+ 191         border-radius: 2px;
+ 192         padding: @filtersHorizontalMobileHeaderCloseBtnPadding;
+ 193     }
+ 194 }
195 }
196
197 .filters-subcategories {
```

filter_options/filter_options_variables.less

```
26 @filterOptionsWidth: 300px;
27 @filterOptionsSpacing: @globalSpacing;
28
- 29 @filterSubcategoriesMarginBottom: @globalSpacing * 0.5;
+ 29 @filterSubcategoriesMarginBottom: @globalSpacing * 0.5;
+ 30
+ 31 @filtersHorizontalMobileHeaderPadding: @globalSpacing * 0.5 @globalSpacing * 0.25 0;
+ 32
+ 33 @filtersHorizontalMobileHeaderCloseBtnBgColor: @neutralColors50;
+ 34 @filtersHorizontalMobileHeaderCloseBtnPadding: @globalSpacing * 0.5;
```

fonts/fonts_modifiers.less

```
3         .weight-normal();
4     }
5
+ 6     &_medium {
+ 7         .weight-medium();
+ 8     }
+ 9
10     &_semibold {
11         .weight-semibold();
12     }
```

```
15         .weight-bold();
16     }
17
+ 18     &_extrabold {
+ 19         .weight-extrabold();
+ 20     }
+ 21
22     &_line-through {
```

```
23     text-decoration: line-through;
24 }
```

form/checkbox.less

```
92     }
93
94     &__label {
- 95     display: block;
96     width: 100%;
97     height: 100%;
98 }
```

```
110         content: '';
111
112         position: absolute;
- 113     display: block;
114     left: 5px;
115     top: 5px;
116 }
```

search/search.less

```
371 }
372
373 .search_popup {
- 374     max-width: none;
- 375     width: @searchPopupWidth;
- 376     top: 10%;
- 377     left: 50%;
- 378     transform: translateX(-50%);
- 379
380     &-form {
381         display: flex;
382         flex-direction: column;
```

```
385         top: 0;
386         box-shadow: none;
387         border: none;
+ 388     max-height: unset;
389     }
390
391     .search {
392         position: relative;
393     }
+ 394 }
395 }
```

```
- 396 .sheet__container {
- 397     height: @searchPopupSheetContainerHeight;
+ 394 .storefront-search_with-popup {
+ 395     .search_popup-form {
+ 396         .search {
+ 397             &:not(.search_mobile-opened) {
+ 398                 .search__container {
+ 399                     display: none;
+ 400                 }
+ 401             }
+ 402         }
403     }
404 }
405
```

search/search_variables.less

```
60
61 @searchBarGap: @globalSpacing * 0.5;
62
- 63 @searchPopupWidth: 50dvw;
- 64 @searchPopupSheetContainerHeight: 60dvh;
65 @searchPopupFormMarginTop: @globalSpacing * 0.5;
```

side_menu_categories/side_menu_categories.less

```
1 .side-menu-categories {
+ 2     position: relative;
+ 3
4     &__list {
5         .side-menu-categories__list-item-link_active > ul {
6             border-left: @sideMenuCategoriesListItemLinkActiveListBorderLeft;
```

Pliki .json