

Pliki .twig

@modules/filter_options/filter_options.twig

```
77         hasFiltersAndSubcategories,
78         hasOnlySubcategories,
79         hasOnlyFilter,
- 80         isFiltersSubcategoriesWcagFlagEnabled: ObjectApi.getFeatureFlag("dev_filters_subcategories_wcag").isEnabled,
81         isEmptyFiltersFixEnabled: ObjectApi.getFeatureFlag("dev_empty_filters_fix").isEnabled
82     )))
83     }}
```

@modules/filter_options_horizontal/filter_options_horizontal.twig

```
30         hasFiltersAndSubcategories,
31         hasOnlySubcategories,
32         hasOnlyFilter,
- 33         isFiltersSubcategoriesWcagFlagEnabled: ObjectApi.getFeatureFlag("dev_filters_subcategories_wcag").isEnabled,
34         isEmptyFiltersFixEnabled: ObjectApi.getFeatureFlag("dev_empty_filters_fix").isEnabled
35     )))
36     }}
```

```
43         hasFiltersAndSubcategories,
44         hasOnlySubcategories,
45         hasOnlyFilter,
- 46         isFiltersSubcategoriesWcagFlagEnabled: ObjectApi.getFeatureFlag("dev_filters_subcategories_wcag").isEnabled,
47         isEmptyFiltersFixEnabled: ObjectApi.getFeatureFlag("dev_empty_filters_fix").isEnabled
48     )))
49     }}
```

@macros/active_filter_tags.twig

```
1  {% macro active_filter_tags(activeFilters, options) %}
2      {% from "@macros/icon.twig" import icon %}
3
- 4      {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
- 5          <div class="filters-horizontal__active-filters tag_group">
- 6              <h3
```

```

- 7         class="sr-only"
- 8         tabindex="-1"
- 9         {% if options.activeFiltersHeaderId %}id="{{ options.activeFiltersHeaderId }}"{% endif %}
- 10        >
- 11        {{ translate('Active filters') }}
- 12    </h3>
- 13
- 14        {% for activeFilter in activeFilters %}
- 15            {% if activeFilter.name == 'pricefrom' %}
- 16                {% set activeFilterLabel = "#{translate('Price from')}:" %}
- 17            {% elseif activeFilter.name == 'priceto' %}
- 18                {% set activeFilterLabel = "#{translate('Price up to')}:" %}
- 19            {% else %}
- 20                {% set activeFilterLabel = "#{activeFilter.label}:" %}
+ 4    <div class="filters-horizontal__active-filters tag_group">
+ 5        <h3
+ 6            class="sr-only"
+ 7            tabindex="-1"
+ 8            {% if options.activeFiltersHeaderId %}id="{{ options.activeFiltersHeaderId }}"{% endif %}
+ 9            >
+ 10            {{ translate('Active filters') }}
+ 11        </h3>
+ 12
+ 13            {% for activeFilter in activeFilters %}
+ 14                {% if activeFilter.name == 'pricefrom' %}
+ 15                    {% set activeFilterLabel = "#{translate('Price from')}:" %}
+ 16                {% elseif activeFilter.name == 'priceto' %}
+ 17                    {% set activeFilterLabel = "#{translate('Price up to')}:" %}
+ 18                {% else %}
+ 19                    {% set activeFilterLabel = "#{activeFilter.label}:" %}
+ 20                {% endif %}
+ 21
+ 22                {% set currency = activeFilter.name == 'pricefrom' or activeFilter.name == 'priceto' ? options.currency.symbol : '' %}
+ 23
+ 24                {% set fullFilterName = "#{activeFilterLabel} #{activeFilter.userValue} #{currency}" %}
+ 25
+ 26                <a
+ 27                    href="{{ activeFilter.urlWithFilterValueRemoved }}"
+ 28                    class="tag tag_info link link_no-underline"
+ 29                    aria-label="{{ translate('Applied filter %s, clear filter', fullFilterName) }}"
+ 30                    {% if options.contextId %}
+ 31                        context-target-id="{{ options.contextId }}"
+ 32                    context-keeper
+ 33                {% endif %}
+ 34                >
+ 35                <span class="color_secondary" aria-hidden="true">{{ activeFilterLabel }}</span>
+ 36
- 37                {% set currency = activeFilter.name == 'pricefrom' or activeFilter.name == 'priceto' ? options.currency.symbol : '' %}
- 38
- 39                {% set fullFilterName = "#{activeFilterLabel} #{activeFilter.userValue} #{currency}" %}

```

```

+ 7      {{ activeFilter.userValue }}
8
- 9      <a
- 10         href="{{ activeFilter.urlWithFilterValueRemoved }}"
- 11         class="tag tag_info link link_no-underline"
- 12         aria-label="{{ translate('Applied filter %s, clear filter', fullFilterName) }}"
- 13         {% if options.contextId %}
- 14             context-target-id="{{ options.contextId }}"
- 15             context-keeper
- 16         {% endif %}
- 17     >
- 18         <span class="color_secondary" aria-hidden="true">{{ activeFilterLabel }}</span>
- 19
- 20         {{ activeFilter.userValue }}
- 21
- 22         {{ currency }}
- 23
- 24         {{ icon('icon-x', {
- 25             size: 'm',
- 26             classNames: '',
- 27             ariaHidden: 'true'
- 28         }) }}
- 29     </a>
- 30     {% endfor %}
+ 9      {{ currency }}
10
- 11     <a class="filters_clear-link" href="{{ options.baseUrl }}">
12         {{ icon('icon-x', {
13             size: 'm',
- 14             classNames: 'icon_link',
+ 13             classNames: '',
14             ariaHidden: 'true'
15         }) }}
- 16
- 17         {{ translate('Clear filters') }}
18     </a>
- 19 </div>
- 20 {% else %}
- 21 <div class="filters-horizontal_active-filters tag_group">
- 22     {% for activeFilter in activeFilters %}
- 23         <a href="{{ activeFilter.urlWithFilterValueRemoved }}" class="tag tag_info link link_no-underline">
- 24             {% set price %}
- 25                 {% if activeFilter.name == 'pricefrom' %}
- 26                     {{ translate('Price from') }}:
- 27                 {% elseif activeFilter.name == 'priceto' %}
- 28                     {{ translate('Price up to') }}:
- 29                 {% else %}
- 30                     {{ activeFilter.label }}:
- 31                 {% endif %}
- 32             {% endset %}

```

```

- 33
- 34         <span class="sr-only">{{ price }} {{ activeFilter.userValue }} {{ activeFilter.name == 'pricefrom' or activeFilter.
name == 'priceto' ? options.currency.symbol : '' }}</span>
- 35
- 36         <span class="color_secondary" aria-hidden="true">{{ price }}</span>
- 37
- 38         <span aria-hidden="true">{{ activeFilter.userValue }}</span>
- 39
- 40         {% if activeFilter.name == 'pricefrom' or activeFilter.name == 'priceto' %}
- 41         <span aria-hidden="true">{{ options.currency.symbol }}</span>
- 42         {% endif %}
- 43
- 44         {{ icon('icon-x', {
- 45             size: 'm',
- 46             classNames: '',
- 47             ariaHidden: 'true'
- 48         }) }}
- 49     </a>
- 50     {% endfor %}
+ 17     {% endfor %}
18
- 19     <a class="filters_clear-link" href="{{ options.baseUrl }}">
- 20         {{ icon('icon-x', {
- 21             size: 'm',
- 22             classNames: 'icon_link',
- 23             ariaHidden: 'true'
- 24         }) }}
- 25
- 26         {{ translate('Clear filters') }}
- 27     </a>
- 28 </div>
- 29 {% endif %}
+ 19     <a class="filters_clear-link" href="{{ options.baseUrl }}">
+ 20         {{ icon('icon-x', {
+ 21             size: 'm',
+ 22             classNames: 'icon_link',
+ 23             ariaHidden: 'true'
+ 24         }) }}
+ 25
+ 26         {{ translate('Clear filters') }}
+ 27     </a>
+ 28 </div>
29     {% endmacro %}

```

@macros/filters_horizontal.twig

```

156     {% set filtersHeaderId = "filters-header-#{options.instanceId}" %}
157     {% set activeFiltersHeaderId = "filters-active-header-#{options.instanceId}" %}
158
- 159     {% if options.isFiltersSubcategoriesWcagFlagEnabled %}

```

```

- 160 <filters-aggregator class="filters filters-horizontal mb-xs-2" id="filters-{{ options.instanceId }}" active-filters="{{ activeF
ilters|json_encode }}" base-url="{{ filters.baseUrl }}">
- 161 <h2 id="{{ filtersHeaderId }}" class="secondary-header secondary-header_m" tabindex="-1">
- 162 {{ translate('Filters') }}
- 163 </h2>
- 164
- 165 <div class="filters-horizontal_content">
- 166 {% if filters.priceFilter %}
- 167 {% set isActive = filters.priceFilter.priceFrom or filters.priceFilter.priceTo %}
- 168 {% set ariaLabel = isActive ?
- 169 translate('%s, selected filter options: %s, Set filter', [filters.priceFilter.name, 1]) :
- 170 translate('Set filter: %s', filters.priceFilter.name)
- 171 %}
- 172
- 173 <div class="filters-horizontal__filter">
- 174 <h-dropdown name="price-filter-{{ options.instanceId }}" direction="bottom-left">
- 175 <h-dropdown-toggler
- 176 name="price-filter-{{ options.instanceId }}"
- 177 aria-label="{{ ariaLabel }}"
- 178 id="price-filter-{{ options.instanceId }}"
- 179 >
- 180 {{
- 181 filter_horizontal_toggler({
- 182 name: filters.priceFilter.name,
- 183 isActive,
- 184 activeFilterCount: 1
- 185 })
- 186 }}
- 187 </h-dropdown-toggler>
- 188
- 189 <h-dropdown-content class="dropdown_content_no-padding" name="price-filter-{{ options.instanceId }}">
- 190 <header class="filters-horizontal__mobile-header visible-xs-only">
- 191 <h-dropdown-close
- 192 class="mb-xs-1"
- 193 name="price-filter-{{ options.instanceId }}"
- 194 >
- 195 <span class="filters-horizontal__mobile-header-close-btn">
- 196 <span class="sr-only">{{ translate('Close %s filter settings', filters.priceFilter.name) }}
</span>
- 197 {{ icon('icon-x', {
- 198 size: '1',
- 199 classNames: ['d-block'],
- 200 ariaHidden: 'true'
- 201 }) }}
- 202 </span>
- 203 </h-dropdown-close>
+ 159 <filters-aggregator class="filters filters-horizontal mb-xs-2" id="filters-{{ options.instanceId }}" active-filters="{{ activeFilt
ers|json_encode }}" base-url="{{ filters.baseUrl }}">
+ 160 <h2 id="{{ filtersHeaderId }}" class="secondary-header secondary-header_m" tabindex="-1">
+ 161 {{ translate('Filters') }}

```

```

+ 162 </h2>
+ 163
+ 164 <div class="filters-horizontal__content">
+ 165     {% if filters.priceFilter %}
+ 166     {% set isActive = filters.priceFilter.priceFrom or filters.priceFilter.priceTo %}
+ 167     {% set ariaLabel = isActive ?
+ 168         translate('%s, selected filter options: %s, Set filter', [filters.priceFilter.name, 1]) :
+ 169         translate('Set filter: %s', filters.priceFilter.name)
+ 170     %}
+ 171
+ 172 <div class="filters-horizontal__filter">
+ 173     <h-dropdown name="price-filter-{{ options.instanceId }}" direction="bottom-left">
+ 174         <h-dropdown-toggler
+ 175             name="price-filter-{{ options.instanceId }}"
+ 176             aria-label="{{ ariaLabel }}"
+ 177             id="price-filter-{{ options.instanceId }}"
+ 178         >
+ 179             {{
+ 180                 filter_horizontal_toggler({
+ 181                     name: filters.priceFilter.name,
+ 182                     isActive,
+ 183                     activeFilterCount: 1
+ 184                 })
+ 185             }}
+ 186         </h-dropdown-toggler>
+ 187
+ 188         <h-dropdown-content class="dropdown__content_no-padding" name="price-filter-{{ options.instanceId }}">
+ 189             <header class="filters-horizontal__mobile-header visible-xs-only">
+ 190                 <h-dropdown-close
+ 191                     class="mb-xs-1"
+ 192                     name="price-filter-{{ options.instanceId }}"
+ 193                 >
+ 194                 <span class="filters-horizontal__mobile-header-close-btn">
+ 195                 <span class="sr-only">{{ translate('Close %s filter settings', filters.priceFilter.name) }}</sp
+ 196             an>
+ 197                 {{ icon('icon-x', {
+ 198                     size: 'l',
+ 199                     classNames: ['d-block'],
+ 200                     ariaHidden: 'true'
+ 201                 }) }}
+ 202             </span>
+ 203         </h-dropdown-close>
+ 204         {{ separator({ size: 's', noMargin: true }) }}
+ 205     </header>
+ 206
+ 207     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 208         <div class="filters-horizontal__dropdown-content">
+ 209             <filter-price is-active="{{ filters.priceFilter.isActive }}">
+ 210                 <div class="grid__row">

```

```

+ 211 <div class="grid_col grid_col_xs-grow">
+ 212 <div class="control">
+ 213 <div class="control_label">
+ 214 <label class="label" for="{{ filters.priceFilter.priceFromUrlKey }}-{{ options.
instanceId }}">
+ 215 <span class="input__unit">{{ translate('Price from') }}</span>
+ 216 </label>
+ 217 </div>
218 </div>
- 219 <div class="control">
- 220 <div class="control_label">
+ 161 <div class="control_content">
+ 162 <div class="control_element">
+ 163 <label class="input">
+ 164 <input
+ 165 name="{{ filters.priceFilter.priceFromUrlKey }}"
+ 166 id="{{ filters.priceFilter.priceFromUrlKey }}-{{ options.instanceId
}}">
+ 167 type="text"
+ 168 class="input_control"
+ 169 value="{{ filters.priceFilter.priceFrom }}">
170
- 171 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 172 <div class="filters-horizontal_dropdown-content">
- 173 <filter-price is-active="{{ filters.priceFilter.isActive }}">
- 174 <div class="grid_row">
- 175 <div class="grid_col grid_col_xs-grow">
- 176 <div class="control">
- 177 <div class="control_label">
- 178 <label class="label" for="{{ filters.priceFilter.priceFromUrlKey }}-{{ opti
ons.instanceId }}">
- 179 <span class="input__unit">{{ translate('Price from') }}</span>
+ 163 <span class="input__unit">{{ currency.symbol }}</span>
164 </label>
165 </div>
- 166 </div>
- 167 <div class="control_content">
- 168 <div class="control_element">
- 169 <label class="input">
- 170 <input
- 171 name="{{ filters.priceFilter.priceFromUrlKey }}"
- 172 id="{{ filters.priceFilter.priceFromUrlKey }}-{{ options instan
ceId }}">
- 173 type="text"
- 174 class="input_control"
- 175 value="{{ filters.priceFilter.priceFrom }}">
- 176 </label>
- 177 <span class="input__unit">{{ currency.symbol }}</span>
- 178 </label>
- 179 </div>

```

```

- 180                                     </div>
181                                     </div>
182                                 </div>
+ 183                                 </div>
184
- 185                                     <div class="grid_col grid_col_xs-grow">
- 186                                         <div class="control">
- 187                                             <div class="control__label">
- 188                                                 <label class="label" for="{{ filters.priceFilter.priceToUrlKey }}-{{ option
s.instanceId }}">
- 189                                                     {{ translate('Price up to') }}
- 190                                                 </label>
- 191                                             </div>
+ 169                                     <div class="grid_col grid_col_xs-grow">
+ 170                                         <div class="control">
+ 171                                             <div class="control__label">
+ 172                                                 <label class="label" for="{{ filters.priceFilter.priceToUrlKey }}-{{ options.in
stanceId }}">
+ 173                                                     {{ translate('Price up to') }}
+ 174                                                 </label>
+ 175                                             </div>
176
- 177                                     <div class="control__content">
- 178                                         <div class="control__element">
- 179                                             <label class="input">
- 180                                                 <input
- 181                                                     name="{{ filters.priceFilter.priceToUrlKey }}"
- 182                                                     id="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instance
Id }}"
- 183                                                     type="text"
- 184                                                     class="input__control"
- 185                                                     value="{{ filters.priceFilter.priceTo }}">
- 186
- 187                                             <span class="input__unit">{{ currency.symbol }}</span>
- 188                                         </label>
- 189                                     </div>
+ 171                                     <div class="control__content">
+ 172                                         <div class="control__element">
+ 173                                             <label class="input">
+ 174                                                 <input
+ 175                                                     name="{{ filters.priceFilter.priceToUrlKey }}"
+ 176                                                     id="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instanceId }}
">
+ 177                                             type="text"
+ 178                                             class="input__control"
+ 179                                             value="{{ filters.priceFilter.priceTo }}">
+ 180
+ 181                                             <span class="input__unit">{{ currency.symbol }}</span>
+ 182                                         </label>
183                                     </div>

```

```

184         </div>
185     </div>
186 </div>
- 187 </filter-price>
- 188 </div>
- 189
- 190 <div class="filters-horizontal__dropdown-actions">
- 191     <h-dropdown-close name="price-filter-{{ options.instanceId }}">
- 192         <span class="btn btn_outline btn_xs">{{ translate('Cancel') }}</span>
- 193     </h-dropdown-close>
- 194
- 195 <filters-apply>
- 196     <a
- 197         class="btn btn_primary btn_xs"
- 198         context-target-id="price-filter-{{ options.instanceId }}"
- 199         context-keeper
- 200         >{{ translate('Apply filters') }}</a>
- 201 </filters-apply>
- 202 </div>
- 203 </filters-group>
- 204 </h-dropdown-content>
- 205 </h-dropdown>
- 206 </div>
- 207 {% endif %}
- 208
- 209 {% if filters.producersFilter %}
- 210     {% set isActive = filters.producersFilter.isActive %}
- 211     {% set ariaLabel = isActive ?
- 212         translate('%s, selected filter options: %s, Set filter', [filters.producersFilter.name, producersActiveFilters|
length]) :
- 213         translate('Set filter: %s', filters.producersFilter.name)
- 214     %}
- 215
- 216 <div class="filters-horizontal__filter">
- 217     <h-dropdown name="producers-filter-{{ options.instanceId }}" direction="bottom-left">
- 218         <h-dropdown-toggler
- 219             id="producers-filter-{{ options.instanceId }}"
- 220             name="producers-filter-{{ options.instanceId }}"
- 221             aria-label="{{ ariaLabel }}"
- 222         >
- 223             {{
- 224                 filter_horizontal_toggler({
- 225                     name: filters.producersFilter.name,
- 226                     isActive,
- 227                     activeFilterCount: producersActiveFilters|length
- 228                 })
- 229             }}
- 230         </h-dropdown-toggler>
- 231
- 232     <h-dropdown-content class="dropdown__content_no-padding" name="producers-filter-{{ options.instanceId }}">

```

```

- 233 <header class="filters-horizontal__mobile-header visible-xs-only">
- 234 <h-dropdown-close
- 235 class="mb-xs-1"
- 236 name="producers-filter-{{ options.instanceId }}"
- 237 >
- 238 <span class="filters-horizontal__mobile-header-close-btn">
- 239 <span class="sr-only">{{ translate('Close %s filter settings', filters.producersFilter.name
) }}</span>
- 240 {{ icon('icon-x', {
- 241 size: 'l',
- 242 classNames: ['d-block'],
- 243 ariaHidden: 'true'
- 244 }) }}
- 245 </span>
- 246 </h-dropdown-close>
- 247
- 248 {{ separator({ size: 's', noMargin: true }) }}
- 249 </header>
- 250
- 251 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 252 <div class="filters-horizontal__dropdown-content">
- 253 <filter-multiple class="filters-vertical__filter">
- 254 {{ multiple_filter(filters.producersFilter, options|merge({
- 255 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 256 })) }}
- 257 </filter-multiple>
- 258 </div>
- 259
- 260 {{
- 261 filter_horizontal_action({
- 262 dropdownName: 'producers-filter-' ~ options.instanceId,
- 263 dropdownId: 'producers-filter-' ~ options.instanceId
- 264 })
- 265 }}
- 266 </filters-group>
- 267 </h-dropdown-content>
- 268 </h-dropdown>
- 269 </div>
- 270 {% endif %}
- 271
- 272 {% if filters.collectionsFilter %}
- 273 {% set isActive = filters.collectionsFilter.isActive %}
- 274 {% set ariaLabel = isActive ?
- 275 translate('%s, selected filter options: %s, Set filter', [filters.collectionsFilter.name, collectionsActiveFilt
ers|length]) :
- 276 translate('Set filter: %s', filters.collectionsFilter.name)
- 277 %}
- 278
- 279 <div class="filters-horizontal__filter">
- 280 <h-dropdown name="collections-filter-{{ options.instanceId }}" direction="bottom-left">

```

```

- 281 <h-dropdown-toggler
- 282     id="collections-filter-{{ options.instanceId }}"
- 283     name="collections-filter-{{ options.instanceId }}"
- 284     aria-label="{{ ariaLabel }}"
- 285 >
- 286     {{
- 287         filter_horizontal_toggler({
- 288             name: filters.collectionsFilter.name,
- 289             isActive,
- 290             activeFilterCount: collectionsActiveFilters.length
- 291         })
- 292     }}
- 293 </h-dropdown-toggler>
+ 176 </div>
+ 177 </filter-price>
+ 178 </div>
179
- 180 <h-dropdown-content class="dropdown__content_no-padding" name="collections-filter-{{ options.instanceId }}"
>
- 181 <header class="filters-horizontal__mobile-header visible-xs-only">
- 182 <h-dropdown-close
- 183     class="mb-xs-1"
- 184     name="collections-filter-{{ options.instanceId }}"
- 185 >
- 186 <span class="filters-horizontal__mobile-header-close-btn">
- 187 <span class="sr-only">{{ translate('Close %s filter settings', filters.collectionsFilter.name) }}</span>
- 188     {{ icon('icon-x', {
- 189         size: '1',
- 190         classNames: ['d-block'],
- 191         ariaHidden: 'true'
- 192     }) }}
- 193 </span>
+ 178 <div class="filters-horizontal__dropdown-actions">
+ 179 <h-dropdown-close name="price-filter-{{ options.instanceId }}">
+ 180 <span class="btn btn_outline btn_xs">{{ translate('Cancel') }}</span>
181 </h-dropdown-close>
182
- 183 {{ separator({ size: 's', noMargin: true }) }}
- 184 </header>
- 185
- 186 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 187 <div class="filters-horizontal__dropdown-content">
- 188 <filter-multiple class="filters-vertical__filter">
- 189     {{ multiple_filter(filters.collectionsFilter, options|merge({
- 190         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 191     })) }}
- 192 </filter-multiple>
- 193 </div>
- 194

```

```

- 195     {{
- 196         filter_horizontal_action({
- 197             dropdownName: 'collections-filter-' ~ options.instanceId,
- 198             dropdownId: 'collections-filter-' ~ options.instanceId
- 199         })
- 200     }}
- 201     </filters-group>
- 202 </h-dropdown-content>
- 203 </h-dropdown>
- 204 </div>
- 205 {% endif %}
+ 181 <filters-apply>
+ 182 <a
+ 183     class="btn btn_primary btn_xs"
+ 184     context-target-id="price-filter-{{ options.instanceId }}"
+ 185     context-keeper
+ 186     >{{ translate('Apply filters') }}</a>
+ 187 </filters-apply>
+ 188 </div>
+ 189 </filters-group>
+ 190 </h-dropdown-content>
+ 191 </h-dropdown>
+ 192 </div>
+ 193 {% endif %}
194
- 195     {% if filters.optionsFilter %}
- 196         {% for optionGroupFilter in filters.optionsFilter %}
- 197             {% set optionGroupActiveFilters = optionGroupFilter.values|filter(filter => filter.isActive == 1) %}
- 198
- 199             {% set isActive = optionGroupFilter.isActive %}
- 200             {% set ariaLabel = isActive ?
- 201                 translate('%s, selected filter options: %s, Set filter', [optionGroupFilter.name, optionGroupActiveFilters|
length]) :
- 202                 translate('Set filter: %s', optionGroupFilter.name)
- 203             %}
- 204
- 205             <div class="filters-horizontal__filter">
- 206                 <h-dropdown name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}" direction="bott
om-left">
- 207                     <h-dropdown-toggler
- 208                         id="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
- 209                         name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
- 210                         aria-label="{{ ariaLabel }}"
+ 183                 {% if filters.producersFilter %}
+ 184                     {% set isActive = filters.producersFilter.isActive %}
+ 185                     {% set ariaLabel = isActive ?
+ 186                         translate('%s, selected filter options: %s, Set filter', [filters.producersFilter.name, producersActiveFilters|leng
th]) :
+ 187                         translate('Set filter: %s', filters.producersFilter.name)
+ 188                     %}

```

```

+ 189
+ 190     <div class="filters-horizontal__filter">
+ 191         <h-dropdown name="producers-filter-{{ options.instanceId }}" direction="bottom-left">
+ 192             <h-dropdown-toggler
+ 193                 id="producers-filter-{{ options.instanceId }}"
+ 194                 name="producers-filter-{{ options.instanceId }}"
+ 195                 aria-label="{{ ariaLabel }}"
+ 196             >
+ 197                 {{
+ 198                     filter_horizontal_toggler({
+ 199                         name: filters.producersFilter.name,
+ 200                         isActive,
+ 201                         activeFilterCount: producersActiveFilters|length
+ 202                     })
+ 203                 }}
+ 204             </h-dropdown-toggler>
+ 205
+ 206         <h-dropdown-content class="dropdown__content_no-padding" name="producers-filter-{{ options.instanceId }}">
+ 207             <header class="filters-horizontal__mobile-header visible-xs-only">
+ 208                 <h-dropdown-close
+ 209                     class="mb-xs-1"
+ 210                     name="producers-filter-{{ options.instanceId }}"
+ 211                 >
- 212                 {{
- 213                     filter_horizontal_toggler({
- 214                         name: optionGroupFilter.name,
- 215                         isActive,
- 216                         activeFilterCount: optionGroupActiveFilters|length
- 217                     })
- 218                 }}
- 219             </h-dropdown-toggler>
- 220
- 221         <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ optionGroupFilter.option
onId }}-{{ options.instanceId }}">
- 222             <header class="filters-horizontal__mobile-header visible-xs-only">
- 223                 <h-dropdown-close
- 224                     class="mb-xs-1"
- 225                     name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
- 226                 >
- 227                 <span class="filters-horizontal__mobile-header-close-btn">
- 228                     <span class="sr-only">{{ translate('Close %s filter settings', optionGroupFilter.name)
}}</span>
- 229                 {{ icon('icon-x', {
- 230                     size: '1',
- 231                     classNames: ['d-block'],
- 232                     ariaHidden: 'true'
- 233                 }) }}
- 234                 </span>
- 235             </h-dropdown-close>
- 236

```

```

- 237         {{ separator({ size: 's', noMargin: true }) }}
- 238     </header>
- 239
- 240     <filters-group filter-parent="filters-{{ options.instanceId }}">
- 241         <div class="filters-horizontal__dropdown-content">
- 242             <filter-multiple class="filters-vertical__filter">
- 243                 {{ multiple_filter(optionGroupFilter, options|merge({
- 244                     'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 245                 ))) }}
- 246             </filter-multiple>
- 247         </div>
+ 185     <span class="filters-horizontal__mobile-header-close-btn">
+ 186         <span class="sr-only">{{ translate('Close %s filter settings', filters.producersFilter.name) }}
</span>
+ 187         {{ icon('icon-x', {
+ 188             size: 'l',
+ 189             classNames: ['d-block'],
+ 190             ariaHidden: 'true'
+ 191         }) }}
+ 192     </span>
+ 193 </h-dropdown-close>
+ 194
+ 195     {{ separator({ size: 's', noMargin: true }) }}
+ 196 </header>
+ 197
+ 198     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 199         <div class="filters-horizontal__dropdown-content">
+ 200             <filter-multiple class="filters-vertical__filter">
+ 201                 {{ multiple_filter(filters.producersFilter, options|merge({
+ 202                     'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 203                 ))) }}
+ 204             </filter-multiple>
+ 205         </div>
+ 206
+ 207         {{
+ 208             filter_horizontal_action({
+ 209                 dropdownName: 'producers-filter-' ~ options.instanceId,
+ 210                 dropdownId: 'producers-filter-' ~ options.instanceId
+ 211             })
+ 212         }}
+ 213     </filters-group>
+ 214 </h-dropdown-content>
+ 215 </h-dropdown>
+ 216 </div>
+ 217 {% endif %}
218
- 219     {{
- 220         filter_horizontal_action({
- 221             dropdownName: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId

```

```

- 222 dropdownId: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId
- 223 })
- 224 }}
- 225 </filters-group>
- 226 </h-dropdown-content>
- 227 </h-dropdown>
- 228 </div>
- 229 {% endfor %}
- 230 {% endif %}
- 231
- 232 {% if filters.attributesFilter %}
- 233 {% for attributesGroupFilter in filters.attributesFilter %}
- 234 {% set attributesGroupActiveFilters = attributesGroupFilter.values|filter(filter => filter.isActive == 1) %}
- 235
- 236 {% set isActive = attributesGroupFilter.isActive %}
- 237 {% set ariaLabel = isActive ?
- 238 translate('%s, selected filter options: %s, Set filter', [attributesGroupFilter.name, attributesGroupActive
Filters|length]) :
- 239 translate('Set filter: %s', attributesGroupFilter.name)
- 240 %}
- 241
- 242 <div class="filters-horizontal__filter">
- 243 <h-dropdown name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}" directio
n="bottom-left">
- 244 <h-dropdown-toggler
- 245 id="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
- 246 name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
- 247 aria-label="{{ ariaLabel }}"
+ 187 {% if filters.collectionsFilter %}
+ 188 {% set isActive = filters.collectionsFilter.isActive %}
+ 189 {% set ariaLabel = isActive ?
+ 190 translate('%s, selected filter options: %s, Set filter', [filters.collectionsFilter.name, collectionsActiveFilters|
length]) :
+ 191 translate('Set filter: %s', filters.collectionsFilter.name)
+ 192 %}
+ 193
+ 194 <div class="filters-horizontal__filter">
+ 195 <h-dropdown name="collections-filter-{{ options.instanceId }}" direction="bottom-left">
+ 196 <h-dropdown-toggler
+ 197 id="collections-filter-{{ options.instanceId }}"
+ 198 name="collections-filter-{{ options.instanceId }}"
+ 199 aria-label="{{ ariaLabel }}"
+ 200 >
+ 201 {{
+ 202 filter_horizontal_toggler({
+ 203 name: filters.collectionsFilter.name,
+ 204 isActive,
+ 205 activeFilterCount: collectionsActiveFilters|length
+ 206 })
+ 207 }}

```

```

+ 208 </h-dropdown-toggler>
+ 209
+ 210 <h-dropdown-content class="dropdown_content_no-padding" name="collections-filter-{{ options.instanceId }}">
+ 211 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 212 <h-dropdown-close
+ 213 class="mb-xs-1"
+ 214 name="collections-filter-{{ options.instanceId }}"
215 >
- 216 {{
- 217 filter_horizontal_toggler({
- 218 name: attributesGroupFilter.name,
- 219 isActive,
- 220 activeFilterCount: attributesGroupActiveFilters|length
- 221 })
- 222 }}
- 223 </h-dropdown-toggler>
- 224
- 225 <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ attributesGroupFilter.
attributeId }}-{{ options.instanceId }}">
- 226 <header class="filters-horizontal__mobile-header visible-xs-only">
- 227 <h-dropdown-close
- 228 class="mb-xs-1"
- 229 name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
- 230 >
- 231 <span class="filters-horizontal__mobile-header-close-btn">
- 232 <span class="sr-only">{{ translate('Close %s filter settings', attributesGroupFilter.na
me) }}</span>
- 233 {{ icon('icon-x', {
- 234 size: 'l',
- 235 classNames: ['d-block'],
- 236 ariaHidden: 'true'
- 237 }} }}
- 238 </span>
- 239 </h-dropdown-close>
- 240
- 241 {{ separator({ size: 's', noMargin: true }) }}
- 242 </header>
- 243
- 244 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 245 <div class="filters-horizontal__dropdown-content">
- 246 {% if attributesGroupFilter.isSingleChoiceOnly %
- 247 <filter-single class="filters-vertical__filter">
- 248 {{ single_filter(attributesGroupFilter, options|merge({
- 249 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 250 ))) }}
- 251 </filter-single>
- 252 {% else %}
- 253 <filter-multiple class="filters-vertical__filter">
- 254 {{ multiple_filter(attributesGroupFilter, options|merge({
- 255 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled

```

```

- 256         ))) }}
- 257     </filter-multiple>
- 258     {% endif %}
- 259 </div>
- 260
- 261     {{
- 262         filter_horizontal_action({
- 263             dropdownName: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.ins
tanceId,
- 264             dropdownId: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.insta
nceId
- 265         })
- 266     }}
- 267 </filters-group>
- 268 </h-dropdown-content>
- 269 </h-dropdown>
- 270 </div>
- 271     {% endfor %}
- 272     {% endif %}
- 273
- 274     {% if filters.availabilitiesFilter %}
- 275         {% set isActive = filters.availabilitiesFilter.isActive %}
- 276         {% set ariaLabel = isActive ?
- 277             translate('%s, selected filter options: %s, Set filter', [filters.availabilitiesFilter.name, availabilitiesActi
veFilters|length]) :
- 278             translate('Set filter: %s', filters.availabilitiesFilter.name)
- 279         %}
- 280
- 281         <div class="filters-horizontal__filter">
- 282             <h-dropdown name="availabilities-filter-{{ options.instanceId }}" direction="bottom-left">
- 283                 <h-dropdown-toggler
- 284                     id="availabilities-filter-{{ options.instanceId }}"
- 285                     name="availabilities-filter-{{ options.instanceId }}"
- 286                     aria-label="{{ ariaLabel }}"
- 287                 >
- 288                     {{
- 289                         filter_horizontal_toggler({
- 290                             name: filters.availabilitiesFilter.name,
- 291                             isActive,
- 292                             activeFilterCount: availabilitiesActiveFilters|length
- 293                         })
- 294                     }}
- 295                 </h-dropdown-toggler>
- 296
- 297                 <h-dropdown-content class="dropdown__content_no-padding" name="availabilities-filter-{{ options.instanceId
}}">
- 298                     <header class="filters-horizontal__mobile-header visible-xs-only">
- 299                         <h-dropdown-close
- 300                             class="mb-xs-1"
- 301                             name="availabilities-filter-{{ options.instanceId }}"

```

```

- 302 >
- 303 <span class="filters-horizontal__mobile-header-close-btn">
- 304 <span class="sr-only">{{ translate('Close %s filter settings', filters.availabilitiesFilter
.name) }}</span>
- 305 {{ icon('icon-x', {
- 306 size: 'l',
- 307 classNames: ['d-block'],
- 308 ariaHidden: 'true'
- 309 }) }}
- 310 </span>
- 311 </h-dropdown-close>
- 312
- 313 {{ separator({ size: 's', noMargin: true }) }}
- 314 </header>
- 315
- 316 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 317 <div class="filters-horizontal__dropdown-content">
- 318 <filter-multiple class="filters-vertical__filter">
- 319 {{ multiple_filter(filters.availabilitiesFilter, options|merge({
- 320 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 321 })) }}
- 322 </filter-multiple>
- 323 </div>
+ 189 <span class="filters-horizontal__mobile-header-close-btn">
+ 190 <span class="sr-only">{{ translate('Close %s filter settings', filters.collectionsFilter.name)
}}</span>
+ 191 {{ icon('icon-x', {
+ 192 size: 'l',
+ 193 classNames: ['d-block'],
+ 194 ariaHidden: 'true'
+ 195 }) }}
+ 196 </span>
+ 197 </h-dropdown-close>
+ 198
+ 199 {{ separator({ size: 's', noMargin: true }) }}
+ 200 </header>
+ 201
+ 202 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 203 <div class="filters-horizontal__dropdown-content">
+ 204 <filter-multiple class="filters-vertical__filter">
+ 205 {{ multiple_filter(filters.collectionsFilter, options|merge({
+ 206 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 207 })) }}
+ 208 </filter-multiple>
+ 209 </div>
+ 210
+ 211 {{
+ 212 filter_horizontal_action({
+ 213 dropdownName: 'collections-filter-' ~ options.instanceId,
+ 214 dropdownId: 'collections-filter-' ~ options.instanceId

```

```

+ 215     })
+ 216     }}
+ 217     </filters-group>
+ 218     </h-dropdown-content>
+ 219     </h-dropdown>
+ 220     </div>
+ 221     {% endif %}
222
- 223     {{
- 224         filter_horizontal_action({
- 225             dropdownName: 'availabilities-filter-' ~ options.instanceId,
- 226             dropdownId: 'availabilities-filter-' ~ options.instanceId
- 227         })
- 228     }}
- 229     </filters-group>
- 230     </h-dropdown-content>
- 231     </h-dropdown>
- 232     </div>
- 233     {% endif %}
+ 191     {% if filters.optionsFilter %}
+ 192         {% for optionGroupFilter in filters.optionsFilter %}
+ 193             {% set optionGroupActiveFilters = optionGroupFilter.values|filter(filter => filter.isActive == 1) %}
194
- 195             {% if filters.deliveriesFilter %}
- 196                 {% set isActive = filters.deliveriesFilter.isActive %}
+ 193                 {% set isActive = optionGroupFilter.isActive %}
194                 {% set ariaLabel = isActive ?
- 195                     translate('%s, selected filter options: %s, Set filter', [filters.deliveriesFilter.name, deliveriesActiveFilter
s|length]) :
- 196                     translate('Set filter: %s', filters.deliveriesFilter.name)
+ 195                     translate('%s, selected filter options: %s, Set filter', [optionGroupFilter.name, optionGroupActiveFilters|leng
th]) :
+ 196                     translate('Set filter: %s', optionGroupFilter.name)
197                 %}
198
199                 <div class="filters-horizontal__filter">
- 200                     <h-dropdown name="deliveries-filter-{{ options.instanceId }}" direction="bottom-left">
+ 199                     <h-dropdown name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}" direction="bottom-l
eft">
200                         <h-dropdown-toggler
- 201                             id="deliveries-filter-{{ options.instanceId }}"
- 202                             name="deliveries-filter-{{ options.instanceId }}"
+ 201                             id="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
+ 202                             name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
203                             aria-label="{{ ariaLabel }}"
204                         >
205                             {{
206                                 filter_horizontal_toggler({
- 207                                     name: filters.deliveriesFilter.name,
+ 206                                     name: optionGroupFilter.name,

```

```

207         isActive,
- 208         activeFilterCount: deliveriesActiveFilters|length
+ 208         activeFilterCount: optionGroupActiveFilters|length
209     ))
210     }}
211     </h-dropdown-toggler>
212
- 213     <h-dropdown-content class="dropdown__content_no-padding" name="deliveries-filter-{{ options.instanceId }}">
+ 213     <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ optionGroupFilter.optionId
}}-{{ options.instanceId }}">
214         <header class="filters-horizontal__mobile-header visible-xs-only">
215             <h-dropdown-close
216                 class="mb-xs-1"
- 217                 name="deliveries-filter-{{ options.instanceId }}"
+ 217                 name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}"
218             >
219             <span class="filters-horizontal__mobile-header-close-btn">
- 220                 <span class="sr-only">{{ translate('Close %s filter settings', filters.deliveriesFilter.name
e) }}</span>
+ 220                 <span class="sr-only">{{ translate('Close %s filter settings', optionGroupFilter.name) }}</
span>
221                 {{ icon('icon-x', {
222                     size: 'l',
223                     classNames: ['d-block'],

```

```

454         <filters-group filter-parent="filters-{{ options.instanceId }}">
455             <div class="filters-horizontal__dropdown-content">
456                 <filter-multiple class="filters-vertical__filter">
- 457                     {{ multiple_filter(filters.deliveriesFilter, options|merge({
+ 457                     {{ multiple_filter(optionGroupFilter, options|merge({
458                         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
459                     ))) }}
460                 </filter-multiple>

```

```

462
463         {{
464             filter_horizontal_action({
- 465                 dropdownName: 'deliveries-filter-' ~ options.instanceId,
- 466                 dropdownId: 'deliveries-filter-' ~ options.instanceId
+ 465                 dropdownName: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId,
+ 466                 dropdownId: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceId
467             })
468         }}
469     </filters-group>
470 </h-dropdown-content>
471 </h-dropdown>
472 </div>
- 473 {% endif %}

```

```

- 474
- 475         {% if filters.ratesFilter %}
- 476             {% set isActive = filters.ratesFilter.isActive %}
- 477             {% set ariaLabel = isActive ?
- 478                 translate('%s, selected filter options: %s, Set filter', [filters.ratesFilter.name, 1]) :
- 479                 translate('Set filter: %s', filters.ratesFilter.name)
- 480             %}
- 481
- 482         <div class="filters-horizontal__filter">
- 483             <h-dropdown name="rates-filter-{{ options.instanceId }}" direction="bottom-left">
- 484                 <h-dropdown-toggler
- 485                     id="rates-filter-{{ options.instanceId }}"
- 486                     name="rates-filter-{{ options.instanceId }}"
- 487                     aria-label="{{ ariaLabel }}"
- 488                 >
- 489                     {{
- 490                         filter_horizontal_toggler({
- 491                             name: filters.ratesFilter.name,
- 492                             isActive,
- 493                             activeFilterCount: 1
- 494                         })
- 495                     }}
- 496                 </h-dropdown-toggler>
- 497
- 498                 <h-dropdown-content class="dropdown_content_no-padding" name="rates-filter-{{ options.instanceId }}">
- 499                     <header class="filters-horizontal__mobile-header visible-xs-only">
- 500                         <h-dropdown-close
- 501                             class="mb-xs-1"
- 502                             name="rates-filter-{{ options.instanceId }}"
- 503                         >
- 504                             <span class="filters-horizontal__mobile-header-close-btn">
- 505                                 <span class="sr-only">{{ translate('Close %s filter settings', filters.ratesFilter.name) }}
- 506                                 </span>
- 507                                 {{ icon('icon-x', {
- 508                                     size: '1',
- 509                                     classNames: ['d-block'],
- 510                                     ariaHidden: 'true'
- 511                                 }) }}
- 512                             </span>
- 513                         </h-dropdown-close>
- 514
- 515                         {{ separator({ size: 's', noMargin: true }) }}
- 516                     </header>
- 517
- 518                     <filters-group filter-parent="filters-{{ options.instanceId }}">
- 519                         <div class="filters-horizontal__dropdown-content">
- 520                             <filter-single class="filters-vertical__filter">
- 521                                 {{ rates_filter(filters.ratesFilter.values, options|merge({
- 522                                     'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled

```

```

- 523 </filter-single>
- 524 </div>
- 525
- 526 {{
- 527     filter_horizontal_action({
- 528         dropdownName: 'rates-filter-' ~ options.instanceId,
- 529         dropdownId: 'rates-filter-' ~ options.instanceId
- 530     })
- 531 }}
- 532 </filters-group>
- 533 </h-dropdown-content>
- 534 </h-dropdown>
- 535 </div>
- 536 {% endif %}
- 537
- 538 {% if filters.newsFilter %}
- 539     {% set isActive = filters.newsFilter.isActive %}
- 540     {% set ariaLabel = isActive ?
- 541         translate('%s, selected filter options: %s, Set filter', [filters.newsFilter.name, 1]) :
- 542         translate('Set filter: %s', filters.newsFilter.name)
- 543     %}
- 544
- 545     <div class="filters-horizontal__filter">
- 546         <h-dropdown name="news-filter-{{ options.instanceId }}" direction="bottom-left">
- 547             <h-dropdown-toggler
- 548                 id="news-filter-{{ options.instanceId }}"
- 549                 name="news-filter-{{ options.instanceId }}"
- 550                 aria-label="{{ ariaLabel }}"
- 551             >
- 552                 {{
- 553                     filter_horizontal_toggler({
- 554                         name: filters.newsFilter.name,
- 555                         isActive,
- 556                         activeFilterCount: 1
- 557                     })
- 558                 }}
- 559             </h-dropdown-toggler>
- 560
- 561             <h-dropdown-content class="dropdown__content_no-padding" name="news-filter-{{ options.instanceId }}">
- 562                 <header class="filters-horizontal__mobile-header visible-xs-only">
- 563                     <h-dropdown-close
- 564                         class="mb-xs-1"
- 565                         name="news-filter-{{ options.instanceId }}"
- 566                     >
- 567                     <span class="filters-horizontal__mobile-header-close-btn">
- 568                         <span class="sr-only">{{ translate('Close %s filter settings', filters.newsFilter.name) }}<
- 569 /span>
- 569                         {{ icon('icon-x', {
- 570                             size: '1',
- 571                             classNames: ['d-block'],

```

```

- 572         ariaHidden: 'true'
- 573     }} }}
- 574     </span>
- 575     </h-dropdown-close>
- 576
- 577         {{ separator({ size: 's', noMargin: true }) }}
- 578     </header>
+ 472     {% endfor %}
+ 473     {% endif %}
474
- 475     <filters-group filter-parent="filters-{{ options.instanceId }}">
- 476         <div class="filters-horizontal__dropdown-content">
- 477             <filter-single class="filters-vertical__filter">
- 478                 {{ single_filter(filters.newsFilter, options|merge({
- 479                     'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 480                 ))) }}
- 481             </filter-single>
- 482         </div>
+ 474     {% if filters.attributesFilter %}
+ 475         {% for attributesGroupFilter in filters.attributesFilter %}
+ 476             {% set attributesGroupActiveFilters = attributesGroupFilter.values|filter(filter => filter.isActive == 1) %}
477
- 478             {{
- 479                 filter_horizontal_action({
- 480                     dropdownName: 'news-filter-' ~ options.instanceId,
- 481                     dropdownId: 'news-filter-' ~ options.instanceId
- 482                 })
- 483             }}
- 484         </filters-group>
- 485     </h-dropdown-content>
- 486 </h-dropdown>
- 487 </div>
- 488     {% endif %}
- 489
- 490     {% if filters.promotionsFilter %}
- 491         {% set isActive = filters.promotionsFilter.isActive %}
+ 476     {% set isActive = attributesGroupFilter.isActive %}
477     {% set ariaLabel = isActive ?
- 478         translate('%s, selected filter options: %s, Set filter', [filters.promotionsFilter.name, 1]) :
- 479         translate('Set filter: %s', filters.promotionsFilter.name)
+ 478     translate('%s, selected filter options: %s, Set filter', [attributesGroupFilter.name, attributesGroupActiveFilters|length]) :
+ 479     translate('Set filter: %s', attributesGroupFilter.name)
480     %}
481
482     <div class="filters-horizontal__filter">
- 483         <h-dropdown name="promotions-filter-{{ options.instanceId }}" direction="bottom-left">
+ 482         <h-dropdown name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}" direction="bottom-left">
483             <h-dropdown-toggler

```

```

- 484 id="promotions-filter-{{ options.instanceId }}"
- 485 name="promotions-filter-{{ options.instanceId }}"
+ 484 id="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
+ 485 name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
486 aria-label="{{ ariaLabel }}"
487 >
488 {{
489     filter_horizontal_toggler({
- 490         name: filters.promotionsFilter.name,
+ 489         name: attributesGroupFilter.name,
490         isActive,
- 491         activeFilterCount: 1
+ 491         activeFilterCount: attributesGroupActiveFilters|length
492     })
493 }}
494 </h-dropdown-toggler>
- 496 <h-dropdown-content class="dropdown__content_no-padding" name="promotions-filter-{{ options.instanceId }}">
+ 496 <h-dropdown-content class="dropdown__content_no-padding" name="options-filter-{{ attributesGroupFilter.attr
+ 496 ibuteId }}-{{ options.instanceId }}">
497     <header class="filters-horizontal__mobile-header visible-xs-only">
498         <h-dropdown-close
499             class="mb-xs-1"
- 500             name="promotions-filter-{{ options.instanceId }}"
+ 500             name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}"
501         >
502             <span class="filters-horizontal__mobile-header-close-btn">
- 503                 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.nam
+ 503                 <span class="sr-only">{{ translate('Close %s filter settings', attributesGroupFilter.name)
+ 503             }}</span>
504             {{ icon('icon-x', {
505                 size: '1',
506                 classNames: ['d-block'],
517
518         {{ separator({ size: 's', noMargin: true }) }}
519     </header>
- 520
- 521 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 522     <div class="filters-horizontal__dropdown-content">
- 523         <filter-single class="filters-vertical__filter">
- 524             {{ single_filter(filters.promotionsFilter, options|merge({
- 525                 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 526             ))) }}
- 527         </filter-single>
- 528     </div>
- 529
- 530     {{

```

```

- 531         filter_horizontal_action({
- 532             dropdownName: 'promotions-filter-' ~ options.instanceId,
- 533             dropdownId: 'promotions-filter-' ~ options.instanceId
- 534         })
- 535     }}
- 536 </filters-group>
- 537 </h-dropdown-content>
- 538 </h-dropdown>
- 539 </div>
- 540 {% endif %}
- 541 </div>
- 542
- 543 {% if activeFilters|length > 0 %}
- 544     {{
- 545         active_filter_tags(activeFilters, {
- 546             baseUrl: filters.baseUrl,
- 547             currency: currency,
- 548             isFiltersSubcategoriesWcagFlagEnabled: options.isFiltersSubcategoriesWcagFlagEnabled,
- 549             activeFiltersHeaderId,
- 550             contextId: activeFilters|length == 1 ? filtersHeaderId : activeFiltersHeaderId,
- 551         })
- 552     }}
- 553 {% endif %}
- 554 </filters-aggregator>
- 555 {% else %}
- 556 <filters-aggregator class="filters filters-horizontal mb-xs-2" id="filters-{{ options.instanceId }}" active-filters="{{ activeF
filters|json_encode }}" base-url="{{ filters.baseUrl }}">
- 557     <header class="secondary-header secondary-header_m">
- 558         {{ translate('Filters') }}
- 559     </header>
- 560
- 561     <div class="filters-horizontal_content">
- 562         {% if filters.priceFilter %}
- 563             <div class="filters-horizontal_filter">
- 564                 <h-dropdown name="price-filter-{{ options.instanceId }}" direction="bottom-left">
- 565                     <h-dropdown-toggler name="price-filter-{{ options.instanceId }}">
- 566                         {{
- 567                             filter_horizontal_toggler({
- 568                                 name: filters.priceFilter.name,
- 569                                 isActive: filters.priceFilter.priceFrom or filters.priceFilter.priceTo,
- 570                                 activeFilterCount: 1
- 571                             })
- 572                         }}
- 573                     </h-dropdown-toggler>
- 574
- 575                     <h-dropdown-content class="dropdown_content_no-padding" name="price-filter-{{ options.instanceId }}">
- 576                         <filters-group filter-parent="filters-{{ options.instanceId }}">
- 577                             <div class="filters-horizontal_dropdown-content">
- 578                                 <filter-price is-active="{{ filters.priceFilter.isActive }}">
- 579                                     <div class="grid_row">

```

```

- 580 <div class="grid_col grid_col_xs-grow">
- 581 <div class="control">
- 582 <div class="control__label">
- 583 <label class="label" for="{{ filters.priceFilter.priceFromUrlKey }}-{{ options.instanceId }}">
- 584 <span class="input__unit">{{ translate('Price from') }}</span>
- 585 </label>
- 586 </div>
- 587
- 588 <div class="control__content">
- 589 <div class="control__element">
- 590 <label class="input">
- 591 <input
- 592 name="{{ filters.priceFilter.priceFromUrlKey }}"
- 593 id="{{ filters.priceFilter.priceFromUrlKey }}-{{ options.instanceId }}"
- 594 type="text"
- 595 class="input__control"
- 596 value="{{ filters.priceFilter.priceFrom }}">
- 597
- 598 <span class="input__unit">{{ currency.symbol }}</span>
- 599 </label>
- 600 </div>
- 601 </div>
- 602 </div>
- 603 </div>
- 604
- 605 <div class="grid_col grid_col_xs-grow">
- 606 <div class="control">
- 607 <div class="control__label">
- 608 <label class="label" for="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instanceId }}">
- 609 <span class="input__unit">{{ translate('Price up to') }}</span>
- 610 </label>
- 611 </div>
- 612
- 613 <div class="control__content">
- 614 <div class="control__element">
- 615 <label class="input">
- 616 <input
- 617 name="{{ filters.priceFilter.priceToUrlKey }}"
- 618 id="{{ filters.priceFilter.priceToUrlKey }}-{{ options.instanceId }}"
- 619 type="text"
- 620 class="input__control"
- 621 value="{{ filters.priceFilter.priceTo }}">
- 622
- 623 <span class="input__unit">{{ currency.symbol }}</span>
- 624 </label>
- 625 </div>

```

```

- 626 </div>
- 627 </div>
- 628 </div>
- 629 </div>
- 630 </filter-price>
- 631 </div>
- 632
- 633 <div class="filters-horizontal_dropdown-actions">
- 634 <h-dropdown-close name="price-filter-{{ options.instanceId }}">
- 635 <span class="btn btn_outline btn_xs">{{ translate('Cancel') }}</span>
- 636 </h-dropdown-close>
- 637
- 638 <filters-apply>
- 639 <a class="btn btn_primary btn_xs">{{ translate('Apply filters') }}</a>
- 640 </filters-apply>
- 641 </div>
- 642 </filters-group>
- 643 </h-dropdown-content>
- 644 </h-dropdown>
- 645 </div>
- 646 {% endif %}
- 647
- 648 {% if filters.producersFilter %}
- 649 <div class="filters-horizontal_filter">
- 650 <h-dropdown name="producers-filter-{{ options.instanceId }}" direction="bottom-left">
- 651 <h-dropdown-toggler name="producers-filter-{{ options.instanceId }}">
- 652 {{
- 653 filter_horizontal_toggler({
- 654 name: filters.producersFilter.name,
- 655 isActive: filters.producersFilter.isActive,
- 656 activeFilterCount: producersActiveFilters|length
- 657 })
- 658 }}
- 659 </h-dropdown-toggler>
- 660
- 661 <h-dropdown-content class="dropdown_content_no-padding" name="producers-filter-{{ options.instanceId }}">
- 662 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 663 <div class="filters-horizontal_dropdown-content">
- 664 <filter-multiple class="filters-vertical_filter">
- 665 {{ multiple_filter(filters.producersFilter, options|merge({
- 666 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 667 ))) }}
- 668 </filter-multiple>
- 669 </div>
- 670
- 671 {{
- 672 filter_horizontal_action({
- 673 dropdownName: 'producers-filter-' ~ options.instanceId
- 674 })
- 675 }}

```

```

- 676         </filters-group>
- 677     </h-dropdown-content>
- 678 </h-dropdown>
- 679 </div>
- 680 {% endif %}
- 681
- 682 {% if filters.collectionsFilter %}
- 683     <div class="filters-horizontal__filter">
- 684         <h-dropdown name="collections-filter-{{ options.instanceId }}" direction="bottom-left">
- 685             <h-dropdown-toggler name="collections-filter-{{ options.instanceId }}">
- 686                 {{
- 687                     filter_horizontal_toggler({
- 688                         name: filters.collectionsFilter.name,
- 689                         isActive: filters.collectionsFilter.isActive,
- 690                         activeFilterCount: collectionsActiveFilters|length
- 691                     })
- 692                 }}
- 693             </h-dropdown-toggler>
- 694
- 695             <h-dropdown-content class="dropdown__content_no-padding" name="collections-filter-{{ options.instanceId }}"
- 696 >
- 697                 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 698                     <div class="filters-horizontal__dropdown-content">
- 699                         <filter-multiple class="filters-vertical__filter">
- 700                             {{ multiple_filter(filters.collectionsFilter, options|merge({
- 701                                 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 702                             ))) }}
- 703                         </filter-multiple>
- 704                     </div>
- 705                     {{
- 706                         filter_horizontal_action({
- 707                             dropdownName: 'collections-filter-' ~ options.instanceId
- 708                         })
- 709                     }}
- 710                 </filters-group>
- 711             </h-dropdown-content>
- 712         </h-dropdown>
- 713     </div>
- 714 {% endif %}
- 715
- 716 {% if filters.optionsFilter %}
- 717     {% for optionGroupFilter in filters.optionsFilter %}
- 718         {% set optionGroupActiveFilters = optionGroupFilter.values|filter(filter => filter.isActive == 1) %}
- 719         <div class="filters-horizontal__filter">
- 720             <h-dropdown name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}" direction="bottom-left">
- 721                 <h-dropdown-toggler name="options-filter-{{ optionGroupFilter.optionId }}-{{ options.instanceId }}">
- 722                     {{
- 723                         filter_horizontal_toggler({

```

```

- 724         name: optionGroupFilter.name,
- 725         isActive: optionGroupFilter.isActive,
- 726         activeFilterCount: optionGroupActiveFilters|length
- 727     })
- 728     }}
- 729 </h-dropdown-toggler>
- 730
- 731     <h-dropdown-content class="dropdown_content_no-padding" name="options-filter-{{ optionGroupFilter.opti
onId }}-{{ options.instanceId }}">
- 732         <filters-group filter-parent="filters-{{ options.instanceId }}">
- 733             <div class="filters-horizontal_dropdown-content">
+ 523                 {% if attributesGroupFilter.isSingleChoiceOnly %}
+ 524                 <filter-single class="filters-vertical_filter">
+ 525                     {{ single_filter(attributesGroupFilter, options|merge({
+ 526                         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 527                     ))) }}
+ 528                 </filter-single>
+ 529                 {% else %}
530                 <filter-multiple class="filters-vertical_filter">
- 531                     {{ multiple_filter(optionGroupFilter, options|merge({
+ 525                     {{ multiple_filter(attributesGroupFilter, options|merge({
526                         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
527                     ))) }}
528                 </filter-multiple>
- 529             </div>
- 530
- 531             {{
- 532                 filter_horizontal_action({
- 533                     dropdownName: 'options-filter-' ~ optionGroupFilter.optionId ~ '-' ~ options.instanceI
d
- 534                 })
- 535             }}
- 536         </filters-group>
- 537     </h-dropdown-content>
- 538 </h-dropdown>
- 539 </div>
- 540     {% endfor %}
- 541     {% endif %}
- 542
- 543     {% if filters.attributesFilter %}
- 544     {% for attributesGroupFilter in filters.attributesFilter %}
- 545         {% set attributesGroupActiveFilters = attributesGroupFilter.values|filter(filter => filter.isActive == 1) %}
- 546         <div class="filters-horizontal_filter">
- 547             <h-dropdown name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId }}" directio
n="bottom-left">
- 548                 <h-dropdown-toggler name="options-filter-{{ attributesGroupFilter.attributeId }}-{{ options.instanceId
}}">
- 549                     {{
- 550                         filter_horizontal_toggler({
- 551                             name: attributesGroupFilter.name,

```

```

- 552             isActive: attributesGroupFilter.isActive,
- 553             activeFilterCount: attributesGroupActiveFilters|length
- 554         })
- 555     }}
- 556 </h-dropdown-toggler>
- 557
- 558     <h-dropdown-content class="dropdown_content_no-padding" name="options-filter-{{ attributesGroupFilter.
attributeId }}-{{ options.instanceId }}">
- 559         <filters-group filter-parent="filters-{{ options.instanceId }}">
- 560             <div class="filters-horizontal_dropdown-content">
- 561                 {% if attributesGroupFilter.isSingleChoiceOnly %}
- 562                 <filter-single class="filters-vertical__filter">
- 563                     {{ single_filter(attributesGroupFilter, options|merge({
- 564                         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 565                     ))) }}
- 566                 </filter-single>
- 567                 {% else %}
- 568                 <filter-multiple class="filters-vertical__filter">
- 569                     {{ multiple_filter(attributesGroupFilter, options|merge({
- 570                         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 571                     ))) }}
- 572                 </filter-multiple>
- 573                 {% endif %}
- 574             </div>
- 575
- 576             {{
- 577                 filter_horizontal_action({
- 578                     dropdownName: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.in
stanceId
- 579                 })
- 580             }}
- 581         </filters-group>
- 582     </h-dropdown-content>
- 583 </h-dropdown>
- 584 </div>
- 585     {% endfor %}
- 586 {% endif %}
- 587
- 588 {% if filters.availabilitiesFilter %}
- 589     <div class="filters-horizontal__filter">
- 590         <h-dropdown name="availabilities-filter-{{ options.instanceId }}" direction="bottom-left">
- 591             <h-dropdown-toggler name="availabilities-filter-{{ options.instanceId }}">
- 592                 {{
- 593                     filter_horizontal_toggler({
- 594                         name: filters.availabilitiesFilter.name,
- 595                         isActive: filters.availabilitiesFilter.isActive,
- 596                         activeFilterCount: availabilitiesActiveFilters|length
- 597                     })
- 598                 }}
- 599             </h-dropdown-toggler>

```

```

- 600 |
- 601 |         <h-dropdown-content class="dropdown__content_no-padding" name="availabilities-filter-{{ options.instanceId
- 602 |         }}">
- 603 |             <filters-group filter-parent="filters-{{ options.instanceId }}">
- 604 |                 <div class="filters-horizontal__dropdown-content">
- 605 |                     <filter-multiple class="filters-vertical__filter">
- 606 |                         {{ multiple_filter(filters.availabilitiesFilter, options|merge({
- 607 |                             'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 608 |                         ))) }}
- 609 |                     </filter-multiple>
- 610 |                 </div>
- 611 |                 {{
- 612 |                     filter_horizontal_action({
- 613 |                         dropdownName: 'availabilities-filter-' ~ options.instanceId
- 614 |                     })
- 615 |                 }}
- 616 |             </filters-group>
- 617 |         </h-dropdown-content>
- 618 |     </h-dropdown>
- 619 | </div>
- 620 | {% endif %}
- 621 |
- 622 | {% if filters.deliveriesFilter %}
- 623 |     <div class="filters-horizontal__filter">
- 624 |         <h-dropdown name="deliveries-filter-{{ options.instanceId }}" direction="bottom-left">
- 625 |             <h-dropdown-toggler name="deliveries-filter-{{ options.instanceId }}">
- 626 |                 {{
- 627 |                     filter_horizontal_toggler({
- 628 |                         name: filters.deliveriesFilter.name,
- 629 |                         isActive: filters.deliveriesFilter.isActive,
- 630 |                         activeFilterCount: deliveriesActiveFilters|length
- 631 |                     })
- 632 |                 }}
- 633 |             </h-dropdown-toggler>
- 634 |
- 635 |             <h-dropdown-content class="dropdown__content_no-padding" name="deliveries-filter-{{ options.instanceId }}">
- 636 |                 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 637 |                     <div class="filters-horizontal__dropdown-content">
- 638 |                         <filter-multiple class="filters-vertical__filter">
- 639 |                             {{ multiple_filter(filters.deliveriesFilter, options|merge({
- 640 |                                 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 641 |                             ))) }}
- 642 |                         </filter-multiple>
- 643 |                     </div>
- 644 |
- 645 |                     {{
- 646 |                         filter_horizontal_action({
- 647 |                             dropdownName: 'deliveries-filter-' ~ options.instanceId

```

```

- 648         })
- 649     }}
- 650 </filters-group>
- 651 </h-dropdown-content>
- 652 </h-dropdown>
- 653 </div>
- 654 {% endif %}
- 655
- 656 {% if filters.ratesFilter %}
- 657     <div class="filters-horizontal__filter">
- 658         <h-dropdown name="rates-filter-{{ options.instanceId }}" direction="bottom-left">
- 659             <h-dropdown-toggler name="rates-filter-{{ options.instanceId }}">
- 660                 {{
- 661                     filter_horizontal_toggler({
- 662                         name: filters.ratesFilter.name,
- 663                         isActive: filters.ratesFilter.isActive,
- 664                         activeFilterCount: 1
- 665                     })
- 666                 }}
- 667             </h-dropdown-toggler>
- 668
- 669             <h-dropdown-content class="dropdown__content_no-padding" name="rates-filter-{{ options.instanceId }}">
- 670                 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 671                     <div class="filters-horizontal__dropdown-content">
- 672                         <filter-single class="filters-vertical__filter">
- 673                             {{ rates_filter(filters.ratesFilter.values, options|merge({
- 674                                 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 675                             }))) }}
- 676                         </filter-single>
+ 529                 {% endif %}
530             </div>
531
532             {{
533                 filter_horizontal_action({
- 534                     dropdownName: 'rates-filter-' ~ options.instanceId
+ 534                     dropdownName: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.instanc
eId,
+ 535                     dropdownId: 'options-filter-' ~ attributesGroupFilter.attributeId ~ '-' ~ options.instanceI
d
536                 })
537             }}
538         </filters-group>
539     </h-dropdown-content>
540 </h-dropdown>
541 </div>
- 542 {% endif %}
+ 541 {% endfor %}
+ 542 {% endif %}
543
- 544 {% if filters.newsFilter %}

```

```

- 545 <div class="filters-horizontal__filter">
- 546 <h-dropdown name="news-filter-{{ options.instanceId }}" direction="bottom-left">
- 547 <h-dropdown-toggler name="news-filter-{{ options.instanceId }}">
- 548 {{
- 549 filter_horizontal_toggler({
- 550 name: filters.newsFilter.name,
- 551 isActive: filters.newsFilter.isActive,
- 552 activeFilterCount: 1
- 553 })
- 554 }}
- 555 </h-dropdown-toggler>
+ 543 {% if filters.availabilitiesFilter %}
+ 544 {% set isActive = filters.availabilitiesFilter.isActive %}
+ 545 {% set ariaLabel = isActive ?
+ 546 translate('%s, selected filter options: %s, Set filter', [filters.availabilitiesFilter.name, availabilitiesActiveFi
lters|length]) :
+ 547 translate('Set filter: %s', filters.availabilitiesFilter.name)
+ 548 %}
549
- 550 <h-dropdown-content class="dropdown__content_no-padding" name="news-filter-{{ options.instanceId }}">
- 551 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 552 <div class="filters-horizontal__dropdown-content">
- 553 <filter-single class="filters-vertical__filter">
- 554 {{ single_filter(filters.newsFilter, options|merge({
- 555 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 556 })) }}
- 557 </filter-single>
- 558 </div>
+ 545 <div class="filters-horizontal__filter">
+ 546 <h-dropdown name="availabilities-filter-{{ options.instanceId }}" direction="bottom-left">
+ 547 <h-dropdown-toggler
+ 548 id="availabilities-filter-{{ options.instanceId }}"
+ 549 name="availabilities-filter-{{ options.instanceId }}"
+ 550 aria-label="{{ ariaLabel }}"
+ 551 >
+ 552 {{
+ 553 filter_horizontal_toggler({
+ 554 name: filters.availabilitiesFilter.name,
+ 555 isActive,
+ 556 activeFilterCount: availabilitiesActiveFilters|length
+ 557 })
+ 558 }}
+ 559 </h-dropdown-toggler>
560
- 561 {{
- 562 filter_horizontal_action({
- 563 dropdownName: 'news-filter-' ~ options.instanceId
- 564 })
- 565 }}
- 566 </filters-group>

```

```

- 567 </h-dropdown-content>
- 568 </h-dropdown>
- 569 </div>
- 570 {% endif %}
+ 547 <h-dropdown-content class="dropdown__content_no-padding" name="availabilities-filter-{{ options.instanceId }}">
+ 548 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 549 <h-dropdown-close
+ 550 class="mb-xs-1"
+ 551 name="availabilities-filter-{{ options.instanceId }}"
+ 552 >
+ 553 <span class="filters-horizontal__mobile-header-close-btn">
+ 554 <span class="sr-only">{{ translate('Close %s filter settings', filters.availabilitiesFilter.name) }}</span>
+ 555 <span class="icon icon-x" {{
+ 556 size: 'l',
+ 557 classNames: ['d-block'],
+ 558 ariaHidden: 'true'
+ 559 }}>
+ 560 </span>
+ 561 </h-dropdown-close>
+ 562
+ 563 </header>
+ 564 </div>
+ 565
+ 566 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 567 <div class="filters-horizontal__dropdown-content">
+ 568 <filter-multiple class="filters-vertical__filter">
+ 569 <{{ multiple_filter(filters.availabilitiesFilter, options|merge({
+ 570 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 571 })) }}>
+ 572 </filter-multiple>
+ 573 </div>
+ 574
+ 575 <{{
+ 576 filter_horizontal_action({
+ 577 dropdownName: 'availabilities-filter-' ~ options.instanceId,
+ 578 dropdownId: 'availabilities-filter-' ~ options.instanceId
+ 579 }) }}>
+ 580 </filters-group>
+ 581 </h-dropdown-content>
+ 582 </h-dropdown>
+ 583 </div>
+ 584 {% endif %}
586
- 587 {% if filters.promotionsFilter %}
- 588 <div class="filters-horizontal__filter">
- 589 <h-dropdown name="promotions-filter-{{ options.instanceId }}" direction="bottom-left">
- 590 <h-dropdown-toggler name="promotions-filter-{{ options.instanceId }}">

```

```

- 591         {{
- 592         filter_horizontal_toggler({
- 593             name: filters.promotionsFilter.name,
- 594             isActive: filters.promotionsFilter.isActive,
- 595             activeFilterCount: 1
- 596         })
- 597     }}
- 598 </h-dropdown-toggler>
+ 549     {% if filters.deliveriesFilter %}
+ 550     {% set isActive = filters.deliveriesFilter.isActive %}
+ 551     {% set ariaLabel = isActive ?
+ 552         translate('%s, selected filter options: %s, Set filter', [filters.deliveriesFilter.name, deliveriesActiveFilters|le
ngth]) :
+ 553         translate('Set filter: %s', filters.deliveriesFilter.name)
+ 554     %}
+ 555
+ 556     <div class="filters-horizontal__filter">
+ 557         <h-dropdown name="deliveries-filter-{{ options.instanceId }}" direction="bottom-left">
+ 558             <h-dropdown-toggler
+ 559                 id="deliveries-filter-{{ options.instanceId }}"
+ 560                 name="deliveries-filter-{{ options.instanceId }}"
+ 561                 aria-label="{{ ariaLabel }}"
+ 562             >
+ 563                 {{
+ 564                 filter_horizontal_toggler({
+ 565                     name: filters.deliveriesFilter.name,
+ 566                     isActive,
+ 567                     activeFilterCount: deliveriesActiveFilters|length
+ 568                 })
+ 569             }}
+ 570             </h-dropdown-toggler>
+ 571
+ 572             <h-dropdown-content class="dropdown__content_no-padding" name="deliveries-filter-{{ options.instanceId }}">
+ 573                 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 574                     <h-dropdown-close
+ 575                         class="mb-xs-1"
+ 576                         name="deliveries-filter-{{ options.instanceId }}"
+ 577                     >
+ 578                         <span class="filters-horizontal__mobile-header-close-btn">
+ 579                             <span class="sr-only">{{ translate('Close %s filter settings', filters.deliveriesFilter.name) }}
+ 580                             {{ icon('icon-x', {
+ 581                                 size: 'l',
+ 582                                 classNames: ['d-block'],
+ 583                                 ariaHidden: 'true'
+ 584                             }) }}
+ 585                         </span>
+ 586                     </h-dropdown-close>
+ 587
+ 588                     {{ separator({ size: 's', noMargin: true }) }}

```

```

+ 589 </header>
+ 590
+ 591 <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 592 <div class="filters-horizontal__dropdown-content">
+ 593 <filter-multiple class="filters-vertical__filter">
+ 594 {{ multiple_filter(filters.deliveriesFilter, options|merge({
+ 595 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 596 }))) }}
+ 597 </filter-multiple>
+ 598 </div>
+ 599
+ 600 {{
+ 601 filter_horizontal_action({
+ 602 dropdownName: 'deliveries-filter-' ~ options.instanceId,
+ 603 dropdownId: 'deliveries-filter-' ~ options.instanceId
+ 604 })
+ 605 }}
+ 606 </filters-group>
+ 607 </h-dropdown-content>
+ 608 </h-dropdown>
+ 609 </div>
+ 610 {% endif %}
611
- 612 <h-dropdown-content class="dropdown__content_no-padding" name="promotions-filter-{{ options.instanceId }}">
- 613 <filters-group filter-parent="filters-{{ options.instanceId }}">
- 614 <div class="filters-horizontal__dropdown-content">
- 615 <filter-single class="filters-vertical__filter">
- 616 {{ single_filter(filters.promotionsFilter, options|merge({
- 617 'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
- 618 }))) }}
- 619 </filter-single>
- 620 </div>
+ 551 {% if filters.ratesFilter %}
+ 552 {% set isActive = filters.ratesFilter.isActive %}
+ 553 {% set ariaLabel = isActive ?
+ 554 translate('%s, selected filter options: %s, Set filter', [filters.ratesFilter.name, 1]) :
+ 555 translate('Set filter: %s', filters.ratesFilter.name)
+ 556 %}
+ 557
+ 558 <div class="filters-horizontal__filter">
+ 559 <h-dropdown name="rates-filter-{{ options.instanceId }}" direction="bottom-left">
+ 560 <h-dropdown-toggler
+ 561 id="rates-filter-{{ options.instanceId }}"
+ 562 name="rates-filter-{{ options.instanceId }}"
+ 563 aria-label="{{ ariaLabel }}"
+ 564 >
+ 565 {{
+ 566 filter_horizontal_toggler({
+ 567 name: filters.ratesFilter.name,

```

```

+ 568         isActive,
+ 569         activeFilterCount: 1
+ 570     }}
+ 571 }}
+ 572 </h-dropdown-toggler>
+ 573
+ 574 <h-dropdown-content class="dropdown__content_no-padding" name="rates-filter-{{ options.instanceId }}">
+ 575     <header class="filters-horizontal__mobile-header visible-xs-only">
+ 576         <h-dropdown-close
+ 577             class="mb-xs-1"
+ 578             name="rates-filter-{{ options.instanceId }}"
+ 579         >
+ 580             <span class="filters-horizontal__mobile-header-close-btn">
+ 581                 <span class="sr-only">{{ translate('Close %s filter settings', filters.ratesFilter.name) }}</sp
+ 582                 {{ icon('icon-x', {
+ 583                     size: 'l',
+ 584                     classNames: ['d-block'],
+ 585                     ariaHidden: 'true'
+ 586                 }) }}
+ 587             </span>
+ 588         </h-dropdown-close>
+ 589
+ 590         {{ separator({ size: 's', noMargin: true }) }}
+ 591     </header>
+ 592
+ 593     <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 594         <div class="filters-horizontal__dropdown-content">
+ 595             <filter-single class="filters-vertical__filter">
+ 596                 {{ rates_filter(filters.ratesFilter.values, options|merge({
+ 597                     'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 598                 })) }}
+ 599             </filter-single>
+ 600         </div>
+ 601
+ 602         {{
+ 603             filter_horizontal_action({
+ 604                 dropdownName: 'rates-filter-' ~ options.instanceId,
+ 605                 dropdownId: 'rates-filter-' ~ options.instanceId
+ 606             })
+ 607         }}
+ 608     </filters-group>
+ 609 </h-dropdown-content>
+ 610 </h-dropdown>
+ 611 </div>
+ 612 {% endif %}
+ 613
- 614 {{
- 615     filter_horizontal_action({
- 616         dropdownName: 'promotions-filter-' ~ options.instanceId

```

```

- 617         })
- 618     }}
- 619 </filters-group>
- 620 </h-dropdown-content>
- 621 </h-dropdown>
- 622 </div>
- 623 {% endif %}
- 624 </div>
+ 553     {% if filters.newsFilter %}
+ 554         {% set isActive = filters.newsFilter.isActive %}
+ 555         {% set ariaLabel = isActive ?
+ 556             translate('%s, selected filter options: %s, Set filter', [filters.newsFilter.name, 1]) :
+ 557             translate('Set filter: %s', filters.newsFilter.name)
+ 558         %}
+ 559
+ 560         <div class="filters-horizontal__filter">
+ 561             <h-dropdown name="news-filter-{{ options.instanceId }}" direction="bottom-left">
+ 562                 <h-dropdown-toggler
+ 563                     id="news-filter-{{ options.instanceId }}"
+ 564                     name="news-filter-{{ options.instanceId }}"
+ 565                     aria-label="{{ ariaLabel }}"
+ 566                 >
+ 567                     {{
+ 568                         filter_horizontal_toggler({
+ 569                             name: filters.newsFilter.name,
+ 570                             isActive,
+ 571                             activeFilterCount: 1
+ 572                         })
+ 573                     }}
+ 574                 </h-dropdown-toggler>
+ 575
+ 576                 <h-dropdown-content class="dropdown__content_no-padding" name="news-filter-{{ options.instanceId }}">
+ 577                     <header class="filters-horizontal__mobile-header visible-xs-only">
+ 578                         <h-dropdown-close
+ 579                             class="mb-xs-1"
+ 580                             name="news-filter-{{ options.instanceId }}"
+ 581                         >
+ 582                             <span class="filters-horizontal__mobile-header-close-btn">
+ 583                                 <span class="sr-only">{{ translate('Close %s filter settings', filters.newsFilter.name) }}</spa
+ 584                                 {{ icon('icon-x', {
+ 585                                     size: 'l',
+ 586                                     classNames: ['d-block'],
+ 587                                     ariaHidden: 'true'
+ 588                                 }) }}
+ 589                             </span>
+ 590                         </h-dropdown-close>
+ 591
+ 592                     {{ separator({ size: 's', noMargin: true }) }}
+ 593                 </header>

```

```

+ 594 |
+ 595 |         <filters-group filter-parent="filters-{{ options.instanceId }}">
+ 596 |             <div class="filters-horizontal__dropdown-content">
+ 597 |                 <filter-single class="filters-vertical__filter">
+ 598 |                     {{ single_filter(filters.newsFilter, options|merge({
+ 599 |                         'isEmptyFiltersFixEnabled': options.isEmptyFiltersFixEnabled
+ 600 |                     ))) }}
+ 601 |                 </filter-single>
+ 602 |             </div>
+ 603 |
+ 604 |             {{
+ 605 |                 filter_horizontal_action({
+ 606 |                     dropdownName: 'news-filter-' ~ options.instanceId,
+ 607 |                     dropdownId: 'news-filter-' ~ options.instanceId
+ 608 |                 })
+ 609 |             }}
+ 610 |         </filters-group>
+ 611 |     </h-dropdown-content>
+ 612 | </h-dropdown>
+ 613 | </div>
+ 614 | {% endif %}
+ 615 |
- 616 |     {% if activeFilters|length > 0 %}
- 617 |         {{
- 618 |             active_filter_tags(activeFilters, {
- 619 |                 baseUrl: filters.baseUrl,
- 620 |                 currency: currency
- 621 |             })
- 622 |         }}
+ 555 |     {% if filters.promotionsFilter %}
+ 556 |         {% set isActive = filters.promotionsFilter.isActive %}
+ 557 |         {% set ariaLabel = isActive ?
+ 558 |             translate('%s, selected filter options: %s, Set filter', [filters.promotionsFilter.name, 1]) :
+ 559 |             translate('Set filter: %s', filters.promotionsFilter.name)
+ 560 |         %}
+ 561 |
+ 562 |         <div class="filters-horizontal__filter">
+ 563 |             <h-dropdown name="promotions-filter-{{ options.instanceId }}" direction="bottom-left">
+ 564 |                 <h-dropdown-toggler
+ 565 |                     id="promotions-filter-{{ options.instanceId }}"
+ 566 |                     name="promotions-filter-{{ options.instanceId }}"
+ 567 |                     aria-label="{{ ariaLabel }}"
+ 568 |                 >
+ 569 |                 {{
+ 570 |                     filter_horizontal_toggler({
+ 571 |                         name: filters.promotionsFilter.name,
+ 572 |                         isActive,
+ 573 |                         activeFilterCount: 1
+ 574 |                     })
+ 575 |                 }}

```

```

+ 576 </h-dropdown-toggler>
+ 577
+ 578 <h-dropdown-content class="dropdown_content_no-padding" name="promotions-filter-{{ options.instanceId }}">
+ 579 <header class="filters-horizontal__mobile-header visible-xs-only">
+ 580 <h-dropdown-close
+ 581 class="mb-xs-1"
+ 582 name="promotions-filter-{{ options.instanceId }}"
+ 583 >
+ 584 <span class="filters-horizontal__mobile-header-close-btn">
+ 585 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 586 </span>
+ 587 <span class="filters-horizontal__mobile-header-close-btn">
+ 588 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 589 </span>
+ 590 </span>
+ 591 </h-dropdown-close>
+ 592
+ 593
+ 594 <span class="filters-horizontal__mobile-header-close-btn">
+ 595 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 596 </span>
+ 597 </h-dropdown-close>
+ 598
+ 599 <span class="filters-horizontal__mobile-header-close-btn">
+ 600 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 601 </span>
+ 602 </h-dropdown-close>
+ 603
+ 604 <span class="filters-horizontal__mobile-header-close-btn">
+ 605 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 606 </span>
+ 607 </h-dropdown-close>
+ 608
+ 609 <span class="filters-horizontal__mobile-header-close-btn">
+ 610 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 611 </span>
+ 612 </h-dropdown-close>
+ 613
+ 614 <span class="filters-horizontal__mobile-header-close-btn">
+ 615 <span class="sr-only">{{ translate('Close %s filter settings', filters.promotionsFilter.name) }}
+ 616 </span>
+ 617 </h-dropdown-close>
+ 618
+ 557 </div>
+ 558
+ 559 {% if activeFilters|length > 0 %}
+ 560 {{
+ 561 active_filter_tags(activeFilters, {
+ 562 baseUrl: filters.baseUrl,

```

```

+ 563         currency: currency,
+ 564         activeFiltersHeaderId,
+ 565         contextId: activeFilters.length == 1 ? filtersHeaderId : activeFiltersHeaderId,
+ 566     })
+ 567     }}
+ 568     {% endif %}
+ 569 </filters-aggregator>
570 {% endmacro %}

```

@macros/filters_subcategories.twig

```

8         {% set categories = categories|filter(category => category.counter != 0) %}
9         {% endif %}
10
- 11         {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
- 12             <nav
- 13                 class="{{ html_classes('filters-subcategories', { 'mb-xs-2': options.hasFiltersAndSubcategories }) }}"
- 14                 aria-label="{{ translate('Menu') }} {{ translate('Subcategories') }}"
- 15             >
- 16                 <h2 class="secondary-header secondary-header_m">
- 17                     {{ translate('Subcategories') }}
- 18                 </h2>
- 19
- 20                 <ul class="filters-subcategories__list">
- 21                     {% if categoriesFilter.parent %}
- 22                         <li class="filters-subcategories__category">
- 23                             <a
- 24                                 class="btn btn_secondary btn_xs"
- 25                                 href="{{ categoriesFilter.parent.urlWithFilters }}"
- 26                                 aria-label="{{ translate('Back to category: %s', categoriesFilter.parent.name) }}"
- 27                             >
- 28                                 {{
- 29                                     icon('icon-chevron-left', {
- 30                                         size: 'm',
- 31                                         classNames: ['btn_icon', 'btn_icon_left']
- 32                                     })
- 33                                 }}
- 34
- 35                                 {{ categoriesFilter.parent.name }}
- 36                             </a>
- 37                         </li>
+ 11             <nav
+ 12                 class="{{ html_classes('filters-subcategories', { 'mb-xs-2': options.hasFiltersAndSubcategories }) }}"
+ 13                 aria-label="{{ translate('Menu') }} {{ translate('Subcategories') }}"
+ 14             >
+ 15                 <h2 class="secondary-header secondary-header_m">
+ 16                     {{ translate('Subcategories') }}
+ 17                 </h2>
+ 18

```

```

+ 19         <ul class="filters-subcategories_list">
+ 20             {% if categoriesFilter.parent %}
+ 21                 <li class="filters-subcategories__category">
+ 22                     <a
+ 23                         class="btn btn_secondary btn_xs"
+ 24                         href="{{ categoriesFilter.parent.urlWithFilters }}"
+ 25                         aria-label="{{ translate('Back to category: %s', categoriesFilter.parent.name) }}"
+ 26                     >
+ 27                         {{
+ 28                             icon('icon-chevron-left', {
+ 29                                 size: 'm',
+ 30                                 classNames: ['btn__icon', 'btn__icon_left']
+ 31                             })
+ 32                         }}
+ 33
+ 34                         {{ categoriesFilter.parent.name }}
+ 35                     </a>
+ 36                 </li>
+ 37             {% endif %}
+ 38
+ 39             {% for category in categories %}
+ 40                 {% set ariaLabel = translate('Subcategory: %s', category.name) %}
+ 41
+ 42                 {% set showCounters = categoriesFilter.hasCounters and category.counter and options.showSubcategoryCounters %}
+ 43                 {% if showCounters %}
+ 44                     {% set ariaLabel = "#{ariaLabel}, #{translate('Number of products: %s', category.counter)}" %}
+ 45                 {% endif %}
+ 46
- 47                 {% for category in categories %}
- 48                     {% set ariaLabel = translate('Subcategory: %s', category.name) %}
- 49
- 50                     {% set showCounters = categoriesFilter.hasCounters and category.counter and options.showSubcategoryCounters %}
- 51                     {% if showCounters %}
- 52                         {% set ariaLabel = "#{ariaLabel}, #{translate('Number of products: %s', category.counter)}" %}
- 53                     {% endif %}
- 54
- 55                 <li class="filters-subcategories__category">
- 56                     <a
- 57                         class="btn btn_outline btn_xs"
- 58                         href="{{ category.urlWithFilters }}"
- 59                         aria-label="{{ ariaLabel }}"
- 60                     >
- 61                         {{ category.name }}
- 62
- 63                         {% if showCounters %}
- 64                             <span class="filters-subcategories__category-link-counter ml-xs-1">{{ category.counter }}</span>
- 65                         {% endif %}
- 66                     </a>
- 67                 </li>
- 68             {% endfor %}

```

```

- 69         </ul>
- 70     </nav>
- 71     {% else %}
- 72         <nav class="{{ html_classes('filters-subcategories', { 'mb-xs-2': options.hasFiltersAndSubcategories }) }}">
- 73             <header class="secondary-header secondary-header_m">
- 74                 {{ translate('Subcategories') }}
- 75             </header>
- 76
- 77             <ul class="filters-subcategories__list">
- 78                 {% if categoriesFilter.parent %}
- 79                     <li class="filters-subcategories__category">
- 80                         <a class="btn btn_secondary btn_xs" href="{{ categoriesFilter.parent.urlWithFilters }}">
- 81                             {{
- 82                                 icon('icon-chevron-left', {
- 83                                     size: 'm',
- 84                                     classNames: ['btn__icon', 'btn__icon_left']
- 85                                 })
- 86                             }}
- 87
- 88                             {{ categoriesFilter.parent.name }}
- 89                         </a>
- 90                     </li>
- 91                 {% endif %}
- 92
- 93                 {% for category in categories %}
- 94                     <li class="filters-subcategories__category">
- 95                         <a class="btn btn_outline btn_xs" href="{{ category.urlWithFilters }}">
- 96                             {{ category.name }}
- 97
- 98                             {% if categoriesFilter.hasCounters and category.counter and options.showSubcategoryCounters %}
- 99                                 <span class="filters-subcategories__category-link-counter ml-xs-1">{{ category.counter }}</span>
- 100                             {% endif %}
- 101                         </a>
- 102                     </li>
- 103                 {% endfor %}
- 104             </ul>
- 105         </nav>
- 106     {% endif %}
+ 14         <li class="filters-subcategories__category">
+ 15             <a
+ 16                 class="btn btn_outline btn_xs"
+ 17                 href="{{ category.urlWithFilters }}"
+ 18                 aria-label="{{ ariaLabel }}"
+ 19             >
+ 20                 {{ category.name }}
+ 21
+ 22                 {% if showCounters %}
+ 23                     <span class="filters-subcategories__category-link-counter ml-xs-1">{{ category.counter }}</span>
+ 24                 {% endif %}
+ 25             </a>

```

```

+ 26         </li>
+ 27     {% endfor %}
+ 28 </ul>
+ 29 </nav>
30     {% endif %}
31 {% endmacro %}

```

@macros/multiple_filter.twig

```

9         {% set shouldHideEmptyFilters = options.shouldHideEmptyFilters %}
10     {% endif %}
11
- 12     {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
- 13         {% set nonZeroCounters = filter.values|default({})|filter(obj => obj.counter != 0) %}
- 14         {% set zeroCounters = filter.values|default({})|filter(obj => obj.counter == 0) %}
- 15         {% set preFilters = nonZeroCounters | merge(zeroCounters) %}
- 16     {% endif %}
- 17     {% set activeFilters = preFilters|filter(filter => filter.isActive == 1) %}
- 18     {% set notActiveFilters = preFilters|filter(filter => filter.isActive != 1) %}
- 19     {% set totalFilters = activeFilters|merge(notActiveFilters) %}
- 20
- 21     {% if shouldHideEmptyFilters %}
- 22         {% set totalFilters = totalFilters|filter(filter => filter.counter is defined and filter.counter is not empty and filter.co
unter > 0) %}
- 23     {% endif %}
- 24
- 25     {% if filter.getLimit %}
- 26         {% set limit = filter.getLimit %}
- 27     {% else %}
- 28         {% set limit = 0 %}
- 29     {% endif %}
- 30
- 31     <fieldset>
- 32         <legend class="sr-only">{{ filter.name }}</legend>
- 33
- 34         {% for filterOption in totalFilters %}
- 35             {% set filterId = filterOption.urlKey ~ filterOption.urlValue ~ options.instanceId %}
- 36             {% if loop.index <= limit or filterOption.isActive %}
- 37                 {% if options.isEmptyFiltersFixEnabled %}
- 38                     {% set showCounters = options.showCounters and filterOption.counter is defined and hasCounters %}
- 39                 {% else %}
- 40                     {% set showCounters = options.showCounters and filterOption.counter is defined %}
- 41                 {% endif %}
- 42
- 43                 <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.counter <= 0
}) }}">
- 44                     <div>
- 45                         <div class="control">
- 46                             <div class="checkbox">
- 47                                 {{ checkbox_control({

```

```

- 48         id: filterId,
- 49         label: filterOption.name,
- 50         name: filterOption.urlKey,
- 51         value: filterOption.urlValue,
- 52         checked: filterOption.isActive,
- 53         ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %s', filt
erOption.counter) : ''}",
- 54         dataAttributes: {
- 55             'is-available': filterOption.isAvailable
- 56         }
- 57     })
- 58 }}
- 59
- 60         <div class="checkbox__content">
- 61             <label class="label label_vcenter" for={{ filterId }}>
- 62                 {% if filterOption.color %}
- 63                 <div style="background-color: {{ filterOption.color }}" class="color-item color-item_xs
"></div>
- 64                 {% endif %}
- 65
- 66                 {{ filterOption.name }}
- 67             </label>
- 68         </div>
- 69     </div>
- 70 </div>
- 71 </div>
- 72
- 73     {% if showCounters %}
- 74         <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
- 75     {% endif %}
- 76 </div>
- 77 {% else %}
- 78     {% if isMoreFilters != 1 %}
- 79         {% set filtersLeft = loop.length - loop.index0 %}
- 80         <h-toggle class="hidden-xs-only filters__more-filters">
- 81             <template>
- 82                 {% endif %}
- 83                 {% set isMoreFilters = 1 %}
- 84
- 85         <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.c
ounter <= 0 }) }}">
- 86             <div>
- 87                 <div class="control">
- 88                     <div class="checkbox">
- 89                         {{ checkbox_control({
- 90                             id: filterId,
- 91                             label: filterOption.name,
- 92                             name: filterOption.urlKey,
- 93                             value: filterOption.urlValue,
- 94                             checked: filterOption.isActive,

```

```

- 95         ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of product
s: %s', filterOption.counter) : ''}",
- 96         dataAttributes: {
- 97             'is-available': filterOption.isAvailable
- 98         }
- 99     })
- 100 }}
- 101
- 102     <div class="checkbox__content">
- 103         <label class="label label_vcenter" for={{ filterId }}>
- 104             {% if filterOption.color %}
- 105                 <div style="background-color: {{ filterOption.color }}" class="color-item c
olor-item_xs"></div>
- 106                 {% endif %}
- 107
- 108                 {{ filterOption.name }}
- 109             </label>
- 110         </div>
- 111     </div>
- 112 </div>
- 113 </div>
- 114
- 115     {% if showCounters %}
- 116         <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
- 117     {% endif %}
- 118 </div>
+ 12     {% set nonZeroCounters = filter.values|default({})|filter(obj => obj.counter != 0) %}
+ 13     {% set zeroCounters = filter.values|default({})|filter(obj => obj.counter == 0) %}
+ 14     {% set preFilters = nonZeroCounters | merge(zeroCounters) %}
+ 15
+ 16     {% set activeFilters = preFilters|filter(filter => filter.isActive == 1) %}
+ 17     {% set notActiveFilters = preFilters|filter(filter => filter.isActive != 1) %}
+ 18     {% set totalFilters = activeFilters|merge(notActiveFilters) %}
+ 19
- 20     {% if loop.index == loop.length %}
- 21         </template>
- 22
- 23         <h-toggle-btn
- 24             class="filters__expand-btn"
- 25             action="expand"
- 26             aria-label="{{ translate('Show %s more filter option', filtersLeft) }}"
- 27         >
- 28             {{ translate('More options') }} ({{ filtersLeft }})
- 29         </h-toggle-btn>
- 30         <h-toggle-btn
- 31             class="filters__collapse-btn"
- 32             action="collapse"
- 33             aria-label="{{ translate('Collapse filter options') }}"
- 34             hidden
- 35         >

```

```

- 36      {{ translate('Collapse') }}
- 37      </h-toggle-btn>
- 38      </h-toggle>
- 39      {% endif %}
- 40      {% endif %}
- 41      {% endfor %}
- 42
- 43      {% for filterOptionMobile in filters %}
- 44          {% set filterId = filterOptionMobile.urlKey ~ filterOptionMobile.urlValue ~ options.instanceId ~ "-mobile" %}
- 45
- 46          {% if loop.index > limit %}
- 47              {% if options.isEmptyFiltersFixEnabled %}
- 48                  {% set showCounters = options.showCounters and filterOptionMobile.counter is defined and hasCounters %}
- 49                  {% else %}
- 50                      {% set showCounters = options.showCounters and filterOptionMobile.counter is defined %}
- 51                  {% endif %}
- 52
- 53          <div class="{{ html_classes('visible-xs-only filter-control', { 'filter-control_empty': showCounters and filterOpti
onMobile.counter <= 0 }) }}">
- 54              <div>
- 55                  <div class="control">
- 56                      <div class="checkbox">
- 57                          {{ checkbox_control({
- 58                              id: filterId,
- 59                              label: filterOptionMobile.name,
- 60                              name: filterOptionMobile.urlKey,
- 61                              value: filterOptionMobile.urlValue,
- 62                              checked: filterOptionMobile.isActive,
- 63                              ariaLabel: "#{filterOptionMobile.name}, #{showCounters ? translate('Number of products: %s'
, filterOptionMobile.counter) : ''}",
- 64                              dataAttributes: {
- 65                                  'is-available': filterOptionMobile.isAvailable
- 66                              }
- 67                          })
- 68                      }}
- 69
- 70                      <div class="checkbox__content">
- 71                          <label class="label label_vcenter" for="{{ filterId }}">
- 72                              {% if filterOptionMobile.color %}
- 73                                  <div style="background-color: {{ filterOptionMobile.color }}" class="color-item color-i
tem_xs"></div>
- 74                              {% endif %}
- 75
- 76                                  {{ filterOptionMobile.name }}
- 77                              </label>
- 78                          </div>
- 79                      </div>
- 80                  </div>
- 81              </div>
+ 14      {% if shouldHideEmptyFilters %}

```

```

+15      {% set totalFilters = totalFilters|filter(filter => filter.counter is defined and filter.counter is not empty and filter.counte
      r > 0) %}
+16      {% endif %}
17
-18      {% if showCounters %}
-19          <span aria-hidden="true" class="filter-control__counter">{{ filterOptionMobile.counter }}</span>
-20      {% endif %}
-21  </div>
-22  {% endif %}
-23  {% endfor %}
-24  </fieldset>
+16  {% if filter.getLimit %}
+17  {% set limit = filter.getLimit %}
18  {% else %}
-19  {% set nonZeroCounters = filter.values|default({})|filter(obj => obj.counter != 0) %}
-20  {% set zeroCounters = filter.values|default({})|filter(obj => obj.counter == 0) %}
-21  {% set preFilters = nonZeroCounters | merge(zeroCounters) %}
-22
-23  {% set activeFilters = preFilters|filter(filter => filter.isActive == 1) %}
-24  {% set notActiveFilters = preFilters|filter(filter => filter.isActive != 1) %}
-25  {% set filters = activeFilters|merge(notActiveFilters) %}
-26
-27  {% if shouldHideEmptyFilters %}
-28  {% set filters = filters|filter(filter => filter.counter is defined and filter.counter is not empty and filter.counter > 0)
    %}
-29  {% endif %}
-30
-31  {% if filter.getLimit %}
-32  {% set limit = filter.getLimit %}
-33  {% else %}
-34  {% set limit = 0 %}
-35  {% endif %}
+18  {% set limit = 0 %}
+19  {% endif %}
20
-21  {% for filter in filters %}
-22  {% set filterId = filter.urlKey ~ filter.urlValue ~ options.instanceId %}
+20  <fieldset>
+21  <legend class="sr-only">{{ filter.name }}</legend>
22
-23  {% if options.isEmptyFiltersFixEnabled %}
-24  {% set showCounters = options.showCounters and filter.counter is defined and hasCounters %}
-25  {% else %}
-26  {% set showCounters = options.showCounters and filter.counter is defined %}
-27  {% endif %}
+22  {% for filterOption in totalFilters %}
+23  {% set filterId = filterOption.urlKey ~ filterOption.urlValue ~ options.instanceId %}
+24  {% if loop.index <= limit or filterOption.isActive %}
+25  {% if options.isEmptyFiltersFixEnabled %}
+26  {% set showCounters = options.showCounters and filterOption.counter is defined and hasCounters %}

```

```

+ 27         {% else %}
+ 28             {% set showCounters = options.showCounters and filterOption.counter is defined %}
+ 29         {% endif %}
30
- 31         {% if loop.index <= limit or filter.isActive %}
- 32         <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filter.counter <= 0 }) }}">
+ 24         <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.counter <= 0 }) }}">
+ 25             <div>
+ 26                 <div class="control">
+ 27                     <div class="checkbox">
+ 28                         {{ checkbox_control({
+ 29                             id: filterId,
- 30                             label: filter.name,
- 31                             name: filter.urlKey,
- 32                             value: filter.urlValue,
- 33                             checked: filter.isActive,
+ 30                             label: filterOption.name,
+ 31                             name: filterOption.urlKey,
+ 32                             value: filterOption.urlValue,
+ 33                             checked: filterOption.isActive,
+ 34                             ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %s', filterOp
tion.counter) : ''}",
35                             dataAttributes: {
- 36                                 'is-available': filter.isAvailable
+ 32                                 'is-available': filterOption.isAvailable
33                             }
- 34                         })
+ 34                         })
35                     }}
36
37                     <div class="checkbox__content">
38                         <label class="label label_vcenter" for="{{ filterId }}">
- 39                             {% if filter.color %}
- 40                             <div style="background-color: {{ filter.color }}" class="color-item color-item_xs"></div>
+ 39                             {% if filterOption.color %}
+ 40                             <div style="background-color: {{ filterOption.color }}" class="color-item color-item_xs"></
div>
41                             {% endif %}
42
- 43                             {{ filter.name }}
+ 42                             {{ filterOption.name }}
43                         </label>
44                     </div>
45                 </div>

70             </div>
71
72             {% if showCounters %}
- 73             <span aria-label="{{ translate('Products') }}" {{ filter.counter }} "n class="filter-control__counter">{{ filter.

```

```

counter }}</span>
+ 73 <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
74     {% endif %}
75 </div>
76 {% else %}

81     {% endif %}
82     {% set isMoreFilters = 1 %}
83
- 84 <div class="{{ html_classes('filter-control', { 'filter-control_empty': options.showCounters and hasCounter
s and filter.counter is defined and filter.counter <= 0 }) }}">
+ 84 <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.count
er <= 0 }) }}">
85     <div>
86         <div class="control">
87             <div class="checkbox">
88                 {{ checkbox_control({
89                     id: filterId,
- 90                     label: filter.name,
- 91                     name: filter.urlKey,
- 92                     value: filter.urlValue,
- 93                     checked: filter.isActive,
+ 90                     label: filterOption.name,
+ 91                     name: filterOption.urlKey,
+ 92                     value: filterOption.urlValue,
+ 93                     checked: filterOption.isActive,
+ 94                     ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %
s', filterOption.counter) : ''}",
95                     dataAttributes: {
- 96                         'is-available': filter.isAvailable
+ 92                         'is-available': filterOption.isAvailable
93                     }
- 94                 })
+ 94                 })
95             }}
96
97             <div class="checkbox__content">
98                 <label class="label label_vcenter" for="{{ filterId }}">
- 99                     {% if filter.color %}
- 100                     <div style="background-color: {{ filter.color }}" class="color-item color-item_
xs"></div>
+ 99                     {% if filterOption.color %}
+ 100                     <div style="background-color: {{ filterOption.color }}" class="color-item color
-item_xs"></div>
101                 {% endif %}
102
- 103                 {{ filter.name }}
+ 102                 {{ filterOption.name }}
103             </label>
104         </div>

```

```

112         </div>
113
114         {% if showCounters %}
- 115         <span aria-label="{{ translate('Products') }}" {{ filter.counter }}" class="filter-control__counter"
+ 115         <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
116         {% endif %}
117     </div>
118
119     {% if loop.index == loop.length %}
120     </template>
121
- 122     <h-toggle-btn class="filters__expand-btn" action="expand">{{ translate('More options') }} ({{ filtersLeft }})</
h-toggle-btn>
- 123     <h-toggle-btn class="filters__collapse-btn" action="collapse" hidden>{{ translate('Collapse') }}</h-toggle-btn
>
+ 122     <h-toggle-btn
+ 123     class="filters__expand-btn"
+ 124     action="expand"
+ 125     aria-label="{{ translate('Show %s more filter option', filtersLeft) }}"
+ 126     >
+ 127     {{ translate('More options') }} ({{ filtersLeft }})
+ 128     </h-toggle-btn>
+ 129     <h-toggle-btn
+ 130     class="filters__collapse-btn"
+ 131     action="collapse"
+ 132     aria-label="{{ translate('Collapse filter options') }}"
+ 133     hidden
+ 134     >
+ 135     {{ translate('Collapse') }}
+ 136     </h-toggle-btn>
137     </h-toggle>
138     {% endif %}
139     {% endif %}
140     {% endfor %}
- 141     {% endif %}
+ 127
+ 128     {% for filterOptionMobile in filters %}
+ 129     {% set filterId = filterOptionMobile.urlKey ~ filterOptionMobile.urlValue ~ options.instanceId ~ "-mobile" %}
+ 130
+ 131     {% if loop.index > limit %}
+ 132     {% if options.isEmptyFiltersFixEnabled %}
+ 133     {% set showCounters = options.showCounters and filterOptionMobile.counter is defined and hasCounters %}
+ 134     {% else %}
+ 135     {% set showCounters = options.showCounters and filterOptionMobile.counter is defined %}
+ 136     {% endif %}
+ 137
+ 138     <div class="{{ html_classes('visible-xs-only filter-control', { 'filter-control_empty': showCounters and filterOptionMo

```

```

bile.counter <= 0 }) }}">
+ 139         <div>
+ 140             <div class="control">
+ 141                 <div class="checkbox">
+ 142                     {{ checkbox_control({
+ 143                         id: filterId,
+ 144                         label: filterOptionMobile.name,
+ 145                         name: filterOptionMobile.urlKey,
+ 146                         value: filterOptionMobile.urlValue,
+ 147                         checked: filterOptionMobile.isActive,
+ 148                         ariaLabel: "#{filterOptionMobile.name}, #{showCounters ? translate('Number of products: %s', fi
lterOptionMobile.counter) : ''}",
+ 149                         dataAttributes: {
+ 150                             'is-available': filterOptionMobile.isAvailable
+ 151                         }
+ 152                     })
+ 153                 }}
+ 154
+ 155                 <div class="checkbox_content">
+ 156                     <label class="label label_vcenter" for={{ filterId }}>
+ 157                         {% if filterOptionMobile.color %}
+ 158                             <div style="background-color: {{ filterOptionMobile.color }}" class="color-item color-item_
xs"></div>
+ 159                             {% endif %}
+ 160
+ 161                             {{ filterOptionMobile.name }}
+ 162                         </label>
+ 163                     </div>
+ 164                 </div>
+ 165             </div>
+ 166         </div>
+ 167
+ 168         {% if showCounters %}
+ 169             <span aria-hidden="true" class="filter-control_counter">{{ filterOptionMobile.counter }}</span>
+ 170         {% endif %}
+ 171     </div>
+ 172 {% endif %}
+ 173 {% endfor %}
+ 174 </fieldset>
175 {% endmacro %}

```

@macros/single_filter.twig

```

7         {% set showCounters = options.showCounters %}
8         {% endif %}
9
- 10     {% if options.isFiltersSubcategoriesWcagFlagEnabled %}
- 11         {% set filterValues = filter.values %}
- 12         {% if options.shouldHideEmptyFilters %}
- 13             {% set filterValues = filterValues|filter(filter => filter.counter is defined and filter.counter is not empty and filter.co

```

```

- 14         {% endif %}
- 15     }
- 16     {% for filterOption in filterValues %}
- 17         {% set showCounters = showCounters and filterOption.counter is defined %}
- 18     }
- 19     {% if loop.first %}
- 20         {% set clearFilterId = filterOption.urlKey ~ options.instanceId %}
+ 10     {% set filterValues = filter.values %}
+ 11     {% if options.shouldHideEmptyFilters %}
+ 12         {% set filterValues = filterValues|filter(filter => filter.counter is defined and filter.counter is not empty and filter.counte
r > 0) %}
+ 13     {% endif %}
14
- 15         <div class="filter-control">
- 16             <div>
- 17                 <div class="control">
- 18                     {{
- 19                         radio({
- 20                             id: clearFilterId,
- 21                             label: translate('Do not use this filter'),
- 22                             name: filterOption.urlKey,
- 23                             value: '',
- 24                             checked: not filterOption.isActive,
- 25                             ariaLabel: "#{translate('Do not use this filter')}, #{filter.name}"
- 26                         })
- 27                     }}
- 28                 </div>
- 29             </div>
- 30         </div>
- 31     {% endif %}
+ 12     {% for filterOption in filterValues %}
+ 13         {% set showCounters = showCounters and filterOption.counter is defined %}
14
- 15         {% set filterId = filterOption.urlKey ~ filterOption.urlValue ~ options.instanceId %}
+ 14     {% if loop.first %}
+ 15         {% set clearFilterId = filterOption.urlKey ~ options.instanceId %}
16
- 17         <div class="{% html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.counter <= 0 }) %}">
+ 16     <div class="filter-control">
17         <div>
18             <div class="control">
19                 {{
20                     radio({
- 21                         id: filterId,
- 22                         label: filterOption.name,
+ 21                         id: clearFilterId,
+ 22                         label: translate('Do not use this filter'),
23                         name: filterOption.urlKey,
- 24                         value: filterOption.urlValue,

```

```

- 25         checked: filterOption.isActive,
- 26         ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %s', filterOption.cou
n
ter) : ''}"
- 27     })
+ 23         value: '',
+ 24         checked: not filterOption.isActive,
+ 25         ariaLabel: "#{translate('Do not use this filter')}, #{filter.name}"
+ 26     })
27     }}
28     </div>
29     </div>
- 30
- 31     {% if showCounters %}
- 32     <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
- 33     {% endif %}
34     </div>
- 35     {% endfor %}
- 36     {% else %}
- 37     {% set filters = filter.values %}
- 38     {% if options.shouldHideEmptyFilters %}
- 39     {% set filters = filter.values|filter(filter => filter.counter is defined and filter.counter is not empty and filter.coun
ter > 0) %}
40     {% endif %}
41
- 42     {% for filter in filters %}
- 43     {% if loop.first %}
- 44     {% set clearFilterId = filter.urlKey ~ options.instanceId %}
- 45
- 46     <div class="filter-control">
- 47     <div>
- 48     <div class="control">
- 49     {{
- 50         radio({
- 51             id: clearFilterId,
- 52             label: translate('Do not use this filter'),
- 53             name: filter.urlKey,
- 54             value: '',
- 55             checked: not filter.isActive
- 56         })
- 57     }}
- 58     </div>
- 59     </div>
- 60     </div>
- 61     {% endif %}
- 62
- 63     {% set filterId = filter.urlKey ~ filter.urlValue ~ options.instanceId %}
+ 30     {% set filterId = filterOption.urlKey ~ filterOption.urlValue ~ options.instanceId %}
31
- 32     <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filter.counter is defined and filt
er.counter <= 0 }) }}">

```

```

- 33     <div>
- 34         <div class="control">
- 35             {{
- 36                 radio({
- 37                     id: filterId,
- 38                     label: filter.name,
- 39                     name: filter.urlKey,
- 40                     value: filter.urlValue,
- 41                     checked: filter.isActive
- 42                 })
- 43             }}
- 44         </div>
+ 32     <div class="{{ html_classes('filter-control', { 'filter-control_empty': showCounters and filterOption.counter <= 0 }) }}">
+ 33         <div>
+ 34             <div class="control">
+ 35                 {{
+ 36                     radio({
+ 37                         id: filterId,
+ 38                         label: filterOption.name,
+ 39                         name: filterOption.urlKey,
+ 40                         value: filterOption.urlValue,
+ 41                         checked: filterOption.isActive,
+ 42                         ariaLabel: "#{filterOption.name}, #{showCounters ? translate('Number of products: %s', filterOption.counter
+ 43                             ) : ''}"
+ 44                     })
+ 45                 }}
+ 46             </div>
- 47             {% if showCounters and filter.counter is defined %}
- 48             <span aria-label="{{ translate('Products') }}" class="filter-control__counter">{{ filter.counter }}</span>
- 49             {% endif %}
+ 50         </div>
- 51     {% endfor %}
- 52 {% endif %}
+ 35
+ 36     {% if showCounters %}
+ 37     <span aria-hidden="true" class="filter-control__counter">{{ filterOption.counter }}</span>
+ 38     {% endif %}
+ 39 </div>
+ 40 {% endfor %}
+ 41 {% endmacro %}

```

Pliki .css

Pliki .less

